Journal of the American Ceramic Society

Including Advanced Ceramic Materials and Communications

VOLUME 83, 2000

Author Index

Numbers in parentheses refer to month of issue, following numbers are page numbers.

Abadie, Johan G. See Weber, J. K. Richard
Abicht, Hans-Peter See Langhammer, Hans Theo
Abothu, Isaac Robin See Saruhan, Bilge
Adachi, Gin-ya See Imanaka, Nobuhito
Adachi, Kenji and Kuno, Hiroko
Effect of Glass Composition on the Electrical Properties of Thick-Film Resistors. (10) 2441
Adolfsson, Erik; Alberius-Henning, Peter; and Hermansson, Leif
Phase Analysis and Thermal Stability of Hot Isostatically Pressed Zirconia–Hydroxyapatite Composites. (11) 2798
Aggarwal, Ishwar D. See Nguyen, Vinh Q.
Agrafiotis, Christos; Tsetsekou, Athena; and Leon, Ioanna
Effect of Slurry Rheological Properties on the Coating of Ceramic Honeycombs with Yttria-Stabilized-Zirconia Washcoats. (5) 1033
Agrawal, Dinesh C. See Dobal, Pramod S.
Agrawal, Dinesh K. See Breval, Else
Ahn, Byung-Yong and Kim, Nam-Kyoung
Effects of Barium Substitution on Perovskite Formation, Dielectric Properties, and Diffuseness Characteristics of Lead Zinc Niobate Ceramics. (7) 1720
Ahn, Do-Hwan See Lee, Kyung-Jae; Shin, Jason
Ahn, Sun-Yong and Kang, Shinboo
Formation of Core/Rim Structures in Ti(C,N)-WC-Ni Cermets via a Dissolution and Precipitation Process. (6) 1489
Aida, Kazuya; Benino, Yasuhiko; Dimitrov, Vesselin; Komatsu, Takayuki; and Sato, Ryuji
Kinetics of Enthalpy Relaxation at the Glass Transition in Ternary Tellurite Glasses. (5) 1192
Akaishi, Minoru See Miyazawa, Kun'ichi
Akbas, Mehmet A. and Davies, Peter K.
Thermally Induced Coarsening of the Chemically Ordered Domains in $Pb(Mg_{1/3}Nb_{2/3})O_3$ (PMN)-Based Relaxor Ferroelectrics. (1) 119
Akbay, Taner See Ishihara, Tatsumi
Akinc, Mufit See Summers, Eric M.; Zheng, Jing
Alberius-Henning, Peter See Adolfsson, Erik
Alcalá, Jorge
Instrumented Micro-indentation of Zirconia Ceramics. (8) 1977
Aldinger, Fritz See Du, Yong; Wang, Liwu; Majewski, Peter; Taş, A. Cüneyt; Christ, Martin
Alford, Neil McN. See Templeton, Alan
Allahverdi, Mehdi; Cannon, W. Roger; and Danforth, Stephen C.
Processing and Properties of Blackglas™–Nextel™ 312 (BN) Composites Incorporating Fillers. (12) 2929
Allieri, Brigida See Traversa, Enrico
Almond, Darryl P. See Luo, Jie
Alonso, Cruz See de Vera, Guillem
Amorós, J. L. See Escardino, A.
An, Linan
Contact-Damage Behavior of Textured and Random Alumina Ceramics under Hertzian Indentation. (2) 410
Anandakumar, Umashankar See Wang, Yu-Lin
Ando, Kotoji See Korouš, Jan
Ando, Motohide See Oh, Sung-Tag
Andrade, Carmen See Vera, Guillem de
Andrade-Gamboa, Julio See Bohé, Ana E.
Ang, Seok Khim; Wang, John; Wan, Dongmei; Xue, Junmin; and Li, Longtu
Mechanical Activation-Assisted Synthesis of $Pb(Fe_{2/3}W_{1/3})O_3$. (7) 1575
Ansell, Stuart See Krishnan, Shankar
Anselmi-Tamburini, Umberto See Maglia, Filippo
Anusavice, Kenneth J. See Hill, Thomas J.
Aoki, Hiroshi See Tawarayama, Hiromasa
Aoki, Kaoru See Tamai, Hiroyasu
Aono, Hiromichi See Traversa, Enrico
Aparicio, Mario and Durán, Alicia
Yttrium Silicate Coatings for Oxidation Protection of Carbon–Silicon Carbide Composites. (6) 1351
Arakawa, Shuichi; Sano, Junya; and Hayashi, Shinsuke
Characterization of Electrical Properties of $Li(Fe,Al)_{1-x}S_8$ Solid Solutions by Impedance Spectroscopy. (11) 2705
Aria, Shigeo See Seo, Won-Seon
Armstrong, Janet L.; Matthewson, M. John; and Kurkjian, Charles R.
Humidity Dependence of the Fatigue of High-Strength Fused Silica Optical Fibers. (12) 3100
Armstrong, Timothy R. See Chou, Yeong-Shyung
Arndt, Kenneth C. See Svedberg, Lynne M.
Assal, Jérôme; Hallstedt, Bengt; and Gauckler, Ludwig J.
Thermodynamic Optimization of the Silver–Bismuth–Strontium–Calcium–Copper–Oxygen (Ag-Bi-Sr-Ca-Cu-O) System. (4) 911
Aswath, Pranesh B. See Lee, Kuo-Tong
Atkinson, Alan See Selçuk, Ahmet
Atkinson, Helen V. See López-Cuevas, Jorge
Attal, Jacques See Cros, Bernard
Auger, Michael L.; Sengupta, Anita; and Sarin, Vinod K.
Coal Slag Protection of Silicon Carbide with Chemically Vapor Deposited Mullite Coatings. (10) 2429
Awano, Masanobu See Hwang, Hae Jin; Suzuki, Yoshikazu
Axén, Niklas See Engqvist, Håkan
Ayon, Arturo See Chen, Kuo-Shen
Baba, Nadendla Hari; Lo, Wai; and Cardwell, David A.
Influence of Undercooling and $Nd_4Ba_2Cu_2O_{10}$ Content on the Growth Rate of Large-Grain Bulk Nd-Ba-Cu-O Superconductor. (10) 2622
Bacalski, Carlos F. See McKittrick, Joanna
Bae, Byeong-Soo See Jang, Jae Hyeok
Baek, Jong-Gab See Shinohara, Seiji
Baek, Seung Su See Park, June-Ho
Baer, Tom See Morissette, Sherry L.
Bahl, Om Prakash See Raman, Vasantha
Bahlawane, Naoufal and Watanabe, Tadahiko
New Sol–Gel Route for the Preparation of Pure α-Alumina at 950°C. (9) 2324
Bahlawane, Naoufal; Watanabe, Tadahiko; Waku, Yoshiharu; Mitani, Atsuyuki; and Nakagawa, Narihito
Effect of Moisture on the High-Temperature Stability of Unidirectionally Solidified Al_2O_3/YAG Eutectic Composites. (12) 3077
Baik, Hong Koo See Yoon, Dong-Soo
Baik, Nam seok.; Sakai, Go; Miura, Norio; and Yamazoe, Noboru
Preparation of Stabilized Nanosized Tin Oxide Particles by Hydrothermal Treatment. (12) 2983
Bak, Heungjin See Rhim, Sung Min
Balandina, Nadejda See Ohyanagi, Manshi
Baldi, Giovanni See Bondioli, Federica
Banba, Tsunetaka See Kinoshita, Hajime
Bandyopadhyay, Amit See Hattiangadi, Ashwin
Baptista, João L. See Pan, Yi; Vilarinho, Paula M.; Wu, Aiying; Zhou, Liqin
Barba, Antonio See Escardino, Agustín
Barbieri, Luisa; Ferrari, Anna Maria; Lancellotti, Isabella; Leonelli, Cristina; Rincón, Jesus Maria; and Romero, Maximina
Crystallization of $(Na_2O–MgO)–CaO–Al_2O_3–SiO_2$ Glassy Systems Formulated from Waste Products. (10) 2515
Bar-On, Isa See Grendahl, Scott
Barron, Andrew R. See Callender, Rhonda L.
Barsoum, Michel W. See Tzenov, Nikolay V.
Bassarello, Carla See Roncari, Edoardo
Basu, Debabrata See Vassen, Robert
Baumard, Jean-François See Laucournet, Richard
Beattie, James K. and Djerdjev, Alex
Rapid Electroacoustic Method for Monitoring Dispersion: Zeta Potential Titration of Alumina with Ammonium Poly(methacrylate). (10) 2360
Belkada, Rachid; Shibayanagi, Toshiya; Naka, Masaaki; and Kohyama, Masanori
Ab Initio Calculations of the Atomic and Electronic Structure of β-Silicon Nitride. (10) 2449
Bell, Nelson S. See Sigmund, Wolfgang M.
Beltrán, Vicente See Escardino, Agustín
Benavídez, Edgardo See Caracoche, María C.
Bender, Barry A. See Jessen, Todd L.
Benino, Yasuhiko See Aida, Kazuya
Bennison, Stephen J. See Mikeska, Kurt R.
Bentz, Dale P. See Shane, John D.
Bergström, Lennart and Blomberg, Eva
Probing Polymeric Stabilization in Nonaqueous Media by Direct Measurements. (1) 217
Bergström, Lennart See Laarz, Eric; Sigmund, Wolfgang M.
Berndt, Christopher C. See Nakamura, Toshio
Bernik, Slavko See Daneu, Nina
Bert, Raymond See Grendahl, Scott
Besmann, Theodore M.; Kupp, Elizabeth R.; Lara-Curzio, Edgar; and More, Karren L.
Ceramic Composites with Multilayer Interface Coatings. (12) 3014
Bhatnagar, Ajay; Hoffman, Michael J.; and Dauskardt, Reinhold H.
Fracture and Subcritical Crack-Growth Behavior of Y-Si-Al-O-N Glasses and Si_3N_4 Ceramics. (3) 585
Biesheuvel, P. Maarten and Verweij, Henk
Calculation of the Composition Profile of a Functionally Graded Material Produced by Centrifugal Casting. (4) 743
Bill, Joachim See Christ, Martin
Birringer, R. See Nan, Ce-Wen
Bisson, Jean-François; Fournier, Danièle; Poulain, Martine; Lavigne, Odile; and Mévrel, Rémy
Thermal Conductivity of Yttria–Zirconia Single Crystals, Determined with Spatially Resolved Infrared Thermography. (8) 1993
Blasco, Antonio See Escardino, Agustín
Blomberg, Eva See Bergström, Lennart
Boccaccini, Aldo R. See Kaya, Cengiz
Boehman, Andre L. See Palmisiano, Marc N.
Boháček, Jaroslov See Šubrt, Jan

Bohé, Ana E.; Andrade-Gamboa, Julio; Pasquevich, Daniel M.; Tolley, Alfredo J.; and Pelegrina, Jorge L.
Microstructural Characterization of ZrO_2 Particles Prepared by Reaction of Gaseous $ZrCl_4$ with Fe_2O_3. (4) 755

Bohn, Hans G. and Schober, Tilman
Electrical Conductivity of the High-Temperature Proton Conductor $BaZr_{0.9}Y_{0.1}O_{2.95}$. (4) 768

Boling-Risser, Martha A.; Goretta, K. C.; Routbort, J. L.; and Faber, K. T.
Effect of Microstructure on High-Temperature Compressive Creep of Self-Reinforced Hot-Pressed Silicon Nitride. (12) 3065

Bondioli, Federica; Corradi, Anna Bonamartini; Ferrari, Anna Maria; Manfredini, Tiziano; and Baldi, Giovanni
Environmental Scanning Electron Microscopy (ESEM) Investigation of the Reaction Mechanism in Praseodymium-Doped Zircon. (6) 1518

Bondioli, Federica; Ferrari, Anna Maria; Leonelli, Cristina; Manfredini, Tiziano; Linati, Laura; and Mustarelli, Piercarlo
Reaction Mechanism in Alumina/Chromia (Al_2O_3–Cr_2O_3) Solid Solutions Obtained by Coprecipitation. (8) 2036

Bothe, James V., Jr. and Brown, Paul W.
Apatite Formation in the CaO–PbO–P_2O_5–H_2O System at 23° ± 1°C. (3) 612

Botton, Gianluigi A. See Engqvist, Håkan

Bowman, Keith See Moon, Robert

Boyapati, Sai See Wachsman, Eric D.

Breder, Kristin See Tennery, Victor J.

Breval, Else; Cheng, Jiping; and Agrawal, Dinesh K.
Development of Titanium Coatings on Particulate Diamond. (8) 2106

Brewer, David See Morscher, Gregory N.

Bridger, Keith See Cho, Yong S.

Brito, Manuel E. See Imamura, Hisayuki; Lenčéš, Zoltán

Brown, Paul W. See Bothe, James V., Jr.

Bruhn, Jörn See Gaus, Shaun P.

Buckley, Robert See Morgan, Sean P.

Bullard, Jeffrey W. See Thayer, Ryan L.

Burggraaf, Anthonie J. See Nair, Jalajakumari

Byun, Jae-Dong See Lee, Hwack Joo

Caballero, Amador C.; Fernández, José F.; Villegas, Marina; Moure, Carlos; Durán, Pedro; Florian, Pierre; and Coutures, Jean-Pierre
Intermediate Phase Development in Phosphorus-Doped Barium Titanate. (6) 1499

Caballero, Amador C. See Durán, Pedro; Villegas, Marina

Cai, Xumei See Zhang, Shuren

Calderón, Héctor A. See Suzuki, Yoshikazu

Callender, Rhonda L. and Barron, Andrew R.
Facile Synthesis of Aluminum-Containing Mixed-Metal Oxides Using Doped Carboxylate Alumoxane Nanoparticles. (7) 1777

Cannon, Rowland M. See Kitayama, Mikito

Cannon, W. Roger See Allahverdi, Mehdi

Cantalini, Carlo See Karamanov, Alexander

Cao, Xueqiang See Vassen, Robert

Capaldi, Franco M. See O'Brien, Michael J.

Caracoche, María C.; Rivas, Patricia C.; Cervera, Mario M.; Caruso, Ricardo; Benavídez, Edgardo; de Sanctis, Oscar; and Escobar, Marta E.
Zirconium Oxide Structure Prepared by the Sol–Gel Route: I, The Role of the Alcoholic Solvent. (2) 377

Caram, Hugo S. See Gaus, Shaun P.

Cardwell, David A. See Babu, Nadendla Hari

Carim, Altaf H. See Kebbede, Anteneh

Carlström, Elis See Davis, Janet B.

Carmel, Yuval See Olorunyolemi, Tayo

Carrillo-Heian, Ellen M.; Xue, Hongyong; Ohyanagi, Manshi; and Munir, Zuhair A.
Reactive Synthesis and Phase Stability Investigations in the Aluminum Nitride–Silicon Carbide System. (5) 1103

Carter, C. Barry See Johnson, Matthew T.

Carter, W. Craig See Kitayama, Mikito

Caruso, Ricardo See Caracoche, María C.

Cava, Robert J.
Oxide Superconductors. (1) 5

Cazalla, Olga; Rodriguez-Navarro, Carlos; Sebastian, Eduardo; Cultrone, Giuseppe; and De la Torre, Maria Jose
Aging of Lime Putty: Effects on Traditional Lime Mortar Carbonation. (5) 1070

Cervera, Mario M. See Caracoche, María C.

Cesarano, Joseph, III See Morissette, Sherry L.

Chaim, Rachman See Ramesh, Sivarajan

Chakrabarti, Omprakash and Das, Probal Kumar
Reactive Infiltration of Si-Mo Alloyed Melt into Carbonaceous Preforms of Silicon Carbide. (6) 1548

Chakravarthy, Srinath S. See Ritter, John E.

Chan, Helen M.; Harmer, Martin P.; and Rickman, Jeffrey M.
Reply to "Comment on 'Influence of Yttrium Doping on Grain Misorientation in Aluminum Oxide'". (5) 1324

Chan, Helen M. See Cho, Junghyun; Khan, Ajmal; Gaus, Shaun P.; Khan, Ajmal

Chan, H. L. W. See Zhang, Q. Q.

Chang, Hsiao-Lan; Shady, Phillip; and Shih, Wei-Heng
Effect of Sodium on Crystallite Size and Surface Area of Zirconia Powders at Elevated Temperatures. (8) 2055

Chang, Soon-Nam See Shin, Hyunho

Chang, Wenyi See Zhang, Xiaozhong

Chartier, Thierry See Laucournet, Richard

Chawla, Krishan K. See Kaya, Cengiz

Chazono, Hirokazu and Kishi, Hiroshi
Sintering Characteristics in the $BaTiO_3$–Nb_2O_5–Co_3O_4 Ternary System: II, Stability of So-called "Core–Shell" Structure. (1) 101

Chen, Chin-Yi and Tuan, Wei-Hsing
Evaporation of Silver during Cofiring with Barium Titanate. (7) 1693; Effect of Silver on the Sintering and Grain-Growth Behavior of Barium Titanate. (12) 2988

Chen, Da; Zhang, Xiao-Feng; and Ritchie, Robert O.
Effects of Grain-Boundary Structure on the Strength, Toughness, and Cyclic-Fatigue Properties of a Monolithic Silicon Carbide. (8) 2079

Chen, Dairong and Jiao, Xiuling
Solvothermal Synthesis and Characterization of Barium Titanate Powders. (10) 2637

Chen, Guorong See Chen, Shujiang

Chen, I-Wei See Kim, Joosun; Wang, Ling-Ling; Winn, E. Jenny

Chen, Kuo-Shen; Ayon, Arturo; and Spearing, S. Mark
Controlling and Testing the Fracture Strength of Silicon on the Mesoscale. (6) 1476

Chen, Qing See Yu, Hao

Chen, Rong; Wu, Genhua; and Zhang, Qiyun
Phase Diagram of the System KF–AlF_3. (12) 3196

Chen, Shan-Wei See Lu, Shih-Yuan

Chen, Shujiang; Chen, Guorong; Cheng, Jijian; and Tian, Fengren
Effect of Additives on the Hydration Resistance of Materials Synthesized from the Magnesia–Calcia System. (7) 1810

Chen, Xiang Ming See Wu, Yong Jun; Xu, Yebin

Chen, Yih-Chien See Wu, Long

Chen, Yijia See Liao, Shih-Chieh

Chen, Zhongchun; Ikeda, Keisuke; Murakami, Tadasu; and Takeda, Takenobu
Extrusion of Metal–Ceramic Composite Pipes. (5) 1081

Cheng, Jian-Gong; Meng, Xiang-Jian; Tang, Jun; Guo, Shao-Ling; Chu, Jun-Hao; Wang, Min; Wang, Hong; and Wang, Zhuo
Effects of Individual Layer Thickness on the Structure and Electrical Properties of Sol–Gel-Derived $Ba_{0.8}Sr_{0.2}TiO_3$ Thin Films. (10) 2616

Cheng, Jijian See Chen, Shujiang

Cheng, Jiping See Breval, Else

Cheng, Yi-Bing See Komeya, Katsutoshi

Cheong, Yong S.; Mukundhan, Priya; Du, Henry H.; and Withrow, Stephen P.
Improved Oxidation Resistance of Silicon Nitride by Aluminum Implantation: I, Kinetics and Oxide Characteristics. (1) 154; Improved Oxidation Resistance of Silicon Nitride by Aluminum Implantation: II, Analysis and Optimization. (1) 161

Chiang, Ming-Tsung See Shyu, Jiin-Jyh

Ching, Wai-Yim; Huang, Ming-Zhu; and Mo, Shang-Di
Electronic Structure and Bonding of β-SiAlON. (4) 780

Chinn, Richard E.; Haun, Michael J.; Kim, Chan Young; and Price, David B.
Microstructures and Properties of Three Composites of Alumina, Mullite, and Monoclinic $SrAl_2Si_2O_8$. (11) 2668

Cho, Junghyun; Rickman, Jeffrey M.; Chan, Helen M.; and Harmer, Martin P.
Modeling of Grain-Boundary Segregation Behavior in Aluminum Oxide. (2) 344

Cho, Kurn See Park, Yung

Cho, Kyu See Grendahl, Scott

Cho, Sang-Hee See Jung, Woo-Hwan

Cho, Seong-Jai; Kim, Kyung-Hee; Kim, Dong-Jin; and Yoon, Kyung-Jin
Abnormal Grain Growth at the Interface of Centrifugally Cast Alumina Bilayer during Sintering. (7) 1773

Cho, Seong-Mok See Jang, Hyun M.

Cho, Yang Koo See Lee, Hwack Joo

Cho, Yasuo; Jintsugawa, Osamu; and Yamanouchi, Kazuhiko
Scanning Electron-Beam Dielectric Microscopy for the Investigation of the Temperature Coefficient Distribution of Dielectric Ceramics. (5) 1299

Cho, Yong S.; Pilgrim, Steven M.; Giesche, Herbert; and Bridger, Keith
Dielectric and Electromechanical Properties of Chemically Modified PMN-PT-BT Ceramics. (10) 2473

Choi, Changho See Greener, Jessie

Choi, Heon-Jin; Kim, Gyeung-Ho; Lee, June-Gunn; and Kim, Young-Wook
Refined Continuum Model on the Behavior of Intergranular Films in Silicon Nitride Ceramics. (11) 2821

Choi, Jong-Jin See Koh, Young-Hag

Choi, Yong Gyu See Shin, Yong Beom

Chou, Chen-Chia See Tien, Lai-Cheng

Chou, Jung-Fang See Lin, Ming-Hong

Chou, Yeong-Shyung; Stevenson, Jeffrey W.; Armstrong, Timothy R.; and Pederson, Larry R.
Mechanical Properties of $La_{1-x}Sr_xCo_{0.2}Fe_{0.8}O_3$ Mixed-Conducting Perovskites Made by the Combustion Synthesis Technique. (6) 1457

Chou, Yi-Ping See Wu, Long

Choy, C. L. See Zhang, Q. Q.

Choy, Tae-Goo See Kim, Duk-Jun

Christ, Martin; Thurn, Günter; Weinmann, Markus; Bill, Joachim; and Aldinger, Fritz
High-Temperature Mechanical Properties of Si-B-C-N-Precursor-Derived Amorphous Ceramics and the Applicability of Deformation Models Developed for Metallic Glasses. (12) 3025

Chu, Fuming See Sharif, Adel A.

Chu, Jun-Hao See Cheng, Jian-Gong

Chu, Min Cheol See Korouš, Jan

Chu, Tien-Min Gabriel and Halloran, John W.
High-Temperature Flow Behavior of Ceramic Suspensions. (9) 2189; Curing of Highly Loaded Ceramic Suspensions in Acrylates. (10) 2375

Chung, Sung-Yoon and Kang, Suk-Joong L.
Effect of Dislocations on Grain Growth in Strontium Titanate. (11) 2828

Chung, Sung-Yoon See Lee, Byoung-Ki

Chung, Yong-Chae; Im, Dong Hyun; Kim, Chang Kyung; and Yoon, Chong S.
Microscopic Study of SnO_2 Crystals in the Gold Decoration Layer of Bone China. (5) 1308

Ciccotti, Matteo
Realistic Finite-Element Model for the Double-Torsion Loading Configuration. (11) 2737

Cima, Michael J. See Moon, Jooho; Svedberg, Lynne M.

Cina, Baruch See Ramesh, Sivarajan

Cinibulk, Michael K.
Synthesis of Yttrium Aluminum Garnet from a Mixed-Metal Citrate Precursor. (5) 1276

Ciobanu, Cristian See Wang, Yunzhi

Clark, David E. See Earl, David A.

Clarke, David R. See Peng, Xiao

Claussen, Nils See Gaus, Shaun P.; Scheu, Christina

Clegg, William J.
Role of Carbon in the Sintering of Boron-Doped Silicon Carbide. (5) 1039

Clifford, Anton See Rafferty, Aran

Climent, Miguel Angel See de Vera, Guillem

Cline, James P. See Seabaugh, Matthew M.

Coetsee, Theresa and Pistorius, Chris
Preliminary Observations on Phase Relations in the "V_2O_3–FeO" and V_2O_3–TiO_2 Systems from 1400°C to 1600°C in Reducing Atmospheres. (6) 1485

Cohen, Lesley F. See Templeton, Alan

Colaizzi, James See Liao, Shih-Chieh

Colic, Miroslav See Klein, Sascha

Colomban, Philippe; Courret, Hellène; Romain, François; Gouadec, Gwenaël; and Michel, D.
Sol–Gel-Prepared Pure and Lithium-Doped Hexacelsian Polymorphs: An Infrared, Raman, and Thermal Expansion Study of the β-Phase Stabilization by Frozen Short-Range Disorder. (12) 2974

Colombo, Paolo See Danko, Gene A.; Pivin, Jean C.

Colomer, Marie T. See Jurado, Jose R.

Combette, Philippe See Cros, Bernard

Cook, Robert F. See Khan, Ajmal

Cooke, Charles M. See Keller, Kristin A.

Cooley, Kevin M. See Haynes, J. Allen

Cooper, Reid F. See King, Todd T.

Corff, Brian A. See Winter, Andrew N.

Cornejo, Iván A. See Lous, Gwenaëlle M.

Corradi, Anna Bonamartini See Bondioli, Federica

Correia, Rui N. See Oliveira, José M.

Courret, Hellène See Colomban, Philippe

Coutures, Jean-Pierre See Caballero, Amador C.

Creuzet, François See Hénaux, Stéphane

Criado, Jose M. See Šubrt, Jan

Cros, Bernard; Combette, Philippe; and Attal, Jacques
Elastic-Property Measurements on CVI SiC/SiC Minicomposites by Acoustic Microscopy. (4) 809

Cross, Tom E. See Siligardi, Cristina

Cui, Suxian See Zheng, Yanqing

Cultrone, Giuseppe See Cazalla, Olga

Cumbrera, Francisco L. See Ortiz, Angel L.

Curtis, Justin D. See Groza, Joanna R.

Dakskobler, Aleš and Kosmač, Tomaž
Weakly Flocculated Aqueous Alumina Suspensions Prepared by the Addition of Mg(II) Ions. (3) 666

Damjanovic, Dragan See Shulman, Holly S.

Daneu, Nina; Rečnik, Aleksander; Bernik, Slavko; and Kolar, Drago
Microstructural Development in SnO_2-Doped ZnO–Bi_2O_3 Ceramics. (12) 3172

Danforth, Stephen C. See Allahverdi, Mehdi; Lous, Gwenaëlle M.; Rangarajan, Sriram

Danko, Gene A.; Silberglitt, Richard; Colombo, Paolo; Pippel, Eckhard; and Woltersdorf, Jörg
Comparison of Microwave Hybrid and Conventional Heating of Preceramic Polymers to Form Silicon Carbide and Silicon Oxycarbide Ceramics. (7) 1617

Danzer, Robert See Marschall, Hans Ulrich

D'Arrigo, Maria Cristina See Siligardi, Cristina

Das, Probal Kumar See Chakrabarti, Omprakash

Das, Rasmi R. See Dobal, Pramod S.

Das, Rathindra Nath See Okada, Kiyoshi

Dauskardt, Reinhold H. See Bhatnagar, Ajay

Davies, Peter K. See Akbas, Mehmet A.; Valant, Matjaz

Davis, Janet B.; Kristoffersson, Annika; Carlström, Elis; and Clegg, William J.
Fabrication and Crack Deflection in Ceramic Laminates with Porous Interlayers. (10) 2369

Day, Delbert E. See Ray, Chandra S.
De, Debnath See Sarkar, Partho
De Aza, Antonio H.; Iglesias, Juan E.; Pena, Pilar; and De Aza, Salvador
Ternary System Al_2O_3–MgO–CaO: Part II, Phase Relationships in the Subsystem Al_2O_3–$MgAl_2O_4$–$CaAl_4O_7$. (4) 919
De Aza, Salvador See De Aza, Antonio H.
de Haro, María del Carmen Jiménez See Sánchez-Soto, Pedro J.
De Jonghe, Lutgard C. See Zhang, Xiao Feng
De la Torre, Maria Jose See Cazalla, Olga
de Souza, Dulcina P. F. See de Souza, Milton F.
de Souza, Milton F.; Yamamoto, Jean; Regiani, Inacio; Paiva-Santos, Carlos O.; and de Souza, Dulcina P. F.
Mullite Whiskers Grown from Erbia-Doped Aluminum Hydroxide–Silica Gel. (1) 60
de Vera, Guillem; Hidalgo, Ana; Climent, Miguel Angel; Andrade, Carmen; and Alonso, Cruz
Chloride-Ion Activities in Simplified Synthetic Concrete Pore Solutions: The Effect of the Accompanying Ions. (3) 640
de With, Gijsbertus de See Fang, Chang Ming; Slikkerveer, Peter J.
Dehm, Gerhard See Scheu, Christina
del Monte, Francisco; Larsen, Willa; and Mackenzie, John D.
Stabilization of Tetragonal ZrO_2 in ZrO_2–SiO_2 Binary Oxides. (3) 628; Chemical Interactions Promoting the ZrO_2 Tetragonal Stabilization in ZrO_2–SiO_2 Binary Oxides. (6) 1506
Deng, Zhen-Yan See Zhang, Guo-Jun
Depero, Laura E. See Traversa, Enrico
Dhakate, Sanjay See Raman, Vasantha
Dhawan, Urmila See Raman, Vasantha
Diaz, Luiz Antonio See Simonin, Fabien
Dimitrov, Vesselin See Aida, Kazuya
Dimitrova-Lukacs, Margarita See Rafferty, Aran
Dimos, Duane B. See Morissette, Sherry L.
Ding, Jun See Fang, Jiye
Djerdjev, Alex See Beattie, James K.
Dobal, Pramod S.; Das, Rasmi R.; Katiyar, Ram S.; and Agrawal, Dinesh C.
Determination of the Degree of Mixing in Multicomponent Ceramic Powder Compacts by Micro-Raman Spectroscopy. (8) 1953
Doesburg, Giel B. M. See Nair, Jalajakumari
Dogan, Fatih See Feng, Jian-Huei
Dorris, Stephen E. See Thayer, Ryan L.
dos Santos e Lucato, Sergio L.; Lupascu, Doru C.; and Rödel, Jürgen
Effect of Poling Direction on *R*-Curve Behavior in Lead Zirconate Titanate. (2) 424
Dou, Shi Xue See Guo, Yuan Chang
Douy, André and Gervais, Monique
Crystallization of Amorphous Precursors in the Calcia–Alumina System: A Differential Scanning Calorimetry Study. (1) 70
Dravid, Vinayak P. See Henrichsen, Matthew
Drofenik, Miha See Makovec, Darko
Dryden, John R. See McDonald, Kathleen R.
D'Souza, Clive M. and Sammes, Nigel M.
Mechanical Properties of Strontium-Doped Lanthanum Manganite. (1) 47
Du, Henry H. See Cheong, Yong S.
Du, Yong; Schuster, Julius C.; and Perring, Loic
Experimental Investigation and Thermodynamic Description of the Constitution of the Ternary System Cr-Si-C. (8) 2067
Du, Yong; Schuster, Julius C.; Seifert, Hans J.; and Aldinger, Fritz
Experimental Investigation and Thermodynamic Calculation of the Titanium–Silicon–Carbon System. (1) 197
Duan, Lianyun See Xia, Bin
Dunand, David C. and Grabowski, Jeffrey L.
Tensile Transformation-Mismatch Plasticity of Bismuth Sesquioxide. (10) 2521
Durán, Alicia See Aparicio, Mario
Duran, Cihangir; Trolier-McKinstry, Susan; and Messing, Gary L.
Fabrication and Electrical Properties of Textured $Sr_{0.53}Ba_{0.47}Nb_2O_6$ Ceramics by Templated Grain Growth. (9) 2203
Durán, Pedro; Moure, Carlos; Villegas, Marina; Tartaj, Jesús; Caballero, Amador C.; and Fernández, José F.
Low-Temperature Synthesis of Bismuth Titanate Niobate ($Bi_7Ti_4NbO_{21}$) Nanoparticles from a Metal-organic Polymeric Precursor. (5) 1029
Durán, Pedro See Caballero, Amador C.; Villegas, Marina
Dutton, R. E.; Pagano, N. J.; Kim, R. Y.; and Parthasarathy, T. A.
Modeling the Ultimate Tensile Strength of Unidirectional Glass-Matrix Composites. (1) 166
Dwivedi, Ravindra Nath See Karmakar, Basudeb
Earl, David A. and Clark, David E.
Effects of Glass Frit Oxides on Crystallization and Zircon Pigment Dissolution in Whiteware Coatings. (9) 2170
Egashira, Makoto See Shimizu, Yasuhiro
Einarsrud, Mari-Ann See Kleveland, Kjersti; Sagdahl, Lise T.
Elfwing, Mattias; Österlund, Ragnar; and Olsson, Eva
Differences in Wetting Characteristics of Bi_2O_3 Polymorphs in ZnO Varistor Materials. (9) 2311
Ellerby, Donald T. See Fahrenholtz, William G.
Elshof, Johan E. ten See van der Gijp, Sven
Emoto, Hideyuki See Xie, Rong-Jun
Endo, Tadashi See Takizawa, Hirotsugu
Engin, N. Özgür and Taş, A. Cüneyt
Preparation of Porous $Ca_{10}(PO_4)_6(OH)_2$ and β-$Ca_3(PO_4)_2$ Bioceramics. (7) 1581
Engqvist, Håkan; Botton, Gianluigi A.; Axén, Niklas; and Hogmark, Sture
Microstructure and Abrasive Wear of Binderless Carbides. (10) 2491
Epifani, Mauro; Giannini, Cinzia; Tapfer, Leander; and Vasanelli, Lorenzo
Sol–Gel Synthesis and Characterization of Ag and Au Nanoparticles in SiO_2, TiO_2, and ZrO_2 Thin Films. (10) 2385
Epple, Lars See Majewski, Peter
Esashi, Masayoshi See Li, Jing-Feng
Escardino, A.; Amorós, J. L.; Gozalbo, A.; Orts, M. J.; and Moreno, A.
Gahnite Devitrification in Ceramic Frits: Mechanism and Process Kinetics. (12) 2938
Escardino, Agustín; Mestre, Sergio; Barba, Antonio; Beltrán, Vicente; and Blasco, Antonio
Synthesis Mechanism of an Iron–Chromium Ceramic Pigment. (1) 29
Escobar, Iván S.; Silva, Carmen I.; Vargas, Tomás; and Fuenzalida, Víctor M.
Nucleation and Inhibition Control during the Hydrothermal–Electrochemical Growth of Barium Titanate Films. (11) 2673
Escobar, Marta E. See Caracoche, María C.
Esnouf, Claude See Montanaro, Laura
Espino, Ana M. See Torrecillas, Ramón
Etsell, Thomas H. See Stanić, Vesna; Tang, Eric Z.
Evans, Neal D. See Imamura, Philip H.
Evans, William J. See Hulm, Belinda J.
Evetts, Jan E. See Yan, Yong
Ewsuk, Kevin G. See Fahrenholtz, William G.
Faber, K. T. See Boling-Risser, Martha A.; Trice, Rodney W.
Fahrenholtz, William G.; Ellerby, Donald T.; Ewsuk, Kevin G.; and Loehman, Ronald E.
Forming Al_2O_3–Al Composites with Controlled Compositions by Reactive Metal Penetration of Dense Aluminosilicate Preforms. (5) 1293
Fahrenholtz, William G.; Ellerby, Donald T.; and Loehman, Ronald E.
Al_2O_3–Ni Composites with High Strength and Fracture Toughness. (5) 1279
Fang, Chang Ming; Parker, Stephen C.; and de With, Gijsbertus
Atomistic Simulation of the Surface Energy of Spinel $MgAl_2O_4$. (8) 2082
Fang, Jiye; Wang, John; Gan, Leong-Ming; Ng, Ser-Choon; Ding, Jun; and Liu, Xiangyuan
Fine Strontium Ferrite Powders from an Ethanol-Based Microemulsion. (5) 1049
Fang, Xiangyu See Ray, Chandra S.
Fang, Yi; Yu, Feng; and White, Kenneth W.
Bimodal Microstructure in Silicon Nitride–Barium Aluminum Silicate Ceramic-Matrix Composites by Pressureless Sintering. (7) 1828
Fantozzi, Gilbert See Montanaro, Laura; Simonin, Fabien
Faucon, Pascal See Popova, Alla
Fedorov, Andrei G. and Viskanta, Raymond
Radiation Characteristics of Glass Foams. (11) 2769
Felgner, Karl-Heinz See Langhammer, Hans Theo
Feng, Jian-Huei and Dogan, Fatih
Effects of Solvent Mixtures on Dispersion of Lanthanum-Modified Lead Zirconate Titanate Tape Casting Slurries. (7) 1681
Ferber, Mattison K. See Haynes, J. Allen; More, Karren L.; Tennery, Victor J.
Fernandes, Maria H. V. See Oliveira, José M.
Fernández, José F. See Caballero, Amador C.; Durán, Pedro; Villegas, Marina
Ferrari, Anna Maria See Barbieri, Luisa; Bondioli, Federica
Ferreira, José M. F. See Yang, Juan
Fett, Theo and Munz, Dietrich
R-Curve for a Lead Zirconate Titanate Ceramic Obtained from Tensile Strength Tests with Knoop-Damaged Specimens. (12) 3199
Fett, Theo; Munz, Dietrich; and Thun, Gerhard
Method to Estimate Crack-Tip Toughness from Bending Tests on Prenotched Bars. (2) 421; Differences in Tensile and Bending Strength for Knoop-Cracked Lead Zirconate Titanate Specimens. (3) 669
Filippo, Lucia Di; Lucchini, Elio; Sergo, Valter; and Maschio, Stefano
Synthesis of Pure Monolithic Calcium, Strontium, and Barium Hexaluminates for Catalytic Applications. (6) 1524
Fisher, Matthew L. and Lange, Fred F.
Rheological Behavior of Slurries and Consolidated Bodies Containing Mixed Silicon Nitride Networks. (8) 1861
Fisher, Matthew See Klein, Sascha
Fleig, Jürgen See Rodewald, Stefan
Florian, Pierre See Caballero, Amador C.
Fong, Hanson See White, Shane N.
Fournier, Danièle See Bisson, Jean-François
Fox, Dennis S.; Opila, Elizabeth J.; and Hann, Raiford E.
Paralinear Oxidation of CVD SiC in Simulated Fuel-Rich Combustion. (7) 1761
Frade, Jorge R. See Jurado, Jose R.
Franken, Klaus; Maier, Horst R.; Prume, Klaus; and Waser, Rainer
Finite-Element Analysis of Ceramic Multilayer Capacitors: Failure Probability Caused by Wave Soldering and Bending Loads. (6) 1433
Franken, Klaus See Prume, Klaus
Franks, George See Klein, Sascha
French, Roger H.
Origins and Applications of London Dispersion Forces and Hamaker Constants in Ceramics. (9) 2117
Fu, Jie
Effects of M^{3+} Ions on the Conductivity of Glasses and Glass-Ceramics in the System Li_2O–M_2O_3–GeO_2–P_2O_5 (M = Al, Ga, Y, Dy, Gd, and La). (4) 1004; Long-Lasting Phosphorescence of Transparent Surface-Crystallized Glass-Ceramics. (10) 2613
Fu, Ran and Zhang, Tong-Yi
Effects of an Electric Field on the Fracture Toughness of Poled Lead Zirconate Titanate Ceramics. (5) 1215
Fuenzalida, Víctor M. See Escobar, Iván S.
Fujii, Takashi See Kojima, Takashi
Fujimori, Hirotaka; Sato, Naoya; Ioku, Koji; Goto, Seishi; and Yamada, Tetsuo
^{29}Si MASNMR Spin-Lattice Relaxation Study of α-, β-, and Amorphous Silicon Nitride. (9) 2251
Fujimoto, Masayuki See Suzuki, Toshimasa
Fujimoto, Tetsuro See Wang, Yucong
Fujitsu, Satoru; Ikegami, Makoto; and Hayashi, Takashi
Sintering of Partially Stabilized Zirconia by Microwave Heating Using ZnO–MnO_3–Al_2O_3 Plates in a Domestic Microwave Oven. (8) 2085
Fukuda, Koichiro; Taguchi, Hiroyuki; Nomura, Yasuteru; and Ota, Toshitaka
Surface Relief Induced by Martensitic Transformation in Phosphorus-Bearing Dicalcium Silicate. (8) 2097
Fukuda, Yuji See Hirano, Masanori
Furniss, David See Morgan, Sean P.
Furuta, Sachiko See Katsuki, Hiroaki
Galassi, Carmen See Roncari, Edoardo
Gallagher, Patrick K. See Saw, Eaden
Gan, Fuxi See Jiang, Chun
Gan, Leong-Ming See Fang, Jiye
Garboczi, Edward J. See Roberts, Anthony P.; Shane, John D.
García, Daniel E. See Scheu, Christina
Garino, Terry and Rodriguez, Mark
Behavior of Silver and Palladium Mixtures during Heating. (11) 2709
Garofalini, Stephen H. See Litton, David A.
Gartner, Ellis See Popova, Alla
Gauckler, Ludwig J. See Assal, Jérôme
Gaus, Shaun P.; Harmer, Martin P.; Chan, Helen M.; Caram, Hugo S.; Bruhn, Jörn; and Claussen, Nils
Alumina–Aluminide Alloys (3A) Technology: II, Modeling of Ti_xAl_y–Al_2O_3 Composites Formation. (7) 1606
Gaus, Shaun P.; Harmer, Martin P.; Chan, Helen M.; Caram, Hugo S.; and Claussen, Nils
Alumina–Aluminide Alloys (3A) Technology: I, Model Development. (7) 1599
Gedanken, Aharon See Ramesh, Sivarajan
Geoffroy, Ghita See Popova, Alla
Gervais, Monique See Douy, André
Giannini, Cinzia See Epifani, Mauro
Giesche, Herbert See Cho, Yong S.
Glaeser, Andreas M. See Kitayama, Mikito; Powers, James D.
Gokon, Nobuyuki See Sano, Taizo
Goldstein, Adrian and Singurindi, Ania
Al_2O_3/TiC Based Metal Cutting Tools by Microwave Sintering Followed by Hot Isostatic Pressing. (6) 1530
Gong, Jianghong and Li, Ying
Reply to "Comment on 'Relationship between the Estimated Weibull Modulus and the Coefficient of Variation of the Measured Strength for Ceramics'". (4) 1015
Gong, Jianghong; Li, Ying; Zhang, Zhongtai; and Tang, Zilong
ac Impedance Study of Zirconia Doped with Yttria and Calcia. (3) 648
Goñi, Sara See Guerrero, Ana
González, Carlos See Pardo, José A.
Gordon, Al See Liau, Leo C.-K.
Goretta, K. C. See Boling-Risser, Martha A.
Goshima, Takahito See Ishihara, Sotomi
Goto, Seishi See Fujimori, Hirotaka
Goto, Yasuhiro See Kato, Masahiro
Gouadec, Gwenaël See Colomban, Philippe
Gouma, Pelagia I.; Mills, Michael J.; and Sandhage, Ken H.
Fabrication of Free-Standing Titania-Based Gas Sensors by the Oxidation of Metallic Titanium Foils. (4) 1007
Gozalbo, A. See Escardino, A.
Grabowski, Jeffrey L. See Dunand, David C.
Grande, Tor See Kleveland, Kjersti; Sagdahl, Lise T.

Grathwohl, Georg See Rausch, Gerald
Grau, Jason E. See Moon, Jooho
Grayeski, Walter See King, Todd T.
Greener, Jessie; Peemoeller, Hartwig; Choi, Changho; Holly, Rick; Reardon, Eric J.; Hansson, Carolyn M.; and Pintar, Mik M.
Monitoring of Hydration of White Cement Paste with Proton NMR Spin–Spin Relaxation. (3) 623
Greenhut, Victor A. See Jessen, Todd L.
Grendahl, Scott; Bert, Raymond; Cho, Kyu; and Bar-On, Ira
Effects of Residual Stress and Loading Geometry on Single-Edge Precracked-Beam (SEPB) Fracture-Toughness Test Results. (10) 2625
Grigoriu, Constantin; Iiirai, Makoto; Nishiura, Koji; Jiang, Weihua; and Yatsui, Kiyoshi
Synthesis of Nanosized Aluminum Nitride Powders by Pulsed Laser Ablation. (10) 2631
Grimes, Robin W. See Minervini, Licia
Grise, Steven L. See Mikeska, Kurt R.
Groza, Joanna R.; Curtis, Justin D.; and Krämer, Martin
Field-Assisted Sintering of Nanocrystalline Titanium Nitride. (5) 1281
Guerrero, Ana; Goñi, Sara; and Hernández, María-Soledad
Thermodynamic Solubility Constant of $Ca(OH)_2$ in Simulated Radioactive Sulfate Liquid Waste. (4) 882
Guerrero, Ana; Hernández, María-Soledad; and Goñi, Sara
Effect of Simulated Radioactive Liquid Waste on the Microstructure of Cementitious Materials: Portlandite Orientation and Saturation Factors in the Pore Solution. (11) 2803
Guiberteau, Fernando See Ortiz, Angel L.
Guo, J. Jiyou and Lewis, Jennifer A.
Effects of Ammonium Chloride on the Rheological Properties and Sedimentation Behavior of Aqueous Silica Suspensions. (2) 266
Guo, Shao-Ling See Cheng, Jian-Gong
Guo, Yuan Chang; Liu, Hua Kun; and Dou, Shi Xue
Influence of Ca_2PbO_4 on Phase Formation and Electrical Properties of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$/Ag Superconducting Composites. (7) 1675
Gupta, Surya M. See Xu, Zhengkui
Hachiya, Masahiro See Takano, Yoshihiko
Hackley, Vincent A. See Paik, Ungyu
Hahn, Horst See Srdić, Vladimir V.
Hahn, Jin-Woo See Kim, Duk-Jun
Halloran, John W. See Chu, Tien-Min Gabriel; Mawdsley, Jennifer R.; Trice, Rodney W.
Hallstedt, Bengt See Assal, Jérôme
Hamauzu, Takashi See Tamai, Hiroyasu
Han, Gee-Pyeong See Kim, Duk-Jun
Han, Joo-Hwan See Jeong, Jin-Wook
Han, Kyoo-Seung See Song, Seung-Wan
Han, Kyoung R.; Koo, Hee Jin; Hong, Mee-Jeong; and Lim, Chang Sup
Simple Synthesis of Submicrometer Lead Titanate Powder by Precipitation of TiO_2 Precursor on PbO Particulates. (4) 971
Han, Kyoung R.; Koo, Hee Jin; and Lim, Chang Sup
Novel Route to Lead-Based Ferroelectric Compounds via Tetragonal Lead(II) Oxide Intermediates. (9) 2214
Han, Kyoung R.; Lim, Chang Sup; Hong, Mee-Jeong; Jang, Jin Wook; and Hong, Kug Sun
Preparation Method of Submicrometer-Sized α-Alumina by Surface Modification of γ-Alumina with Alumina Sol. (4) 750
Haneda, Hajime See Lee, Jong-Heun
Hann, Raiford E. See Fox, Dennis S.
Hannink, Richard H. J.; Kelly, Patrick M.; and Muddle, Barry C.
Transformation Toughening in Zirconia-Containing Ceramics. (3) 461
Hansson, Carolyn M. See Greener, Jessie
Harmer, Martin P. See Cho, Junghyun; Khan, Ajmal; Chan, Helen M.; Gaus, Shaun P.; Khan, Ajmal
Hashimoto, Kazuaki See Takeda, Hiroaki
Hatano, Jun See Shimizu, Yasuhiro
Hattiangadi, Ashwin and Bandyopadhyay, Amit
Strength Degradation of Nonrandom Porous Ceramic Structures under Uniaxial Compressive Loading. (11) 2730
Hattori, Akiyoshi See Okada, Kiyoshi
Haun, Michael J. See Chinn, Richard E.
Hayashi, Katsuro; Yamamoto, Takahisa; Ikuhara, Yuichi; and Sakuma, Taketo
Formation of Potential Barrier Related to Grain-Boundary Character in Semiconducting Barium Titanate. (11) 2684
Hayashi, Katsuro See Yamamoto, Takahisa
Hayashi, Kazuyuki; Kamigaki, Mamoru; Morii, Hiroko; and Okuyama, Kikuo
Novel Method for Coating Magnetic Iron Oxide Particles with Carbon Black. (12) 2901
Hayashi, Shinsuke See Arakawa, Shuichi
Hayashi, Takashi See Fujitsu, Satoru
Hayata, Kazunori See Hirata, Yoshihiro
Haynes, J. Allen; Lance, Michael J.; Cooley, Kevin M.; Ferber, Mattison K.; Lowden, Richard A.; and Stinton, David P.
CVD Mullite Coatings in High-Temperature, High-Pressure Air–H_2O. (3) 657
Henager, Charles H., Jr. See Jones, Russell H.
Hénaux, Stéphane and Creuzet, François
Crack Tip Morphology of Slowly Growing Cracks in Glass. (2) 415
Hennings, Detlev F. K. See Lee, Wen-Hsi
Henrichsen, Matthew; Hwang, Jinha; Dravid, Vinayak P.; and Johnson, D. Lynn
Ultrarapid Phase Conversion in β″-Alumina Tubes. (11) 2861
Heo, Jong See Park, Se Ho; Shin, Yong Beom
Hermansson, Leif See Adolfsson, Erik
Hernández, María-Soledad See Guerrero, Ana
Hidalgo, Ana See de Vera, Guillem
Hikichi, Yasuo See Ota, Toshitaka
Hill, Kimberly; Lehman, Richard; and Swiler, Dan
Effects of Selected Processing Variables on Color Formation in Praseodymium-Doped Zircon Pigments. (9) 2177
Hill, Robert See Rafferty, Aran
Hill, Thomas J.; Mecholsky, John J., Jr.; and Anusavice, Kenneth J.
Fractal Analysis of Toughening Behavior in $3BaO{\cdot}5SiO_2$ Glass-Ceramics. (3) 545
Hillert, Mats See Yu, Hao
Hirai, Makoto See Grigoriu, Constantin
Hirai, Toshio See Omori, Mamoru
Hirano, Masanori; Fukuda, Yuji; Iwata, Hiroyuki; Hotta, Yuji; and Inagaki, Michio
Preparation and Spherical Agglomeration of Crystalline Cerium(IV) Oxide Nanoparticles by Thermal Hydrolysis. (5) 1287
Hirano, Masanori; Imai, Mikimasa; and Inagaki, Michio
Preparation of $ZnGa_2O_4$ Spinel Fine Particles by the Hydrothermal Method. (4) 977
Hirano, Masanori; Inagaki, Michio; Mizutani, Yasunobu; Nomura, Kazuhiro; Kawai, Masayuki; and Nakamura, Yasuhisa
Improvement of Mechanical and Electrical Properties of Scandia-Doped Zirconia Ceramics by Post-Sintering with Hot Isostatic Pressing. (10) 2619
Hirano, Shin-ichi See Kojima, Takashi; Nagaoka, Takaaki
Hirao, Kiyoshi See Imamura, Hisayuki; Zhou, You; Kitayama, Mikito; Lenčéš, Zoltán
Hirashita, Tunehisa See Ota, Toshitaka
Hirata, G. A. See McKittrick, Joanna
Hirata, Toshiya
Oxygen Position, Octahedral Distortion, and Bond-Valence Parameter from Bond Lengths in $Ti_{1-x}Sn_xO_2$ ($0 \leq x \leq 1$). (12) 3205
Hirata, Yoshihiro; Matsura, Tsuyoshi; and Hayata, Kazunori
Infiltration and Pyrolysis of Polytitanocarbosilane in an Si-Ti-C-O Fabric/Mullite Porous Composite. (5) 1044
Hirota, Ken See Takano, Yoshihiko; Kitaoka, Atsushi
Hisa, Masaaki See Ohyanagi, Manshi
Hixson, April D. See Weber, J. K. Richard; Krishnan, Shankar
Hng, Huey-Hoon and Knowles, Kevin M.
Microstructure and Current–Voltage Characteristics of Multicomponent Vanadium-Doped Zinc Oxide Varistors. (10) 2455
Hoffman, Michael J. See Bhatnagar, Ajay
Hoffmann, Peter See Neubrand, Achim
Hoffmann, S. See Liedtke, R.
Hogmark, Sture See Engqvist, Håkan
Holly, Rick See Greener, Jessie
Holmes, John W. See Sørensen, Bent F.
Hong, Kug Sun See Han, Kyoung R.
Hong, Mee-Jeong See Han, Kyoung R.
Hong, Seokmin See Rhim, Sung Min
Hong, Seong-Hyeon; Trolier-McKinstry, Susan; and Messing, Gary L.
Dielectric and Electromechanical Properties of Textured Niobium-Doped Bismuth Titanate Ceramics. (1) 113
Hong, Seong-Hyeon See Kim, Young-Min; Kwon, Sang-Koo
Honma, Itaru See Miyazawa, Kun'ichi
Hotta, Mikinori See Komeya, Katsutoshi
Hotta, Tadashi See Shinohara, Nobuhiro
Hotta, Yuji See Hirano, Masanori
Hovmöller, Sven See Vippola, Minnamari
Hsi, Chi-Shiung See Ting, Ching-Jui
Hu, Junqing; Lu, Qingyi; Tang, Kaibin; Yu, Shuhong; Qian, Yitai; Zhou, Guien; and Liu, Xianming
Low-Temperature Synthesis of Nanocrystalline Titanium Nitride via a Benzene–Thermal Route. (2) 430
Hu, Xingfang See Zheng, Yanqing
Huang, Cheng-Liang See Wu, Long
Huang, Jianyu Y.; Yasuda, Hidehiro; and Mori, Hirotaro
HRTEM and EELS Studies on the Amorphization of Hexagonal Boron Nitride Induced by Ball Milling. (2) 403
Huang, Ming-Zhu See Ching, Wai-Yim
Huang, Shulan See Lin, Yuanhua
Huang, Tieshu; Rahaman, Mohamed N.; Mah, Tai-Il; and Parthasarathay, Triplicane A.
Anisotropic Grain Growth and Microstructural Evolution of Dense Mullite above 1550°C. (1) 204
Huang, Xiaoxian See Qin, Haixia
Huang, Yong See Wang, Chang-An; Zhai, Hongxiang
Hubbard, Kevin M. See McKittrick, Joanna
Huha, Marsha A. and Lewis, Jennifer A.
Polymer Effects on the Chemorheological and Drying Behavior of Alumina–Poly(vinyl alcohol) Gelcasting Suspensions. (8) 1957
Hulm, Belinda J. and Evans, William J.
Evaluation of the Cyclic Fatigue Life of 3-mol%-Yttria-Stabilized Zirconia Bioceramic Using Biaxial Flexion. (2) 321
Hurst, Janet See Morscher, Gregory N.
Huseinovic, Armin See Ritter, John E.
Hwang, Eun Hee See Park, Seong Soo
Hwang, Hae Jin; Moon, Jooho; Awano, Masanobu; and Maeda, Kunihiko
Sol–Gel Route to Porous Lanthanum Cobaltite ($LaCoO_3$) Thin Films. (11) 2852
Hwang, Hae Jin See Nagai, Toru; Tajima, Ken-ichi
Hwang, Jinha See Henrichsen, Matthew
Hwang, Nong M. See Kang, Myung-Goo; Kang, Myung-Koo; Kwon, Sang-Koo; Oh, Kyung-Sik
Hwang, Shiang-Po See Wu, Jenn-Ming
Hyodo, Takeo See Shimizu, Yasuhiro
Hyun, Sang H.; Kim, Joong J.; and Park, Hyung H.
Synthesis and Characterization of Low-Dielectric Silica Aerogel Films. (3) 533
Ichikawa, Hiroshi See Takeda, Michio
Iglesias, Juan E. See De Aza, Antonio H.
Iida, Yasuo See Ohashi, Masayoshi
Iijima, Kenji See Nagai, Toru
Iizumi, Kiyokata See Kudaka, Katsuya
Ikeda, Keisuke See Chen, Zhongchun
Ikegami, Makoto See Fujitsu, Satoru
Ikegami, Takayasu See Lee, Jong-Heun; Li, Ji-Guang
Ikuhara, Yuichi See Hayashi, Katsuro; Yamamoto, Takahisa; Zhan, Guo-Dong
Im, Dong Hyun See Chung, Yong-Chae
Imaeda, Masaki See Ota, Toshitaka
Imai, Mikimasa See Hirano, Masanori
Imai, Yoshikazu See Takeda, Michio
Imamura, Hisayuki; Hirao, Kiyoshi; Brito, Manuel E.; Toriyama, Motohiro; and Kanzaki, Shuzo
Further Improvement in Mechanical Properties of Highly Anisotropic Silicon Nitride Ceramics. (3) 495
Imamura, Philip H.; Evans, Neal D.; Sakuma, Taketo; and Mecartney, Martha L.
High-Temperature Tensile Deformation of Glass-Doped 3Y-TZP. (12) 3095
Imanaka, Nobuhito; Köhler, Joachim; Masui, Toshiyuki; Adachi, Gin-ya; and Mori, Eiji Taguchi Hirotaro
Inclusions of Nanometer-Sized Al_2O_3 Particles in a Crystalline $(Sc,Lu)_2(WO_4)_3$ Matrix. (2) 427
Inagaki, Michio See Hirano, Masanori
Inagaki, Yoshiaki; Ohji, Tatsuki; Kanzaki, Shuzo; and Shigegaki, Yasuhiro
Fracture Energy of an Aligned Porous Silicon Nitride. (7) 1807
Innocentini, Murilo D. M.; Pardo, Arturo R. F.; and Pandolfelli, Victor C.
Modified Pressure-Decay Technique for Evaluating the Permeability of Highly Dense Refractories. (1) 220; Influence of Air Compressibility on the Permeability Evaluation of Refractory Castables. (6) 1536
Innocentini, Murilo D. M. See Sepulveda, Pilar
Ioku, Koji See Fujimori, Hirotaka
Ioroi, Tsutomu See Uchimoto, Yoshiharu
Iqbal, Yaseen and Lee, William Edward
Microstructural Evolution in Triaxial Porcelain. (12) 3121
Irie, Hiroshi; Miyayama, Masaru; and Kudo, Tetsuichi
Electrical Properties of a Bismuth Layer-Structured $Ba_2Bi_4Ti_5O_{18}$ Single Crystal. (11) 2699
Iseki, Takayoshi See Park, Dae-Chul
Ishida, Hideki See Maenami, Hiroki
Ishihara, Sotomi; McEvily, Arthur J.; and Goshima, Takahito
Effect of Atmospheric Humidity on the Fatigue Crack Propagation Behavior of Short Cracks in Silicon Nitride. (3) 571
Ishihara, Tatsumi; Shimose, Kuninobu; Kudo, Takanari; Nishiguchi, Hiroyasu; Akbay, Taner; and Takita, Yusaku
Preparation of Yttria-Stabilized Zirconia Thin Films on Strontium-Doped $LaMnO_3$ Cathode Substrates via Electrophoretic Deposition for Solid Oxide Fuel Cells. (8) 1921
Ishikawa, Etsuko See Tawarayama, Hiromasa
Ishitomi, Hiroyuki See Shiono, Takeshi
Isobe, Tetsuhiko See Shinohara, Seiji
Isobe, Toshinori See Omori, Mamoru
Itoh, Hideaki; Yamamoto, Ryuuji; and Iwahara, Hiroyasu
B_6O–c-BN Composites Prepared by High-Pressure Sintering. (3) 501
Itoh, Katsuhisa See Tawarayama, Hiromasa
Ivey, Douglas G. See Tang, Eric Z.
Iwahara, Hiroyasu See Itoh, Hideaki
Iwamoto, Yuji See Nagaoka, Takaaki
Iwashima, Minori See Urabe, Kazuyori
Iwata, Hiroyuki See Hirano, Masanori
Izumi, Hiraomi See Kudaka, Katsuya
Jacob, K. Thomas; Mishra, Saurabh; and Waseda, Yoshio
Refinement of the Thermodynamic Properties of Ruthenium Dioxide and Osmium Dioxide. (7) 1745

Jagannathan, Ranga See Nachimuthu, Ponnusamy
Jahanmir, Said See Ravikiran, Attota
Jang, Hyun M. and Cho, Seong-Mok
Short-Range Ordering in $Pb(B'_{1/3}B''_{2/3})O_3$-Type Relaxor Ferroelectrics. (7) 1699
Jang, Jae Hyeok; Koo, Junmo; and Bae, Byeong-Soo
Fabrication and Ultraviolet Absorption of Sol–Gel-Derived Germanium Oxide Glass Thin Films. (6) 1356
Jang, Jae Hyuk; Wang, Shuhai; Pilgrim, Steven M.; and Schulze, Walter A.
Preparation and Characterization of Barium Titanate Suspensions for Stereolithography. (7) 1804
Jang, Jin Wook See Han, Kyoung R.
Jang, Joon Hyuk and Lee, Jaehyung
Microstructure and Mechanical Properties of Fine-Grained Magnesia-Partially-Stabilized Zirconia Containing Titanium Carbide Particles. (7) 1813
Jantunen, Heli; Rautioaho, Risto; Uusimäki, Antti; and Leppävuori, Seppo
Preparing Low-Loss Low-Temperature Cofired Ceramic Material without Glass Addition. (11) 2855
Jaworski, Allen See Olorunyolemi, Tayo
Jean, Jau-Ho and Lin, Shih-Chun
Low-Fire Processing of ZrO_2–SnO_2–TiO_2 Ceramics. (6) 1417
Jean, Jau-Ho and Wang, Hong-Ren
Effects of Solids Loading, pH, and Polyelectrolyte Addition on the Stabilization of Concentrated Aqueous $BaTiO_3$ Suspensions. (2) 277
Jean, Jau-Ho and Yang, Szu-Ming
Y_2O_2S:Eu Red Phosphor Powders Coated with Silica. (8) 1928
Jedamzik, Ralf; Neubrand, Achim; and Rödel, Juergen
Production of Functionally Graded Materials from Electrochemically Modified Carbon Preforms. (4) 983
Jenkins, Michael G. See Tennery, Victor J.
Jennings, Hamlin M. See Shane, John D.
Jeong, Jin-Wook; Han, Joo-Hwan; and Kim, Doh-Yeon
Effect of Electric Field on the Migration of Grain Boundaries in Alumina. (4) 915
Jerman, Gregory A. See Weber, J. K. Richard
Jessen, Todd L.; Bender, Barry A.; and Greenhut, Victor A.
Effect of Bridged Boron Nitride Coatings on the Flexure Behavior of a Unidirectional Ceramic-Fiber Ceramic-Matrix Composite. (12) 3231
Jiang, Chun; Zeng, Qingji; Liu, Hua; Tang, Xiaodong; Zhang, Junzhou; and Gan, Fuxi
Yb:Niobosilicate Glass with High-Emission Cross Section. (7) 1709
Jiang, Dong-Liang See Zeng, Yu-Ping
Jiang, Naixiong See Wachsman, Eric D.
Jiang, Weihua See Grigoriu, Constantin
Jiang, Yang; Wu, Yue; Xie, Yi; and Qian, Yi-Tai
Synthesis and Characterization of Nanocrystalline Lanthanide Oxysulfide via a $La(OH)_3$ Gel Solvothermal Route. (10) 2628
Jiao, Xiuling See Chen, Dairong
Jiménez de Haro, María C. See Pascual, José
Jin, Jisun See Takaishi, Taigo
Jin, Zhanpeng See Yu, Hao
Jinnai, Kazuhiko See Tai, Weon-Pil
Jintsugawa, Osamu See Cho, Yasuo
Johnson, D. Lynn See Henrichsen, Matthew
Johnson, Matthew T.; Carter, C. Barry; and Schmalzried, Hermann
Behavior of $MgFe_2O_4$ Films on MgO in an Electric Field. (7) 1768
Jones, Howard See López-Cuevas, Jorge
Jones, Russell H.; Henager, Charles H., Jr.; Lewinsohn, Charles A.; and Windisch, Charles F., Jr.
Stress-Corrosion Cracking of Silicon Carbide Fiber/Silicon Carbide Composites. (8) 1999
Jun, Jae-Yong See Oh, Kyung-Sik
Jung, Woo-Hwan; Sohn, Jeong-Ho; Lee, Joon-Hyung; Sohn, Joon-Ho; Park, Myung-Sik; and Cho, Sang-Hee
Alternating-Current Electrical Properties of $CaMnO_3$ below the Néel Temperature. (4) 797
Jung, Yeon-Gil See Lee, Kee Sung
Jurado, Jose R.; Colomer, Marie T.; and Frade, Jorge R.
Electrical Characterization of $Sr_{0.97}Ti_{1-x}Fe_xO_{3-\delta}$ by Complex Impedance Spectroscopy: I. Materials with Low Iron Contents. (11) 2715
Kaewchinda, Darunee See Sriprang, Nimit
Kagawa, Yutaka See Mamiya, Takayuki
Kageyama, Hiroyuki See Takeuchi, Tomonari
Kajimura, Masahiro See Kozuka, Hiromitsu
Kale, Girish Madhav and Srikanth, Srinivasan
Electrochemical Determination of the Gibbs Energy of Formation of $Na_2Fe_2O_4$ and $Na_3Fe_5O_9$ Employing Na-β-Al_2O_3 Solid Electrolyte. (1) 175
Kamegashira, Naoki See Nakano, Hiromi
Kameshima, Yoshikazu See Okada, Kiyoshi
Kamigaki, Mamoru See Hayashi, Kazuyuki
Kamitani, Masataka See Kitamura, Makoto
Kamiya, Hidehiro; Mitsui, Mika; Takano, Hideo; and Miyazawa, Sakura
Influence of Particle Diameter on Surface Silanol Structure, Hydration Forces, and Aggregation Behavior of Alkoxide-Derived Silica Particles. (2) 287
Kan, Honghua See Shaarawi, Mohammed S.
Kaneko, Hiroshi See Sano, Taizo
Kaneko, Kenji See Nagano, Takayuki
Kang, Myung-Goo; Kim, Doh-Yeon; Lee, Ho-Yong; and Hwang, Nong M.
Temperature Dependence of the Coarsening Behavior of Barium Titanate Grains. (12) 3202
Kang, Myung-Koo; Yoo, Young-Sung; Kim, Doh-Yeon; and Hwang, Nong M.
Growth of $BaTiO_3$ Seed Grains by the Twin-Plane Reentrant Edge Mechanism. (2) 385
Kang, Shinhoo See Ahn, Sun-Yong
Kang, Suk-Joong L. See Chung, Sung-Yoon; Lee, Byoung-Ki
Kanzaki, Shuzo See Imamura, Hisayuki; Kitayama, Mikito; Inagaki, Yoshiaki; Kitayama, Mikito; Lenčéš, Zoltán
Kao, Hung-Chan and Wei, Wen-Chen
Kinetics and Microstructural Evolution of Heterogeneous Transformation of θ-Alumina to α-Alumina. (2) 362
Kaplan, Wayne D. See Scheu, Christina
Kara, Ferhat; Turan, Servet; Little, John A.; and Knowles, Kevin M.
Microstructural Characterization of Reactively Sintered Mullites. (2) 369
Kara, Hudai and Roberts, Steve G.
Polishing Behavior and Surface Quality of Alumina and Alumina/Silicon Carbide Nanocomposites. (5) 1219
Karamanov, Alexander; Pisciella, Paola; Cantalini, Carlo; and Pelino, Mario
Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes. (12) 3153
Karmakar, Basudeb; Kundu, Paritosh; and Dwivedi, Ravindra Nath
Infrared Spectroscopic Method for Determination of Thermal Properties of Fluorophosphate Glasses. (5) 1305
Katiyar, Ram S. See Dobal, Pramod S.
Kato, Masahiro and Goto, Yasuhiro
Conventional and Microwave-Induced Sintering Mechanisms for Reaction-Bonded Aluminum Oxide with Zirconium Oxide Additions. (1) 65
Kato, Shinichi; Unuma, Hidero; Ota, Toshitaka; and Takahashi, Minoru
Homogeneous Precipitation of Hydrous Tin Oxide Powders at Room Temperature Using Enzymatically Induced Gluconic Acid as a Precipitant. (4) 986
Katsuki, Hiroaki; Furuta, Sachiko; and Komarneni, Sridhar
Formation of Novel ZSM-5/Porous Mullite Composite from Sintered Kaolin Honeycomb by Hydrothermal Reaction. (5) 1093
Kaufman, Michael J. See Wachsman, Eric D.
Kawai, Masayuki See Hirano, Masanori
Kawamoto, Hiroshi See Sakai, Takenobu
Kaya, Cengiz; Boccaccini, Aldo R.; and Chawla, Krishan K.
Electrophoretic Deposition Forming of Nickel-Coated-Carbon-Fiber-Reinforced Borosilicate-Glass-Matrix Composites. (8) 1885
Kear, Bernard H. See Liao, Shih-Chieh
Kebbede, Anteneh; Parai, John; and Carim, Altaf H.
Anisotropic Grain Growth in α-Al_2O_3 with SiO_2 and TiO_2 Additions. (11) 2845
Keiser, James R. See More, Karren L.
Keller, Kristin A.; Mah, Tai-Il; Parthasarathy, Triplicane A.; and Cooke, Charles M.
Fugitive Interfacial Carbon Coatings for Oxide/Oxide Composites. (2) 329
Kelly, Patrick M. See Hannink, Richard H. J.
Kennedy, John D. See Sriprang, Nimit
Keränen, Jaakko See Vippola, Minnamari
Kerans, Ronald J. See Mah, Tai-Il
Kerr, Tony See Welham, Nicholas J.
Khan, Ajmal; Chan, Helen M.; Harmer, Martin P.; and Cook, Robert F.
Toughening of an Alumina–Mullite Composite by Unbroken Bridging Elements. (4) 833; Alumina Agglomerate Effects on Toughness-Curve Behavior of Alumina–Mullite Composites. (12) 3089
Kho, Joong-Gon; Moon, Kyo-Tae; Kim, Jong-Hee; and Kim, Dong-Pyo
Properties of Boron Nitride (B_xN_y) Films Produced by the Spin-Coating Process of Polyborazine. (11) 2681
Kikuta, Koichi See Nagaoka, Takaaki
Kim, Byoung Chan See Park, Seong Soo
Kim, Chang Kyung See Chung, Yong-Chae
Kim, Chang-Won See Park, Dong-Soo
Kim, Chan Young See Chinn, Richard E.
Kim, Cheol-Soo See Shin, Hyunho
Kim, Doh-Yeon See Jeong, Jin-Wook; Kang, Myung-Goo; Kang, Myung-Koo; Kim, Sang-Beom; Kim, Young-Min; Kwon, Sang-Koo; Oh, Kyung-Sik
Kim, Do Kyung See Lee, Kee Sung
Kim, Dong-Jin See Cho, Seong-Jai
Kim, Dong-Pyo See Kho, Joong-Gon
Kim, Duk-Jun; Hahn, Jin-Woo; Han, Gee-Pyeong; Lee, Sang-Seok; and Choy, Tae-Goo
Effects of Alkaline-Earth-Metal Addition on the Sinterability and Microwave Characteristics of $(Zr,Sn)TiO_4$ Dielectrics. (4) 1010
Kim, Eung Soo See Kim, Woo Sup
Kim, Gyeung-Ho See Choi, Heon-Jin
Kim, Hae-Won; Koh, Young-Hag; and Kim, Hyoun-Ee
Densification and Mechanical Properties of B_4C with Al_2O_3 as a Sintering Aid. (11) 2863
Kim, Ho-Yang; Lee, Jung-A; and Kim, Jeong-Joo
Densification Behaviors of Fine-Alumina and Coarse-Alumina Compacts during Liquid-Phase Sintering with the Addition of Talc. (12) 3128
Kim, Hwan See Yoon, Seok Hyun
Kim, Hyoun-Ee See Kim, Hae-Won; Koh, Young-Hag; Park, June-Ho
Kim, Hyoun Soo See Park, Se Ho
Kim, Jeong-Joo See Kim, Ho-Yang
Kim, Jong-Hee See Kho, Joong-Gon
Kim, Joong J. See Hyun, Sang H.
Kim, Joosun; Rosenflanz, Anatoly; and Chen, I-Wei
Microstructure Control of *In-Situ*-Toughened α-SiAlON Ceramics. (7) 1819
Kim, Kyung-Hee See Cho, Seong-Jai
Kim, Nam-Kyoung See Ahn, Byung-Yong
Kim, Ok Kyung See Rhim, Sung Min
Kim, R. Y. See Dutton, R. E.
Kim, Sang-Beom and Kim, Doh-Yeon
Stabilization and Memory of the Domain Structures in Barium Titanate Ceramics: Microstructural Observation. (6) 1495
Kim, Wonjoong See Xie, Rong-Jun
Kim, Woo Sup; Yoon, Ki Hyun; and Kim, Eung Soo
Microwave Dielectric Properties and Far-Infrared Reflectivity Characteristics of the $CaTiO_3$–$Li_{(1/2)-x}Sm_{(1/2)+x}TiO_3$ Ceramics. (9) 2327
Kim, Yong-Seog See Lee, Kyung-Jae; Shin, Jason
Kim, You Song See Shin, Yong Beom
Kim, Young-Min; Hong, Seong-Hyeon; and Kim, Doh-Yeon
Anisotropic Abnormal Grain Growth in TiO_2/SiO_2-Doped Alumina. (11) 2809
Kim, Young-Wook See Zhan, Guo-Dong; Choi, Heon-Jin; Xie, Rong-Jun
Kimura, Kunio See Tai, Weon-Pil
King, Todd T.; Grayeski, Walter; and Cooper, Reid F.
Thermochemical Reactions and Equilibria between Fluoromicas and Silicate Matrices: A Petromimetic Perspective on Structural Ceramic Composites. (9) 2287
Kinoshita, Hajime; Kuramoto, Ken-ichi; Uno, Masayoshi; Yanagi, Tadashi; Yamanaka, Shinsuke; Mitamura, Hisayoshi; and Banba, Tsunetaka
Phase Stability of Yttria-Stabilized Zirconia with Dissolved Cerium and Neptunium Oxides Under Oxidizing and Reducing Atmospheres. (2) 391
Kinoshita, Noboru See Ota, Toshitaka
Kirby, Glen See Lewis, Jennifer A.
Kishi, Hiroshi See Chazono, Hirokazu
Kishimoto, Akira and Tanaka, Tomohiro
High-Voltage Screening of Unidirectionally Surface-Ground Titania Ceramics. (6) 1413
Kitamura, Makoto; Kamitani, Masataka; and Senna, Mamoru
Rapid Hardening of Cement by the Addition of a Mechanically Activated $Al(OH)_3$–$Ca(OH)_2$ Mixture. (3) 523
Kitaoka, Atsushi; Hirota, Ken; Yoshinaka, Masaru; Miyamoto, Yoshinari; and Yamaguchi, Osamu
Toughening and Strengthening of NiAl with Al_2O_3 by the Addition of ZrO_2(3Y). (5) 1311
Kitayama, Mikito; Hirao, Kiyoshi; Toriyama, Motohiro; and Kanzaki, Shuzo
Comment on "Morphology of Silicon Nitride Grown from a Liquid Phase". (3) 675
Kitayama, Mikito; Hirao, Kiyoshi; Tsuge, Akira; Watari, Koji; Toriyama, Motohiro; and Kanzaki, Shuzo
Thermal Conductivity of β-Si_3N_4: II. Effect of Lattice Oxygen. (8) 1985
Kitayama, Mikito; Narushima, Takayuki; Carter, W. Craig; Cannon, Rowland M.; and Glaeser, Andreas M.
The Wulff Shape of Alumina: I. Modeling the Kinetics of Morphological Evolution. (10) 2561
Kitayama, Mikito; Narushima, Takayuki; and Glaeser, Andreas M.
The Wulff Shape of Alumina: II. Experimental Measurements of Pore Shape Evolution Rates. (10) 2572
Kizuki, Takashi See Takeda, Hiroaki
Kleebe, Hans-Joachim See Pezzotti, Giuseppe
Klein, Sascha; Fisher, Matthew; Franks, George; Colic, Miroslav; and Lange, Fred
Effect of the Interparticle Pair Potential on the Rheological Behavior of Zirconia Powders: I. Electrostatic Double Layer Approach. (3) 513
Kleveland, Kjersti; Einarsrud, Mari-Ann; and Grande, Tor
Sintering Behavior, Microstructure, and Phase Composition of $Sr(Fe,Co)O_{3-\delta}$ Ceramics. (12) 3158
Klobes, Peter See Lu, Peizhen
Knowles, Kevin M. See Hng, Huey-Hoon; Kara, Ferhat
Ko, Yung-Chao
Influence of the Characteristics of Spinels on the Slag Resistance of Al_2O_3–MgO and Al_2O_3–Spinel Castables. (9) 2333
Ko, Yung-Chao and Lay, Jinn Tsang
Thermal Expansion Characteristics of Alumina–Magnesia and Alumina–Spinel Castables in the Temperature Range 800°–1650°C. (11) 2872

Kobayashi, Mikihiro See Ota, Toshitaka
Koga, Kazunori See Wang, Yucong
Koga, Nobuyoshi and Sestak, Jaroslav
Crystal Nucleation and Growth in Lithium Diborate Glass by Thermal Analysis. (7) 1753
Kogure, Toshihiro See Matsuda, Atsunori
Koh, Young-Hag; Choi, Jong-Jin; and Kim, Hyoun-Ee
Strengthening and Prevention of Oxidation of Aluminum Nitride by Formation of a Silica Layer on the Surface. (2) 306
Koh, Young-Hag See Kim, Hae-Won; Park, June-Ho
Köhler, Joachim See Imanaka, Nobuhito
Kohyama, Masanori See Belkada, Rachid
Kojima, Takashi; Sakamoto, Wataru; Yogo, Toshinobu; Fujii, Takashi; and Hirano, Shin-ichi
Co^{2+}-Substitution Effect in Ce-TZP/La M-type Hexaferrite Composites. (2) 281
Kolar, Drago See Daneu, Nina
Kolleck, Arnd See Meschke, Frank
Kolodiazhnyi, Taras V. and Thomas, Daniel F.
Hysteresis in the *I–V* Tunneling Characteristics of *n*-Type $BaTiO_3$ Ceramics. (1) 129
Komarneni, Sridhar See Katsuki, Hiroaki; Saruhan, Bilge
Komatsu, Manabu See Lee, Jong-Heun
Komatsu, Takayuki See Aida, Kazuya
Komeya, Katsutoshi; Zhang, Cheng; Hotta, Mikinori; Tatami, Junichi; Meguro, Takeshi; and Cheng, Yi-Bing
Hollow Beads Composed of Nanosize Ca α-SiAlON Grains. (4) 995
Kondo, Naoki; Suzuki, Yoshikazu; and Ohji, Tatsuki
Reaction-Bonded and Superplastically Sinter-Forged Silicon Nitride–Silicon Carbide Nanocomposites. (7) 1816
Kondo, Naoki See Suzuki, Yoshikazu; Zhang, Guo-Jun
Kondoh, Isao See Takeuchi, Tomonari
Kong, Consuelo Margarita and Lannutti, John J.
Localized Densification during the Compaction of Alumina Granules: The Stage I–II Transition. (4) 685; Effect of Agglomerate Size Distribution on Loose Packing Fraction. (9) 2183
Koo, Hee Jin See Han, Kyoung R.
Koo, Junmo See Jang, Jae Hyeok
Korouš, Jan; Chu, Min Cheol; Nakatani, Masahiko; and Ando, Kotoji
Crack Healing Behavior of Silicon Carbide Ceramics. (11) 2788
Kosmač, Tomaž See Dakskobler, Aleš; Krnel, Kristoffer
Kotani, Yoshinori See Matsuda, Atsunori
Koumoto, Kunihito See Seo, Won-Seon
Kovalev, Serguei; Miyajima, Tatsuya; Yamauchi, Yukihiko; and Sakai, Mototsugu
Numerical Evaluation of Toughening by Crack-Face Grain Interlocking in Self-Reinforced Ceramics. (4) 817
Kovar, Desiderio See Mawdsley, Jennifer R.
Kozuka, Hiromitsu and Kajimura, Masahiro
Single-Step Dip Coating of Crack-Free $BaTiO_3$ Films >1 μm Thick: Effect of Poly(vinylpyrrolidone) on Critical Thickness. (5) 1056
Krämer, Martin See Groza, Joanna R.
Kramer, Matthew J. See Zheng, Jing
Krishnan, Shankar; Weber, J. Richard K.; Ansell, Stuart; Hixson, April D.; and Nordine, Paul C.
Structure of Liquid $Al_6Si_2O_{13}$ (3:2 Mullite). (11) 2777
Kristoffersson, Annika See Davis, Janet B.
Krivoshchepov, Alexander Ph. See Lenk, Reinhard
Krnel, Kristoffer and Kosmač, Tomaž
Reactivity of Aluminum Nitride Powder in Dilute Inorganic Acids. (6) 1375
Krueger, Daniel S. See Liau, Leo C.-K.
Kudaka, Katsuya; Iizumi, Kiyokata; Sasaki, Takeshi; and Izumi, Hiraomi
Effect of Milling Media on the Reaction Kinetics of the Mechanochemical Synthesis of Pentatitanium Trisilicide. (11) 2887
Kudo, Takanari See Ishihara, Tatsumi
Kudo, Tetsuichi See Irie, Hiroshi
Kumar, Amar N. and Sørensen, Bent F.
Fracture Resistance and Stable Crack-Growth Behavior of 8-mol%-Yttria-Stabilized Zirconia. (5) 1199
Kumazawa, Hidehiro See Lee, Chul-Tae
Kundu, Paritosh See Karmakar, Basudeb
Kuno, Hiroko See Adachi, Kenji
Kuntz, Meinhard See Rausch, Gerald
Kupp, Elizabeth R. See Besmann, Theodore M.
Kuramoto, Ken-ichi See Kinoshita, Hajime
Kurkjian, Charles R. See Armstrong, Janet L.
Kuroda, Kazuyuki See Saito, Yasuo
Kwon, Sang-Koo; Hong, Seong-Hyeon; Kim, Doh-Yeon; and Hwang, Nong M.
Coarsening Behavior of Tricalcium Silicate (C_3S) and Dicalcium Silicate (C_2S) Grains Dispersed in a Clinker Melt. (5) 1247
Kwon, Seongtae and Messing, Gary L.
Sintering of Mixtures of Seeded Boehmite and Ultrafine α-Alumina. (1) 82
Laarz, Eric; Zhmud, Boris V.; and Bergström, Lennart
Dissolution and Deagglomeration of Silicon Nitride in Aqueous Medium. (10) 2394
Lampenscherf, Stefan; Pompe, Wolfgang; and Wilkinson, David S.
Stress Development Due to Capillary Condensation in Powder Compacts: A Two-Dimensional Model Study. (6) 1333
Lanagan, Michael T. See Thayer, Ryan L.
Lance, Michael J. See Haynes, J. Allen
Lancellotti, Isabella See Barbieri, Luisa
Lange, Fred F. See Fisher, Matthew L.; Klein, Sascha; Palmqvist, Lisa M.; Polli, Andrew D.
Langhammer, Hans Theo; Müller, Thomas; Feigner, Karl-Heinz; and Abicht, Hans-Peter
Crystal Structure and Related Properties of Manganese-Doped Barium Titanate Ceramics. (3) 605
Lannutti, John J. See Kong, Consuelo Margarita; Lu, Peizhen K.
Lara-Curzio, Edgar See Besmann, Theodore M.
Lardner, Thomas J. See Ritter, John E.
Larsen, Willa See del Monte, Francisco
Lartigue-Korinek, Sylvie and Priester, Louisette
Comment on "Influence of Yttrium Doping on Grain Misorientation in Aluminum Oxide". (5) 1323
Lasri, Jacob; Ramesh, Peelamedu D.; and Schächter, Levi
Energy Conversion during Microwave Sintering of a Multiphase Ceramic Surrounded by a Susceptor. (6) 1465
Laucournet, Richard; Pagnoux, Cécile; Chartier, Thierry; and Baumard, Jean-François
Coagulation Method of Aqueous Concentrated Alumina Suspensions by Thermal Decomposition of Hydroxyaluminum Diacetate. (11) 2661
Lavigne, Odile See Bisson, Jean-François
Lawn, Brian R. See Lee, Kee Sung; Lee, Seung Kun; Yeo, Jeong-Gu
Lay, Jinn Tsang See Ko, Yung-Chao
Lee, Burtrand I. See Zhang, Jianping
Lee, Byoung-Ki; Chung, Sung-Yoon; and Kang, Suk-Joong L.
Necessary Conditions for the Formation of {111} Twins in Barium Titanate. (11) 2858
Lee, Chul-Tae; Um, Myeong-Heon; and Kumazawa, Hidehiro
Synthesis of Titanate Derivatives Using Ion-Exchange Reaction. (5) 1098
Lee, Chun Sing See Shi, Wensheng
Lee, Dong Chin See Park, Se Ho
Lee, Ho-Yong See Kang, Myung-Goo
Lee, Hong Ryul See Yoon, Ki Hyun
Lee, Hwack Joo; Park, Hyun Min; Cho, Yang Koo; Ryu, Hyun; Paik, Jong Hoo; Nahm, Sahn; and Byun, Jae-Dong
Dielectric and Structural Characteristics in Barium Lanthanum Magnesium Niobate. (4) 937; Microstructure of Lanthanum Magnesium Niobate at Elevated Temperature. (4) 943
Lee, Hwack Joo; Park, Hyun Min; Cho, Yang Koo; Ryu, Hyun; Song, Yong Won; Paik, Jong Hoo; Nahm, Sahn; and Byun, Jae-Dong
Microstructural Observations in Barium Calcium Magnesium Niobate. (9) 2267
Lee, Hwack Joo; Park, Hyun Min; Cho, Yang Koo; Song, Yong Won; Paik, Jong Hoo; Nahm, Sahn; and Byun, Jae-Dong
Two Types of Domain Boundaries in Lanthanum Magnesium Niobate. (11) 2875
Lee, Jae Do See Rhee, Sang-Hoon
Lee, Jaehyung See Jang, Joon Hyuk
Lee, Jinlin See Lin, Yuanhua
Lee, Jong-Heun; Mori, Toshiyuki; Li, Ji-Guang; Ikegami, Takayasu; Komatsu, Manabu; and Haneda, Hajime
Imaging Secondary-Ion Mass Spectroscopy Observation of the Scavenging of Siliceous Film from 8-mol%-Yttria-Stabilized Zirconia by the Addition of Alumina. (5) 1273
Lee, Jong-Heun See Li, Ji-Guang
Lee, Joon-Hyung See Jung, Woo-Hwan
Lee, June-Gunn See Choi, Heon-Jin
Lee, Jung-A See Kim, Ho-Yang
Lee, Kee Sung; Jung, Yeon-Gil; Peterson, Irene M.; Lawn, Brian R.; Kim, Do Kyung; and Lee, Seung Kun
Model for Cyclic Fatigue of Quasi-Plastic Ceramics in Contact with Spheres. (9) 2255
Lee, Kee Sung See Yeo, Jeong-Gu
Lee, Kuo-Tong and Aswath, Pranesh B.
Synthesis of Hexacelsian Barium Aluminosilicate by a Solid-State Process. (12) 2907
Lee, Kwang Ho See Yoon, Seok Hyun
Lee, Kyung-Jae; Ahn, Do-Hwan; and Kim, Yong-Seog
Aluminum Nitride Whisker Formation during Combustion Synthesis. (5) 1117
Lee, Sang-Seok See Kim, Duk-Jun
Lee, Seung Kun; Tandon, Rajan; Readey, Michael J.; and Lawn, Brian R.
Scratch Damage in Zirconia Ceramics. (6) 1428
Lee, Seung Kun See Lee, Kee Sung
Lee, Shuit-Tong See Shi, Wensheng
Lee, Sung-Man See Yoon, Dong-Soo
Lee, Wen-Hsi; Tseng, T. Y.; and Hennings, Detlev F. K.
Effects of Calcination Temperature and A/B Ratio on the Dielectric Properties of $(Ba,Ca)(Ti,Zr,Mn)O_3$ for Multilayer Ceramic Capacitors with Nickel Electrodes. (6) 1402
Lee, William Edward See Iqbal, Yaseen; Zhang, Shaowei
Lee, Yang-Doo See Park, Dong-Soo
Lee, Yong-Ho See Park, June-Ho
Lehman, Richard See Hill, Kimberly
Leite, E. R.; Paris, E. C.; Longo, E.; and Varela, J. A
Direct Amorphous-to-Cubic Perovskite Phase Transformation for Lead Titanate. (6) 1539
Lenčéš, Zoltán; Hirao, Kiyoshi; Brito, Manuel E.; Toriyama, Motohiro; and Kanzaki, Shuzo
Layered Silicon Nitride-Based Composites with Discontinuous Boron Nitride Interlayers. (10) 2503
Lenk, Reinhard and Krivoshchepov, Alexander Ph.
Effect of Surface-Active Substances on the Rheological Properties of Silicon Carbide Suspensions in Paraffin. (2) 273
Leon, Ioanna See Agrafiotis, Christos
Leonelli, Cristina See Barbieri, Luisa; Bondioli, Federica; Siligardi, Cristina
Lepistö, Toivo See Vippola, Minnamari
Leppävuori, Seppo See Jantunen, Heli
Levi, Carlos G. See Polli, Andrew D.
Lewinsohn, Charles A. See Jones, Russell H.
Lewis, Jennifer A.
Colloidal Processing of Ceramics. (10) 2341
Lewis, Jennifer A.; Matsuyama, Hiro; Kirby, Glen; Morissette, Sherry; and Young, J. Francis
Polyelectrolyte Effects on the Rheological Properties of Concentrated Cement Suspensions. (8) 1905
Lewis, Jennifer A. See Guo, J. Jiyou; Huha, Marsha A.; Morissette, Sherry L.
Li, Feng See Yu, Xianghua
Li, Ji-Guang; Ikegami, Takayasu; Lee, Jong-Heun; and Mori, Toshiyuki
Low-Temperature Fabrication of Transparent Yttrium Aluminum Garnet (YAG) Ceramics without Additives. (4) 961; Fabrication of Translucent Magnesium Aluminum Spinel Ceramics. (11) 2866
Li, Ji-Guang See Lee, Jong-Heun
Li, Jianxing See Tan, Qi
Li, Jie; Yang, G. Y.; Zhu, Jing; Zhang, L. Q.; Yang, W. Y.; and Sun, Z. Q.
Microstructural Characterization of Sintered $MoSi_2/SiC_p$ Composites. (4) 992
Li, Jing-Feng; Wang, Shinan; Wakabayashi, Katsuhiro; Esashi, Masayoshi; and Watanabe, Ryuzo
Properties of Modified Lead Zirconate Titanate Ceramics Prepared at Low Temperature (800°C) by Hot Isostatic Pressing. (4) 955
Li, Longtu See Ang, Seok Khim
Li, Ming and Reece, Michael J.
Influence of Grain Size on the Indentation-Fatigue Behavior of Alumina. (4) 967
Li, Wenjun See Zheng, Yanqing
Li, Xiao-Ping See Nan, Ce-Wen
Li, Ya-Dong; Zhang, Jiang-Hui; Xiong, Cao-Shui; and Liao, Hong-Wei
Ferromagnetism and Magnetoresistance in $La_{0.67}Sr_{0.33}Fe_{0.07}Mn_{0.93}O_3$. (4) 980
Li, Ying See Gong, Jianghong; Wang, Chang-An
Li, Zhen C. See White, Shane N.
Liao, Hong-Wei See Li, Ya-Dong
Liao, Shih-Chieh; Colaizzi, James; Chen, Yijia; Kear, Bernard H.; and Mayo, William E.
Refinement of Nanoscale Grain Structure in Bulk Titania via a Transformation-Assisted Consolidation (TAC) Method. (9) 2163
Liau, Leo C.-K.; Peters, Baron; Krueger, Daniel S.; Gordon, Al; Viswanath, Dabir S.; and Lombardo, Stephen J.
Role of Length Scale on Pressure Increase and Yield of Poly(vinyl butyral)–Barium Titanate–Platinum Multilayer Ceramic Capacitors during Binder Burnout. (11) 2645
Liedtke, R.; Hoffmann, S.; and Waser, R.
Recrystallization of Oxygen Ion Implanted $Ba_{0.7}Sr_{0.3}TiO_3$ Thin Films. (2) 436
Lim, Chang Sup See Han, Kyoung R.
Lim, Hyung Tack See Shin, Yong Beom
Lin, Chien-Cheng; Zangvil, Avigdor; and Ruh, Robert
Phase Evolution in Silicon Carbide–Whisker-Reinforced Mullite/Zirconia Composite during Long-Term Oxidation at 1000° to 1350°C. (7) 1797
Lin, Ming-Hong; Chou, Jung-Fang; and Lu, Hong-Yang
Grain-Growth Inhibition in Na_2O-Doped TiO_2-Excess Barium Titanate Ceramic. (9) 2155
Lin, Shih-Chun See Jean, Jau-Ho
Lin, Yuanhua; Tang, Zilong; Zhang, Zhongtai; Yuan, Fangli; Ling, Yuanbin; Lee, Jinlin; and Huang, Shulan
Preparation of Nanometer Zinc Oxide Powders by Plasma Pyrolysis Technology and Their Applications. (11) 2869
Linati, Laura See Bondioli, Federica
Lindner, Reinhard See Neubrand, Achim
Ling, Yuanbin See Lin, Yuanhua
Litsky, Alan S. See Saw, Eaden
Little, John A. See Kara, Ferhat
Litton, David A. and Garofalini, Stephen H.
Molecular Dynamics Simulations of Calcium Aluminosilicate Intergranular Films on (0001) Al_2O_3 Facets. (9) 2273
Liu, Hua See Jiang, Chun
Liu, Hua Kun See Guo, Yuan Chang
Liu, Xiangyuan See Fang, Jiye

Liu, Xianming See Hu, Junqing
Liu, Yuhui See Wang, Yunzhi
LLorca, Javier See Pardo, José A.
Lloyd, Isabel See Olorunyolemi, Tayo
Lloyd, Isabel K. See Nguyen, Vinh Q.; Quinn, Janet B.
Lo, Wai See Babu, Nadendla Hari
Loehman, Ronald E. See Fahrenholtz, William G.
Lombardo, Stephen J. See Liau, Leo C.-K.
Longo, E. See Leite, E. R.
Loong, Chun-Keung See Saruhan, Bilge
López-Cuevas, Jorge; Jones, Howard; and Atkinson, Helen V.
Wettability of Silica Substrates by Silver–Copper Based Brazing Alloys *in Vacuo*. (12) 2913
Lous, Gwenaëlle M.; Cornejo, Iván A.; McNulty, Thomas F.; Safari, Ahmad; and Danforth, Stephen C.
Fabrication of Piezoelectric Ceramic/Polymer Composite Transducers Using Fused Deposition of Ceramics. (1) 124
Lowden, Richard A. See Haynes, J. Allen
Lu, Chung-Hsin and Saha, Susanta Kumar
Colloid Emulsion of Nanosized Strontium Bismuth Tantalate Powder. (5) 1320
Lu, Hong-Yang See Lin, Ming-Hong; Ting, Ching-Jui
Lu, Peizhen; Lannutti, John J.; Klobes, Peter; and Meyer, Klaus
X-ray Computed Tomography and Mercury Porosimetry for Evaluation of Density Evolution and Porosity Distribution. (3) 518
Lu, Peizhen K. and Lannutti, John J.
Density Gradients and Sintered Dimensional Tolerance in Compacts Formed from Spray-Dried Alumina. (6) 1393; Effect of Density Gradients on Dimensional Tolerance During Binder Removal. (10) 2536
Lu, Qingyi See Hu, Junqing
Lu, Shih-Yuan and Chen, Shan-Wei
Deposition of Nano-Size Titania–Silica Particles in a Hot-Wall CVD Process. (4) 709
Lucchini, Elio See Filippo, Lucia Di
Luecke, William E. See Yoon, Kyung Jin
Luo, Jie; Almond, Darryl P.; and Stevens, Ron
Ionic Mobilities and Association Energies from an Analysis of Electrical Impedance of ZrO_2–Y_2O_3 Alloys. (7) 1703
Luo, Wen See White, Shane N.
Lupascu, Doru C. See dos Santos e Lucato, Sergio L.
Mackenzie, John D. See del Monte, Francisco
Mackin, Thomas J. and Roberts, Mark C.
Evaluation of Damage Evolution in Ceramic-Matrix Composites Using Thermoelastic Stress Analysis. (2) 337
Maeda, Kunihiko See Hwang, Hae Jin
Maenami, Hiroki; Watanabe, Osamu; Ishida, Hideki; and Mitsuda, Takeshi
Hydrothermal Solidification of Kaolinite–Quartz–Lime Mixtures. (7) 1739
Maglia, Filippo; Anselmi-Tamburini, Umberto; Spinolo, Giorgio; and Munir, Zuhair A.
Zirconia-Based Metastable Solid Solutions through Self-Propagating High-Temperature Synthesis: Synthesis, Characterization, and Mechanistic Investigations. (8) 1935
Mah, Tai-Il; Parthasarathy, Triplicane A.; and Kerans, Ronald J.
Processing, Microstructure, and Strength of Alumina–YAG Eutectic Polycrystals. (8) 2088
Mah, Tai-Il See Huang, Tieshu; Keller, Kristin A.
Maier, Horst R. See Franken, Klaus; Prume, Klaus
Maier, Joachim See Rodewald, Stefan
Majewski, Peter; Epple, Lars; and Aldinger, Fritz
Phase-Diagram Studies in the La_2O_3–SrO–CaO–Mn_3O_4 System at 1200°C in Air. (6) 1513
Majewski, Peter J. See Taş, A. Cüneyt
Majumdar, Arun See McDonald, Kathleen R.
Makovec, Darko and Drofenik, Miha
Microstructural Changes during the Reduction/Reoxidation Process in Donor-Doped $BaTiO_3$ Ceramics. (10) 2593
Málek, Jiří and Mitsuhashi, Takefumi
Testing Method for the Johnson–Mehl–Avrami Equation in Kinetic Analysis of Crystallization Processes. (8) 2103
Mamiya, Takayuki; Kagawa, Yutaka; Shioji, Yasuhiro; Sato, Mitsuhiko; and Yamamura, Takemi
Tensile Fracture Behavior and Strength of Surface-Modified SiTiCO Fiber SiC-Matrix Minicomposites Fabricated by the PIP Process. (2) 433
Manfredini, Tiziano See Bondioli, Federica
Manthiram, Arumugam See Shaarawi, Mohammed S.
Mäntylä, Tapio See Vippola, Minnamari
Marques, Nelson See Vilarinho, Paula M.
Marschall, Hans Ulrich; Danzer, Robert; and Pippan, Reinhard
Three-Dimensional Analysis of Decorated Ceramic Fracture Surfaces by Automatic Stereophotogrammetry. (1) 223
Maruyama, Hiroshi See Wang, Yucong
Maschio, Stefano See Filippo, Lucia Di
Mason, Darren E. See Saylor, David M.
Mason, Thomas O. See Shane, John D.
Masui, Toshiyuki See Imanaka, Nobuhito
Matsuda, Atsunori; Kotani, Yoshinori; Kogure, Toshihiro; Tatsumisago, Masahiro; and Minami, Tsutomu
Transparent Anatase Nanocomposite Films by the Sol–Gel Process at Low Temperatures. (1) 229
Matsuda, Atsunori; Sasaki, Teruyuki; Tatsumisago, Masahiro; and Minami, Tsutomu
Micropatterning of Methylsilsesquioxane–Phenylsilsesquioxane Thick Films by the Sol–Gel Method. (12) 3211
Matsui, Koji and Ohgai, Michiharu
Formation Mechanism of Hydrous-Zirconia Particles Produced by Hydrolysis of $ZrOCl_2$ Solutions: II. (6) 1386
Matsuoka, Yoshihiko See Tawarayama, Hiromasa
Matsura, Tsuyoshi See Hirata, Yoshihiro
Matsuyama, Hiro See Lewis, Jennifer A.
Matthewson, M. John See Armstrong, Janet L.
Mavis, Bora and Taş, A. Cüneyt
Dip Coating of Calcium Hydroxyapatite on Ti-6Al-4V Substrates. (4) 989
Mawdsley, Jennifer R.; Kovar, Desiderio; and Halloran, John W.
Fracture Behavior of Alumina/Monazite Multilayer Laminates. (4) 802
Maximilien, Sandrine See Simonin, Fabien
Mayo, William E. See Liao, Shih-Chieh
McCormick, Mark A. and Slamovich, Elliott B.
Effect of Precursor Pyrolysis on the Dielectric Properties of Hydrothermally Derived Barium Titanate Thin Films. (2) 442
McDonald, Kathleen R.; Dryden, John R.; Majumdar, Arun; and Zok, Frank W.
Thermal Conductance of Delamination Cracks in a Fiber-Reinforced Ceramic Composite. (3) 553
McEvily, Arthur J. See Ishihara, Sotomi
McIntyre, Paul C.
Equilibrium Point Defect and Electronic Carrier Distributions near Interfaces in Acceptor-Doped Strontium Titanate. (5) 1129
McKittrick, Joanna; Bacalski, Carlos F.; Hirata, G. A.; Hubbard, Kevin M.; Pattillo, S. G.; Salazar, Kenneth V.; and Trkula, M.
Characterization of Photoluminescent $(Y_{1-x}Eu_x)_2O_3$ Thin Films Prepared by Metallorganic Chemical Vapor Deposition. (5) 1241
McNulty, Thomas F. See Lous, Gwenaëlle M.
Mecartney, Martha L. See Imamura, Philip H.
Mecholsky, John J., Jr. See Hill, Thomas J.
Meguro, Takeshi See Komeya, Katsutoshi
Mei, Sen See Yang, Juan
Meng, Xiang-Jian See Cheng, Jian-Gong
Merino, Rosa I. See Pardo, José A.
Meschke, Frank; Raddatz, Oliver; Kolleck, Arnd; and Schneider, Gerold A.
R-Curve Behavior and Crack-Closure Stresses in Barium Titanate and (Mg,Y)-PSZ Ceramics. (2) 353
Messing, Gary L. See Duran, Cihangir; Hong, Seong-Hyeon; Kwon, Seongtae; Rehrig, Paul W.; Seabaugh, Matthew M.; Suvaci, Ender
Mestre, Sergio See Escardino, Agustín
Mévrel, Rémy See Bisson, Jean-François
Meyer, Klaus See Lu, Peizhen
Michel, D. See Colomban, Philippe
Mikeska, Kurt R.; Bennison, Stephen J.; and Grise, Steven L.
Corrosion of Ceramics in Aqueous Hydrofluoric Acid. (5) 1160
Mikula, Randy J. See Stanić, Vesna
Mills, Michael J. See Gouma, Pelagia I.
Milne, Steven J. See Sriprang, Nimit
Minami, Tsutomu See Matsuda, Atsunori; Nishiwaki, Shogo
Minervini, Licia; Grimes, Robin W.; and Sickafus, Kurt E.
Disorder in Pyrochlore Oxides. (8) 1873
Mishra, Saurabh See Jacob, K. Thomas
Misra, Amit See Sharif, Adel A.
Mitamura, Hisayoshi See Kinoshita, Hajime
Mitani, Atsuyuki See Bahlawane, Naoufal
Mitchell, Brian S. See Xiao, Zhijun
Mitchell, Terence E. See Sharif, Adel A.
Mitomo, Mamoru See Nagano, Takayuki; Xie, Rong-Jun; Zhan, Guo-Dong
Mitra, Anjana See Sreedhar, Krishnan
Mitsuda, Takeshi See Maenami, Hiroki
Mitsuhashi, Takefumi See Málek, Jiří
Mitsui, Mika See Kamiya, Hidehiro
Miura, Norio See Baik, Nam seok.
Miyajima, Tatsuya See Kovalev, Serguei
Miyamoto, Kazuyo See Shiono, Takeshi
Miyamoto, Yoshinari See Kitaoka, Atsushi
Miyayama, Masaru See Irie, Hiroshi
Miyazaki, Hidetoshi See Ota, Toshitaka
Miyazawa, Kun'ichi; Yano, Junya; Honma, Itaru; and Akaishi, Minoru
Microstructural Characterization of C_{60}-Doped Zirconia. (9) 2315
Miyazawa, Sakura See Kamiya, Hidehiro
Mizukami, Fujio See Nair, Jalajakumari
Mizutani, Yasunobu See Hirano, Masanori
Mo, Shang-Di See Ching, Wai-Yim
Mogensen, Mogens See Primdahl, Søren
Montanaro, Laura; Perrot, Christophe; Esnouf, Claude; Thollet, Gilbert; Fantozzi, Gilbert; and Negro, Alfredo
Sintering of Industrial Mullites in the Presence of Magnesia as a Sintering Aid. (1) 189
Moon, Jooho; Grau, Jason E.; Cima, Michael J.; and Sachs, Emanuel M.
Slurry Chemistry Control to Produce Easily Redispersible Ceramic Powder Compacts. (10) 2401
Moon, Jooho See Hwang, Hae Jin
Moon, Kyo-Tae See Kho, Joong-Gon
Moon, Robert; Bowman, Keith; Trumble, Kevin; and Rödel, Jürgen
Comparison of *R*-Curves from Single-Edge V-Notched-Beam (SEVNB) and Surface-Crack-in-Flexure (SCF) Fracture-Toughness Test Methods on Multilayered Alumina–Zirconia Composites. (2) 445
More, Karren L.; Tortorelli, Peter F.; Ferber, Mattison K.; and Keiser, James R.
Observations of Accelerated Silicon Carbide Recession by Oxidation at High Water-Vapor Pressures. (1) 211
More, Karren L. See Besmann, Theodore M.
Moreno, A. See Escardino, A.
Morgan, Peter E. D. See Suzuki, Yoshikazu
Morgan, Sean P.; Reaney, Ian M.; Buckley, Robert; Furniss, David; and Seddon, Angela B.
Crystallization in $70Ga_2S_3$:$30La_2S_3$ (mol%) Glasses as a Function of Oxide/Hydroxide Concentration. (3) 617
Mori, Eiji Taguchi Hirotaro See Imanaka, Nobuhito
Mori, Hirotaro See Huang, Jianyu Y.
Mori, Toshiyuki See Lee, Jong-Heun; Li, Ji-Guang
Morii, Hiroko See Hayashi, Kazuyuki
Morisada, Yoshiaki See Shimoo, Toshio
Morissette, Sherry L.; Lewis, Jennifer A.; Cesarano, Joseph, III; Dimos, Duane B.; and Baer, Tom
Solid Freeform Fabrication of Aqueous Alumina–Poly(vinyl alcohol) Gelcasting Suspensions. (10) 2409
Morissette, Sherry See Lewis, Jennifer A.
Morscher, Gregory N.; Hurst, Janet; and Brewer, David
Intermediate-Temperature Stress Rupture of a Woven Hi-Nicalon, BN-Interphase, SiC-Matrix Composite in Air. (6) 1441
Moure, Carlos See Caballero, Amador C.; Durán, Pedro; Villegas, Marina
Moya, José F. Bartolomé José S. See Torrecillas, Ramón
Muddle, Barry C. See Hannink, Richard H. J.
Mukundhan, Priya See Cheong, Yong S.
Müller, Thomas See Langhammer, Hans Theo
Mullins, William W. and Rohrer, Gregory S.
Nucleation Barrier for Volume-Conserving Shape Changes of Faceted Crystals. (1) 214
Munir, Zuhair A. See; Carrillo-Heian, Ellen M.; Maglia, Filippo; Ohyanagi, Manshi; Xia, Tian D.
Munz, Dietrich See Fett, Theo
Murakami, Tadasu See Chen, Zhongchun
Mustarelli, Piercarlo See Bondioli, Federica
Nachimuthu, Ponnusamy; Vithal, Muga; and Jagannathan, Ranga
Absorption and Emission Spectral Properties of Pr^{3+}, Nd^{3+}, and Eu^{3+} Ions in Heavy-Metal Oxide Glasses. (3) 597
Nagai, Toru; Iijima, Kenji; Hwang, Hae Jin; Sando, Mutsuo; Sekino, Tohru; and Niihara, Koichi
Effect of MgO Doping on the Phase Transformations of $BaTiO_3$. (1) 107
Nagano, Takayuki; Kaneko, Kenji; Zhan, Guo-Dong; and Mitomo, Mamoru
Superplasticity of Liquid-Phase-Sintered β-SiC with Al_2O_3–Y_2O_3–AlN Additions in an N_2 Atmosphere. (10) 2497; Effect of Atmosphere on Weight Loss in Sintered Silicon Carbide during Heat Treatment. (11) 2781
Nagaoka, Takaaki; Iwamoto, Yuji; Kikuta, Koichi; and Hirano, Shin-ichi
Forming and Sintering of *in Situ* Alumina Composite with Hydraulic Inorganic Binder. (7) 1613
Nahm, Sahn See Lee, Hwack Joo
Nair, Jalajakumari; Nair, Padmakumar; Mizukami, Fujio; Van Ommen, Jan G.; Doesburg, Giel B. M.; Ross, Julian R. H.; and Burggraaf, Anthonie J.
Pore Structure Evolution of Lanthana–Alumina Systems Prepared through Coprecipitation. (8) 1942
Nair, Padmakumar See Nair, Jalajakumari
Naito, Makio See Shinohara, Nobuhiro
Naka, Masaaki See Belkada, Rachid
Nakagawa, Narihito See Bahlawane, Naoufal
Nakahira, Kenji See Shinohara, Nobuhiro
Nakamura, Toshio; Qian, G.; and Berndt, Christopher C.
Effects of Pores on Mechanical Properties of Plasma-Sprayed Ceramic Coatings. (3) 578
Nakamura, Yasuhisa See Hirano, Masanori
Nakano, Hiromi; Kamegashira, Naoki; and Urabe, Kazuyori
Microstructure of a Complex Oxide, $Ho_2Mn_xTa_{2-x}O_7$ (x = 1.0), with a Pyrochlore-Related Structure. (9) 2305
Nakatani, Masahiko See Korouš, Jan
Nan, Ce-Wen; Li, Xiao-Ping; and Birringer, R.
Inverse Problem for Composites with Imperfect Interface: Determination of Interfacial Thermal Resistance, Thermal Conductivity of Constituents, and Microstructural Parameters. (4) 848
Narushima, Takayuki See Kitayama, Mikito
Negro, Alfredo See Montanaro, Laura

Neubrand, Achim; Lindner, Reinhard; and Hoffmann, Peter
Room-Temperature Solubility Behavior of Barium Titanate in Aqueous Media. (4) 860
Neubrand, Achim See Jedamzik, Ralf
Newnham, Robert E. See Villegas, Marina
Ng, Ser-Choon See Fang, Jiye
Nguyen, Vinh Q.; Sanghera, Jas S.; Aggarwal, Ishwar D.; and Lloyd, Isabel K.
Physical Properties of Chalcogenide and Chalcohalide Glasses. (4) 855
Nicholson, Patrick S. See Sarkar, Partho
Niihara, Koichi See Nagai, Toru; Tajima, Ken-ichi; Yang, Jian-Feng
Nishi, Yuji See Suzuki, Toshimasa
Nishida, Toshiko See Shiono, Takeshi
Nishiguchi, Hiroyasu See Ishihara, Tatsumi
Nishimura, Hitoshi See Pezzotti, Giuseppe
Nishimura, Toshiyuki See Zhan, Guo-Dong
Nishiura, Koji See Grigoriu, Constantin
Nishiwaki, Shogo; Tadanaga, Kiyoharu; Tatsumisago, Masahiro; and Minami, Tsutomu
Preparation and Proton Conductivity of Surfactant-Templated Mesoporous Silica Gels Impregnated with Protonic Acids. (12) 3004
Nomura, Kazuhiro See Hirano, Masanori
Nomura, Yasuteru See Fukuda, Koichiro
Nordine, Paul C. See Krishnan, Shankar; Weber, J. K. Richard
Nukui, Akihiko See Okada, Kiyoshi
Nunziante, Patrizia See Traversa, Enrico
O'Brien, Michael J.; Capaldi, Franco M.; and Sheldon, Brian W.
A Layered Alumina Composite Tested at High Temperature in Air. (12) 3033
Oda, Kohei See Tamai, Hiroyasu
Ogumi, Zempachi See Uchimoto, Yoshiharu
Oh, Kyung-Sik; Jun, Jae-Yong; Kim, Doh-Yeon; and Hwang, Nong M.
Shape Dependence of the Coarsening Behavior of Niobium Carbide Grains Dispersed in a Liquid Iron Matrix. (12) 3117
Oh, Sung-Tag; Tajima, Ken-ichi; Ando, Motohide; and Ohji, Tatsuki
Strengthening of Porous Alumina by Pulse Electric Current Sintering and Nanocomposite Processing. (5) 1314
Ohashi, Masaharu See Tsujikawa, Kyozo
Ohashi, Masayoshi and Iida, Yasuo
Hot Forging of Mullite-Based Ceramics Prepared from Kaolin–Alumina. (7) 1825
Ohgai, Michiharu See Matsui, Koji
Ohgaki, Masataka See Takeda, Hiroaki
Ohji, Tatsuki See Inagaki, Yoshiaki; Kondo, Naoki; Oh, Sung-Tag; Suzuki, Yoshikazu; Yang, Jian-Feng; Zhang, Guo-Jun
Ohyanagi, Manshi; Shirai, Kenshiro; Balandina, Nadejda; Hisa, Masaaki; and Munir, Zuhair A.
Synthesis of Aluminum Nitride–Silicon Carbide Solid Solutions by Combustion Nitridation. (5) 1108
Ohyanagi, Manshi See Carrillo-Heian, Ellen M.
Okada, Keiko See Tawarayama, Hiromasa
Okada, Kiyoshi; Hattori, Akiyoshi; Kameshima, Yoshikazu; Yasumori, Atsuo; and Das, Rathindra Nath
Effect of Monovalent Cation Additives on the γ-Al_2O_3-to-α-Al_2O_3 Phase Transition. (5) 1233
Okada, Kiyoshi; Hattori, Akiyoshi; Taniguchi, Taketoshi; Nukui, Akihiko; and Das, Rathindra Nath
Effect of Divalent Cation Additives on the γ-Al_2O_3-to-α-Al_2O_3 Phase Transition. (4) 928
Okamoto, Kazuhiro See Pezzotti, Giuseppe
Okamoto, Yasunori See Shiono, Takeshi
Okamura, Kiyohito See Shimoo, Toshio
Okumiya, Masataro See Shinohara, Nobuhiro
Okuyama, Kikuo See Hayashi, Kazuyuki
Olagnon, Christian See Simonin, Fabien
Oliveira, José M.; Correia, Rui N.; and Fernandes, Maria H. V.
Formation of Convoluted Silica Precipitates during Amorphous Phase Separation in the $Ca_3(PO_4)_2$–SiO_2–MgO System. (5) 1296
Olorunyolemi, Tayo; Tolbert, Renee; Wilson, Otto, Jr.; Carmel, Yuval; Lloyd, Isabel; Xu, Gengfu; and Jaworski, Allen
Measurement of Densification of Zinc Oxide Compacts Using an Optical, Noncontact, Noninvasive Extensometer. (4) 974
Olsson, Eva See Elfwing, Mattias
Omori, Mamoru; Isobe, Toshinori; and Hirai, Toshio
Consolidation of Eutectic Powder of Al_2O_3–$GdAlO_3$. (11) 2878
Ong, Cong K. See Zhang, Xiaozhong
Opila, Elizabeth J. See Fox, Dennis S.
Orera, Víctor M. See Pardo, José A.
Ortega, F. S. See Sepulveda, Pilar
Ortiz, Angel L.; Cumbrera, Francisco L.; Sánchez-Bajo, Florentino; Guiberteau, Fernando; Xu, Huiwen; and Padture, Nitin P.
Quantitative Phase-Composition Analysis of Liquid-Phase-Sintered Silicon Carbide Using the Rietveld Method. (9) 2282
Orts, M. J. See Escardino, A.
Österlund, Ragnar See Elfwing, Mattias
Ota, Ken'ichi See Pezzotti, Giuseppe
Ota, Toshitaka; Imaeda, Masaki; Takase, Haruyuki; Kobayashi, Mikihiro; Kinoshita, Noboru; Hirashita, Tunehisa; Miyazaki, Hidetoshi; and Hikichi, Yasuo
Porous Titania Ceramic Prepared by Mimicking Silicified Wood. (6) 1521
Ota, Toshitaka See Fukuda, Koichiro; Kato, Shinichi
Otani, Shigeki See Shimada, Shiro; Tanaka, Hidehiko
Ottenbrite, Raphael M.; Wall, Jason S.; and Siddiqui, Junaid A.
Self-Catalyzed Synthesis of Organo-Silica Nanoparticles. (12) 3214
Padture, Nitin P. See Ortiz, Angel L.
Pagano, N. J. See Dutton, R. E.
Pagnoux, Cécile See Laucournet, Richard
Paik, Jong Hoo See Lee, Hwack Joo
Paik, Ungyu and Hackley, Vincent A.
Influence of Solids Concentration on the Isoelectric Point of Aqueous Barium Titanate. (10) 2381
Paine, Michael L. See White, Shane N.
Paiva-Santos, Carlos O. See de Souza, Milton F.
Palmisiano, Marc N.; Boehman, Andre L.; and Pantano, Carlo G.
Processing Effects on the Surface Composition of Glass Fiber. (10) 2423
Palmqvist, Lisa M.; Lange, F. F.; Sigmund, Wolfgang; and Sindel, Jürgen
Dispersion and Consolidation of Alumina Using a Bis-Hydrophilic Diblock Copolymer. (7) 1585
Pan, Yi and Baptista, João L.
Spontaneous Infiltration of Iron Silicides into Silicon Carbide Powder Preforms. (12) 2919
Pandolfelli, Victor C. See Innocentini, Murilo D. M.; Sepulveda, Pilar
Pantano, Carlo G. See Palmisiano, Marc N.
Parai, John See Kebbede, Antenech
Parashar, Virendra Kumar See Raman, Vasantha
Pardo, Arturo R. F. See Innocentini, Murilo D. M.
Pardo, José A.; Merino, Rosa I.; Orera, Víctor M.; Peña, José I.; González, Carlos; Pastor, José Y.; and LLorca, Javier
Piezospectroscopic Study of Residual Stresses in Al_2O_3–ZrO_2 Directionally Solidified Eutectics. (11) 2745
Paris, E. C. See Leite, E. R.
Park, Chan See Park, Dong-Soo
Park, Chan Woo and Yoon, Duk Yong
Effects of SiO_2, CaO_2, and MgO Additions on the Grain Growth of Alumina. (10) 2605
Park, Dae-Chul; Yano, Toyohiko; Iseki, Takayoshi; and Urabe, Kazuyori
Effect of Nitrate Salts as Sintering Additives during the Ball-Milling Process of Silicon Nitride Powders. (12) 2967
Park, Dong-Soo and Kim, Chang-Won
Indentation Crack Length Anisotropy in Silicon Nitride with Aligned Reinforcing Grains. (3) 663
Park, Dong-Soo; Park, Chan; and Lee, Yang-Doo
Oxidation of Ti(C,N)-Based Ceramics Exposed at 1373 K in Air. (3) 672
Park, Hee Chan See Park, Seong Soo
Park, Hyung H. See Hyun, Sang H.
Park, Hyun Min See Lee, Hwack Joo
Park, June-Ho; Lee, Yong-Ho; Koh, Young-Hag; Kim, Hyoun-Ee; and Baek, Seung Su
Effect of Hot-Pressing Temperature on Densification and Mechanical Properties of Titanium Diboride with Silicon Nitride as a Sintering Aid. (6) 1542
Park, Myung-Sik See Jung, Woo-Hwan
Park, Se Ho; Lee, Dong Chin; Heo, Jong; and Kim, Hyoun Soo
Pr^{3+}/Er^{3+} Codoped Ge-As-Ga-S Glasses as Dual-Wavelength Fiber-optic Amplifiers for 1.31 and 1.55 μm Windows. (5) 1284
Park, Seong Soo; Hwang, Eun Hee; Kim, Byoung Chan; and Park, Hee Chan
Synthesis of Hydrated Aluminum Sulfate from Kaolin by Microwave Extraction. (6) 1341
Park, Yung and Cho, Kurn
Dielectric-State Analysis in Solid-Solution $Pb(Yb_{1/2}Ta_{1/2})O_3$–$Pb(La_{1/2}Nb_{1/2})O_3$. (1) 135
Parker, Stephen C. See Fang, Chang Ming
Parthasarathy, Triplicane A. See Dutton, R. E.; Huang, Tieshu; Keller, Kristin A.; Mah, Tai-Il
Pascual, José; Zapatero, José; Jiménez de Haro, María C.; Ramírez del Valle, Antonio J.; Pérez-Rodríguez, José L.; and Sánchez-Soto, Pedro J.
Preparation of Mullite Ceramics from Coprecipitated Aluminum Hydroxide and Kaolinite Using Hexamethylenediamine. (11) 2677
Pasquevich, Daniel M. See Bohé, Ana E.
Pastor, José Y. See Pardo, José A.
Pati, Ranjan K. and Pramanik, Panchanan
Low-Temperature Chemical Synthesis of Nanocrystalline $MgAl_2O_4$ Spinel Powder. (7) 1822
Pattillo, S. G. See McKittrick, Joanna
Patton, Bruce R. See Wang, Yunzhi
Pavithran, Chorappan See Prabhakaran, Kuttan
Pederson, Larry R. See Chou, Yeong-Shyung
Peemoeller, Hartwig See Greener, Jessie
Peiegrina, Jorge L. See Bohé, Ana E.
Pelino, Mario See Karamanov, Alexander
Pellacani, Gian Carlo See Siligardi, Cristina
Peña, José I. See Pardo, José A.
Pena, Pilar See De Aza, Antonio H.
Peng, Hongying See Shi, Wensheng
Peng, Xiao and Clarke, David R.
Piezospectroscopic Analysis of Interface Debonding in Thermal Barrier Coatings. (5) 1165
Penn, Stuart J. See Templeton, Alan
Pennycook, Stephen J. See Xu, Zhengkui
Pérez-Maqueda, Luis A. See Sánchez-Soto, Pedro J.; Šubrt, Jan
Pérez-Rodríguez, José L. See Pascual, José; Sánchez-Soto, Pedro J.
Perring, Loic See Du, Yong
Perrot, Christophe See Montanaro, Laura
Peterlik, Herwig
Comment on "Relationship between the Estimated Weibull Modulus and the Coefficient of Variation of the Measured Strength for Ceramics". (4) 1013
Peters, Baron See Liau, Leo C.-K.
Peterson, Irene M. See Lee, Kee Sung
Petrovic, John J. See Sharif, Adel A.
Pezzotti, Giuseppe; Kleebe, Hans-Joachim; Okamoto, Kazuhiro; and Ota, Ken'ichi
Structure and Viscosity of Grain Boundary in High-Purity SiAlON Ceramics. (10) 2549
Pezzotti, Giuseppe; Nishimura, Hitoshi; Ota, Ken'ichi; and Kleebe, Hans-Joachim
Grain-Boundary Viscosity of BaO-Doped SiC. (3) 563
Pezzotti, Giuseppe See Shiono, Takeshi
Pierre, Alain C. See Stanić, Vesna
Pilgrim, Steven M. See Cho, Yong S.; Jang, Jae Hyuk
Pintar, Mik M. See Greener, Jessie
Pippan, Reinhard See Marschall, Hans Ulrich
Pippel, Eckhard See Danko, Gene A.
Pisciella, Paola See Karamanov, Alexander
Pistorius, Chris See Coetsee, Theresa
Pivin, Jean C.; Colombo, Paolo; and Sorarù, Gian D.
Comparison of Ion Irradiation Effects in Silicon-Based Preceramic Thin Films. (4) 713
Plucknett, Kevin P.
Joining Si_3N_4-Based Ceramics with Oxidation-Formed Surface Layers. (12) 2925
Pöckl, Manfred See Vilarinho, Paula M.
Polli, Andrew D.; Lange, Fred F.; and Levi, Carlos G.
Metastability of the Fluorite, Pyrochlore, and Perovskite Structures in the PbO–ZrO_2–TiO_2 System. (4) 873
Pompe, Wolfgang See Lampenscherf, Stefan
Popova, Alla; Geoffroy, Ghita; Renou-Gonnord, Marie-France; Faucon, Pascal; and Gartner, Ellis
Interactions between Polymeric Dispersants and Calcium Silicate Hydrates. (10) 2556
Poulain, Martine See Bisson, Jean-François
Powers, James D. and Glaeser, Andreas M.
Orientation Effects on the High-Temperature Morphological Evolution of Pore Channels in Sapphire. (9) 2297
Prabhakaran, Kuttan and Pavithran, Chorappan
Cardanol: A New Dispersant for Alumina in Toluene. (6) 1533
Pramanik, Panchanan See Pati, Ranjan K.
Price, David B. See Chinn, Richard E.
Priester, Louisette See Lartigue-Korinek, Sylvie
Primdahl, Søren; Sørensen, Bent F.; and Mogensen, Mogens
Effect of Nickel Oxide/Yttria-Stabilized Zirconia Anode Precursor Sintering Temperature on the Properties of Solid Oxide Fuel Cells. (3) 489
Prine, David W. See Trice, Rodney W.
Prume, Klaus; Waser, Rainer; Franken, Klaus; and Maier, Horst R.
Finite-Element Analysis of Ceramic Multilayer Capacitors: Modeling and Electrical Impedance Spectroscopy for a Nondestructive Failure Test. (5) 1153
Prume, Klaus See Franken, Klaus
Qi, Gang See Rangarajan, Sriram
Qian, G. See Nakamura, Toshio
Qian, Guodong and Wang, Minquan
Synthesis *In Situ*, Characterization, and Photostability of Europium β-Diketone Chelates in Organically Modified Silicates (ORMOSILs). (4) 703
Qian, Yitai See Hu, Junqing; Jiang, Yang
Qin, Haixia and Huang, Xiaoxian
Microstructure and Bending Strength of 3Y-TZP/12Ce-TZP Ceramics Fabricated by Liquid-Phase Sintering at Low Temperature. (11) 2881
Quinn, George D. and Swab, Jeffrey J.
Elastic Modulus by Resonance of Rectangular Prisms: Corrections for Edge Treatments. (2) 317
Quinn, Janet B. and Lloyd, Isabel K.
Comparison of Methods to Determine the Fracture Toughness of Three Glass-Ceramics at Elevated Temperatures. (12) 3070
Rabin, Barry H. See Winter, Andrew N.
Raddatz, Oliver See Meschke, Frank
Rafferty, Aran; Clifford, Anton; Hill, Robert; Wood, David; Samuneva, Bisserka; and Dimitrova-Lukacs, Margarita
Influence of Fluorine Content in Apatite–Mullite Glass-Ceramics. (11) 2833
Rahaman, Mohamed N. See Huang, Tieshu

Raman, Vasantha; Parashar, Virendra Kumar; Dhakate, Sanjay; Bahl, Om Prakash; and Dhawan, Urmila
Synthesis of Silicon Carbide through the Sol–Gel Process from Rayon Fibers. (4) 952
Ramberg, C. Eric and Worrell, Wayne L.
Fabrication and High-Temperature Phase Stability of $Mo(Al,Si)_2$–$MoSi_2$ Intermetallics. (4) 946
Ramesh, Peetamedu D. See Lasri, Jacob
Ramesh, Sivarajan; Sominska, Elena; Cina, Baruch; Chaim, Rachman; and Gedanken, Aharon
Nanocrystalline γ-Alumina Synthesized by Sonohydrolysis of Alkoxide Precursor in the Presence of Organic Acids: Structure and Morphological Properties. (1) 89
Ramírez del Valle, Antonio J. See Pascual, José
Randall, Clive A. See Tsur, Yoed
Rangarajan, Sriram; Qi, Gang; Venkataraman, Natesan; Safari, Ahmad; and Danforth, Stephen C.
Powder Processing, Rheology, and Mechanical Properties of Feedstock for Fused Deposition of Si_3N_4 Ceramics. (7) 1663
Rausch, Gerald; Kuntz, Meinhard; and Grathwohl, Georg
Determination of the *In Situ* Fiber Strength in Ceramic-Matrix Composites from Crack-Resistance Evaluation Using Single-Edge Notched-Beam Tests. (11) 2762
Rautioaho, Risto See Jantunen, Heli
Ravikiran, A.
Influence of Apparent Pressure on Wear Behavior of Self-Mated Alumina. (5) 1302
Ravikiran, Attota and Jahanmir, Said
Effect of Interfacial Layers on Wear Behavior of a Dental Glass-Ceramic. (7) 1831
Ray, Chandra S.; Fang, Xiangyu; and Day, Delbert E.
New Method for Determining the Nucleation and Crystal-Growth Rates in Glasses. (4) 865
Readey, Michael J. See Lee, Seung Kun
Real, Concepción See Šubrt, Jan
Reaney, Ian M. See Morgan, Sean P.
Reardon, Eric J. See Greener, Jessie
Rečnik, Aleksander See Daneu, Nina
Reece, Michael J. See Li, Ming
Reefman, Derk See Slikkerveer, Peter J.
Regiani, Inacio See de Souza, Milton F.
Rehrig, Paul W.; Messing, Gary L.; and Trolier-McKinstry, Susan
Templated Grain Growth of Barium Titanate Single Crystals. (11) 2654
Reimanis, Ivar E. See Winter, Andrew N.
Ren, Ruiming See Yang, Zhenguo
Renou-Gonnord, Marie-France See Popova, Alla
Reynders, Peter See Stech, Martin
Rezaie, Hamid Reza See Zhang, Shaowei
Rhee, Sang-Hoon; Lee, Jae Do; and Tanaka, Junzo
Nucleation of Hydroxyapatite Crystal through Chemical Interaction with Collagen. (11) 2890
Rhee, Sang-Hoon and Tanaka, Junzo
Effect of Chondroitin Sulfate on the Crystal Growth of Hydroxyapatite. (8) 2100
Rhim, Sung Min; Bak, Heungjin; Hong, Seokmin; and Kim, Ok Kyung
Effects of Heating Rate on the Sintering Behavior and the Dielectric Properties of $Ba_{0.7}Sr_{0.3}TiO_3$ Ceramics Prepared by Boron-Containing Liquid-Phase Sintering. (12) 3009
Rhim, Sung Min; Hong, Seokmin; Bak, Heungjin; and Kim, Ok Kyung
Effects of B_2O_3 Addition on the Dielectric and Ferroelectric Properties of $Ba_{0.7}Sr_{0.3}TiO_3$ Ceramics. (5) 1145
Rhodes, William H. See Wei, George C.
Rickman, Jeffrey M. See Chan, Helen M.; Cho, Junghyun
Riley, Frank L.
Silicon Nitride and Related Materials. (2) 245
Rincòn, Jesus Maria See Barbieri, Luisa
Ritchie, Robert O. See Chen, Da
Ritter, John E.; Huseinovic, Armin; Chakravarthy, Srinath S.; and Lardner, Thomas J.
Subcritical Crack Growth in Soda-Lime Glass under Mixed-Mode Loading. (8) 2109
Rivas, Patricia C. See Caracoche, María C.
Roberts, Anthony P. and Garboczi, Edward J.
Elastic Properties of Model Porous Ceramics. (12) 3041
Roberts, Mark C. See Mackin, Thomas J.
Roberts, Steve G. See Kara, Hudai
Rödel, Jürgen See dos Santos e Lucato, Sergio L.; Jedamzik, Ralf; Moon, Robert; Stech, Martin
Rodewald, Stefan; Fleig, Jürgen; and Maier, Joachim
Resistance Degradation of Iron-Doped Strontium Titanate Investigated by Spatially Resolved Conductivity Measurements. (8) 1969
Rodriguez, Mark See Garino, Terry
Rodriguez-Navarro, Carlos See Cazalla, Olga
Rohrer, Gregory S. See Mullins, William W.; Saylor, David M.
Romain, François See Colomban, Philippe
Romero, Maximina See Barbieri, Luisa
Roncari, Edoardo; Galassi, Carmen; and Bassarello, Carla
Mullite Suspensions for Reticulate Ceramic Preparation. (12) 2993
Rosenflanz, Anatoly See Kim, Joosun
Ross, Julian R. H. See Nair, Jalajakumari
Routbort, J. L. See Boling-Risser, Martha A.
Ruh, Robert See Lin, Chien-Cheng
Ryu, Hyun See Lee, Hwack Joo
Ryumon, Akihito See Tamai, Hiroyasu
Sachs, Emanuel M. See Moon, Jooho
Sadaoka, Yoshihiko See Traversa, Enrico
Saeki, Akinori See Takeda, Michio
Safari, Ahmad See Lous, Gwenaëlle M.; Rangarajan, Sriram
Sagdahl, Lise T.; Einarsrud, Mari-Ann; and Grande, Tor
Sintering of $LaFeO_3$ Ceramics. (9) 2318
Saha, Susanta Kumar See Lu, Chung-Hsin
Saito, Fumio See Zhang, Qiwu
Saito, Yasuo; Sugahara, Yoshiyuki; and Kuroda, Kazuyuki
Pyrolysis of Poly(isopropyliminoalane) to Aluminum Nitride. (10) 2436
Sakai, Go See Baik, Nam seok.
Sakai, Mototsugu See Kovalev, Serguei
Sakai, Takenobu and Kawamoto, Hiroshi
Improvement in Time-Dependent Displacement Degradation of Piezoelectric Ceramics by Manganese/Indium Addition. (6) 1423
Sakamoto, Jun-ichi See Takeda, Michio
Sakamoto, Wataru See Kojima, Takashi
Sakka, Yoshio See Vasylkiv, Oleg
Sakuma, Taketo See Hayashi, Katsuro; Imamura, Philip H.; Yamamoto, Takahisa; Zhan, Guo-Dong
Salazar, Kenneth V. See McKittrick, Joanna
Salvado, Isabel M. Miranda See Wu, Aiying
Sammes, Nigel M. See D'Souza, Clive M.
Samuneva, Bisserka See Rafferty, Aran
Sanchez, Juan M. See Shaarawi, Mohammed S.
Sánchez-Bajo, Florentino See Ortiz, Angel L.
Sánchez-Soto, Pedro J.; de Haro, María del Carmen Jiménez; Pérez-Maqueda, Luis A.; Varona, Ignacio; and Pérez-Rodríguez, José L.
Effects of Dry Grinding on the Structural Changes of Kaolinite Powders. (7) 1649
Sánchez-Soto, Pedro J. See Pascual, José
Sanctis, Oscar de See Caracoche, María C.
Sandhage, Ken H. See Gouma, Pelagia I.; Saw, Eaden
Sando, Mutsuo See Nagai, Toru; Tajima, Ken-ichi
Sangaletti, Luigi See Traversa, Enrico
Sanghera, Jas S. See Nguyen, Vinh Q.
Sano, Junya See Arakawa, Shuichi
Sano, Taizo; Tsuji, Masamichi; Gokon, Nobuyuki; Kaneko, Hiroshi; and Tamaura, Yutaka
Oxygen Uptake and Release Mechanism of Lithium Manganese Ferrite in the Low Temperature Range of 573–773 K. (10) 2509
Sarikaya, Mehmet See White, Shane N.
Sarin, Vinod K. See Auger, Michael L.
Sarkar, Partho; De, Debnath; Yamashita, Kimihiro; Nicholson, Patrick S.; and Umegaki, Takao
Mimicking Nanometer Atomic Processes on a Micrometer Scale via Electrophoretic Deposition. (6) 1399
Sarpoolaky, Hossain See Zhang, Shaowei
Saruhan, Bilge; Abothu, Isaac Robin; Komarneni, Sridhar; and Loong, Chun-Keung
Crystallization of Electrostatically Seeded Lanthanum Hexaluminate Films on Polycrystalline Oxide Fibers. (12) 3165
Sasaki, Takeshi See Kudaka, Katsuya
Sasaki, Teruyuki See Matsuda, Atsunori
Sato, Mitsuhiko See Mamiya, Takayuki
Sato, Naoya See Fujimori, Hirotaka
Sato, Ryuji See Aida, Kazuya
Saw, Eaden; Sandhage, Ken H.; Gallagher, Patrick K.; and Litsky, Alan S.
Near-Net-Shaped Calcium Hydroxyapatite by the Oxidation of Machinable, Calcium-Bearing Precursors (the Volume Identical Metal Oxidation, or VIMOX, Process). (4) 998
Saylor, David M.; Mason, Darren E.; and Rohrer, Gregory S.
Experimental Method for Determining Surface Energy Anisotropy and Its Application to Magnesia. (5) 1226
Schächter, Levi See Lasri, Jacob
Scherer, George W.
Measuring Permeability of Rigid Materials by a Beam-Bending Method: I. Theory. (9) 2231; Thermal Expansion Kinetics: Method to Measure Permeability of Cementitious Materials: I. Theory. (11) 2753
Scheu, Christina; Dehm, Gerhard; Kaplan, Wayne D.; García, Daniel E.; and Claussen, Nils
Microstructure of Alumina Composites Containing Niobium and Niobium Aluminides. (2) 397
Schmalzried, Hermann See Johnson, Matthew T.
Schmidt, Sarah R. See Thayer, Ryan L.
Schneider, Gerold A. See Meschke, Frank
Schober, Tilman See Bohn, Hans G.
Schulz, Uwe
Phase Transformation in EB-PVD Yttria Partially Stabilized Zirconia Thermal Barrier Coatings during Annealing. (4) 904
Schulze, Walter A. See Jang, Jae Hyuk
Schuster, Julius C. See Du, Yong
Seabaugh, Matthew M.; Messing, Gary L.; and Vaudin, Mark D.
Texture Development and Microstructure Evolution in Liquid-Phase-Sintered α-Alumina Ceramics Prepared by Templated Grain Growth. (12) 3109
Seabaugh, Matthew M.; Vaudin, Mark D.; Cline, James P.; and Messing, Gary L.
Comparison of Texture Analysis Techniques for Highly Oriented α-Al_2O_3. (8) 2049
Sebastian, Eduardo See Cazalla, Olga
Seddon, Angela B. See Morgan, Sean P.
Seifert, Hans J. See Du, Yong
Sekino, Tohru See Nagai, Toru
Selçuk, Ahmet and Atkinson, Alan
Strength and Toughness of Tape-Cast Yttria-Stabilized Zirconia. (8) 2029
Sengupta, Anita See Auger, Michael L.
Senna, Mamoru See Kitamura, Makoto; Shinohara, Seiji
Seo, Won-Seon; Koumoto, Kunihito; and Aria, Shigeo
Morphology and Stacking Faults of β-Silicon Carbide Whisker Synthesized by Carbothermal Reduction. (10) 2584
Sepulveda, Pilar; Ortega, F. S.; Innocentini, Murilo D. M.; and Pandolfelli, Victor C.
Properties of Highly Porous Hydroxyapatite Obtained by the Gelcasting of Foams. (12) 3021
Sergo, Valter See Filippo, Lucia Di
Sestak, Jaroslav See Koga, Nobuyoshi
Setter, Nava See Shulman, Holly S.; Thiele, Erik S.
Shaarawi, Mohammed S.; Sanchez, Juan M.; Kan, Honghua; and Manthiram, Arumugam
Modeling of Laser-Induced Chemical Vapor Deposition of Silicon Carbide Rods from Tetramethylsilane. (8) 1947
Shady, Phillip See Chang, Hsiao-Lan
Shane, John D.; Mason, Thomas O.; Jennings, Hamlin M.; Garboczi, Edward J.; and Bentz, Dale P.
Effect of the Interfacial Transition Zone on the Conductivity of Portland Cement Mortars. (5) 1137
Shantha, Kundapura and Varma, Kalidindi B. R.
Characterization of Fine-Grained Bismuth Vanadate Ceramics Obtained Using Nanosized Powders. (5) 1122
Sharif, Adel A.; Chu, Fuming; Misra, Amit; Mitchell, Terence E.; and Petrovic, John J.
Elastic Constants of Erbia Single Crystals. (9) 2246
Shaw, Leon L. See Yang, Zhenguo
Sheldon, Brian W. See O'Brien, Michael J.
Shi, Erwei See Zheng, Yanqing
Shi, Jian-Lin and Zhang, J. D.
Compaction and Sintering Behavior of Bimodal Alumina Powder Suspensions by Pressure Filtration. (4) 737
Shi, Wensheng; Zheng, Yufeng; Peng, Hongying; Wang, Ning; Lee, Chun Sing; and Lee, Shuit-Tong
Laser Ablation Synthesis and Optical Characterization of Silicon Carbide Nanowires. (12) 3228
Shibayanagi, Toshiya See Belkada, Rachid
Shigegaki, Yasuhiro See Inagaki, Yoshiaki
Shih, Wan Y. See Yang, Chia-Yi
Shih, Wei-Heng See Chang, Hsiao-Lan; Yang, Chia-Yi
Shimada, Shiro; Yunazar, Fahmi; and Otani, Shigeki
Oxidation of Hafnium Carbide and Titanium Carbide Single Crystals with the Formation of Carbon at High Temperatures and Low Oxygen Pressures. (4) 721
Shimizu, Yasuhiro; Hatano, Jun; Hyodo, Takeo; and Egashira, Makoto
Ion-Exchange Loading of Yttrium Acetate as a Sintering Aid on Aluminum Nitride Powder via Aqueous Processing. (11) 2793
Shimoo, Toshio; Morisada, Yoshiaki; and Okamura, Kiyohito
Oxidation Behavior of Si-C-O Fibers (Nicalon) under Oxygen Partial Pressures from 10^2 to 10^5 Pa at 1773 K. (12) 3049
Shimoo, Toshio; Toyoda, Fumihiko; and Okamura, Kiyohito
Thermal Stability of Low-Oxygen Silicon Carbide Fiber (Hi-Nicalon) Subjected to Selected Oxidation Treatment. (6) 1450
Shimose, Kuninobu See Ishihara, Tatsumi
Shin, Hyunho; Kim, Cheol-Soo; and Chang, Soon-Nam
Mullitization from a Multicomponent Oxide System in the Temperature Range 1200°–1500°C. (5) 1237
Shin, Jason; Ahn, Do-Hwan; Shin, Mee-Shik; and Kim, Yong-Seog
Self-Propagating High-Temperature Synthesis of Aluminum Nitride under Lower Nitrogen Pressures. (5) 1021
Shin, Mee-Shik See Shin, Jason
Shin, Yong Beom; Lim, Hyung Tack; Choi, Yong Gyu; Kim, You Song; and Heo, Jong
2.0 μm Emission Properties and Energy Transfer between Ho^{3+} and Tm^{3+} in PbO–Bi_2O_3–Ga_2O_3 Glasses. (4) 787
Shinohara, Nobuhiro; Okumiya, Masataro; Hotta, Tadashi; Nakahira, Kenji; Naito, Makio; and Uematsu, Keizo
Morphological Changes in Process-Related Large Pores of Granular Compacted and Sintered Alumina. (7) 1633
Shinohara, Seiji; Baek, Jong-Gab; Isobe, Tetsuhiko; and Senna, Mamoru
Synthesis of Phase-Pure $Pb(Zn_xMg_{1-x})_{1/3}Nb_{2/3}O_3$ up to x = 0.7 from a Single Mixture via a Soft-Mechanochemical Route. (12) 3208
Shioji, Yasuhiro See Mamiya, Takayuki

Shiono, Koji See Shiono, Takeshi
Shiono, Takeshi; Ishitomi, Hiroyuki; Okamoto, Yasunori; and Nishida, Toshiko
Deformation Mechanism of Fine-Grained Magnesium Aluminate Spinel Prepared Using an Alkoxide Precursor. (3) 645
Shiono, Takeshi; Shiono, Koji; Miyamoto, Kazuyo; and Pezzotti, Giuseppe
Synthesis and Characterization of $MgAl_2O_4$ Spinel Precursor from a Heterogeneous Alkoxide Solution Containing Fine MgO Powder. (1) 235
Shirai, Kenshiro See Ohyanagi, Manshi
Shirakami, Tatsuya See Urabe, Kazuyori
Shulman, Holly S.; Damjanovic, Dragan; and Setter, Nava
Niobium Doping and Dielectric Anomalies in Bismuth Titanate. (3) 528
Shyu, Jiin-Jyh and Chiang, Ming-Tsung
Sintering and Phase Transformation in B_2O_3/P_2O_5-Doped Li_2O-Al_2O_3-$4SiO_2$ Glass-Ceramics. (3) 635
Shyu, Jiin-Jyh and Wang, Jenn-Rong
Crystallization and Dielectric Properties of SrO–BaO–Nb_2O_5–SiO_2 Tungsten-Bronze Glass-Ceramics. (12) 3135
Sickafus, Kurt E. *See Minervini, Licia*
Siddiqui, Junaid A. See Ottenbrite, Raphael M.
Sigmund, Wolfgang M.; Bell, Nelson S.; and Bergström, Lennart
Novel Powder-Processing Methods for Advanced Ceramics. (7) 1557
Sigmund, Wolfgang See Palmqvist, Lisa M.; Wang, Liwu
Silberglitt, Richard See Danko, Gene A.
Siligardi, Cristina; D'Arrigo, Maria Cristina; Leonelli, Cristina; Pellacani, Gian Carlo; and Cross, Tom E.
Bulk Crystallization of Glasses Belonging to the Calcia–Zirconia–Silica System by Microwave Energy. (4) 1001
Silva, Carmen I. See Escobar, Iván S.
Simkovich, George See Suvaci, Ender
Simonin, Fabien; Olagnon, Christian; Maximilien, Sandrine; Fantozzi, Gilbert; Díaz, Luiz Antonio; and Torrecillas, Ramon
Thermomechanical Behavior of High-Alumina Refractory Castables with Synthetic Spinel Additions. (10) 2481
Sindel, Jürgen See Palmqvist, Lisa M.
Singh, Raj N. See Wang, Yu-Lin
Singurindi, Ania See Goldstein, Adrian
Sixta, Mark E. See Zhang, Xiao Feng
Slamovich, Elliott B. See McCormick, Mark A.
Slikkerveer, Peter J.; Veld, Henri in't; Verspui, Mariëtte; de With, Bert; and Reefman, Derk
Alumina Particle Degradation during Solid Particle Impact on Glass. (9) 2263
Snead, Malcolm L. See White, Shane N.
Sohn, Jeong-Ho See Jung, Woo-Hwan
Sohn, Joon-Ho See Jung, Woo-Hwan
Sominska, Elena See Ramesh, Sivarajan
Song, Chang-Rock and Yoo, Han-Ill
Chemical Diffusivity of $BaTiO_{3-\delta}$: IV, Acceptor-Doped Case. (4) 773
Song, Seung-Wan; Han, Kyoo-Seung; and Yoshimura, Masahiro
Effect of 20°–200°C Fabrication Temperature on Microstructure of Hydrothermally Prepared $LiCoO_2$ Films. (11) 2839
Song, Yong Won See Lee, Hwack Joo
Sorarù, Gian D. See Pivin, Jean C.
Sørensen, Bent F.; Holmes, John W.; and Vanswijgenhoven, Eddy L.
Rate of Strength Decrease of Fiber-Reinforced Ceramic-Matrix Composites during Fatigue. (6) 1469
Sørensen, Bent F. See Kumar, Amar N.; Primdahl, Søren
Spearing, S. Mark See Chen, Kuo-Shen
Spinolo, Giorgio See Maglia, Filippo
Srdić, Vladimir V.; Winterer, Markus; and Hahn, Horst
Sintering Behavior of Nanocrystalline Zirconia Prepared by Chemical Vapor Synthesis. (4) 729; Sintering Behavior of Nanocrystalline Zirconia Doped with Alumina Prepared by Chemical Vapor Synthesis. (8) 1853
Sreedhar, Krishnan and Mitra, Anjana
Low-Temperature Synthesis of Lead Tantalate Pyrochlore Solid Solutions $Pb_{1.5+y}(Ta_{2-y}Pb_y)O_{7-\delta}$ ($0.0 < x < 0.5$; $0.0 < y < 0.6$). (2) 418
Srikanth, Srinivasan See Kale, Girish Madhav
Sriprang, Nimit; Kaewchinda, Darunee; Kennedy, John D.; and Milne, Steven J.
Processing and Sol Chemistry of a Triol-Based Sol–Gel Route for Preparing Lead Zirconate Titanate Thin Films. (8) 1914
Staehler, James M. and Zawada, Larry P.
Performance of Four Ceramic-Matrix Composite Divergent Flap Inserts Following Ground Testing on an *F110* Turbofan Engine. (7) 1727
Stanić, Vesna; Pierre, Alain C.; Etsell, Thomas H.; and Mikula, Randy J.
Influence of Reaction Parameters on the Microstructure of the Germanium Disulfide Gel. (7) 1790
Stech, Martin; Reynders, Peter; and Rödel, Jürgen
Constrained Film Sintering of Nanocrystalline TiO_2. (8) 1889
Steigelmann, Oliver See van der Gijp, Sven
Stevens, Ron See Luo, Jie
Stevenson, Jeffrey W. See Chou, Yeong-Shyung
Stinton, David P. See Haynes, J. Allen
Stobbs, William M. See Yan, Yong
Stöver, Detlev See Vassen, Robert
Šubrt, Jan; Pérez-Maqueda, Luis A.; Criado, Jose M.; Real, Concepción; Boháček, Jaroslov; and Večerníková, Eva
Preparation of Nanosized Hematite Particles by Mechanical Activation of Goethite Samples. (2) 294
Sugahara, Yoshiyuki See Saito, Yasuo
Summers, Eric M. and Akinc, Mufit
Wick Debinding of Molybdenum-Silicon-Boron Extrudates. (7) 1670
Sun, Z. Q. See Li, Jie
Suvaci, Ender and Messing, Gary L.
Critical Factors in the Templated Grain Growth of Textured Reaction-Bonded Alumina. (8) 2041
Suvaci, Ender; Simkovich, George; and Messing, Gary L.
The Reaction-Bonded Aluminum Oxide Process: I, The Effect of Attrition Milling on the Solid-State Oxidation of Aluminum Powder. (2) 299; The Reaction-Bonded *Aluminum Oxide (RBAO) Process: II, The Solid-State Oxidation of RBAO Compacts.* (8) 1845
Suvorov, Danilo See Valant, Matjaz
Suzuki, Toshimasa; Nishi, Yuji; and Fujimoto, Masayuki
Ruddlesden–Popper Planar Faults and Nanotwins in Heteroepitaxial Nonstoichiometric Barium Titanate Thin *Films.* (12) 3185
Suzuki, Yoshikazu; Awano, Masanobu; Kondo, Naoki; and Ohji, Tatsuki
Enhanced Magnetization of 3 mol% Yttria-Doped Zirconia/Barium Hexaferrite by Post-Plastic Deformation. (5) 1113
Suzuki, Yoshikazu; Calderón, Héctor A.; Kondo, Naoki; and Ohji, Tatsuki
In Situ Formation of Hexaferrite Magnets within a 3Y-TZP Matrix: La_2O_3–ZnO–Fe_2O_3 and BaO–Fe_2O_3 Systems. (6) 1346
Suzuki, Yoshikazu; Morgan, Peter E. D.; and Ohji, Tatsuki
New Uniformly Porous $CaZrO_3$/MgO Composites with Three-Dimensional Network Structure from Natural Dolomite. (8) 2091
Suzuki, Yoshikazu See Kondo, Naoki
Svedberg, Lynne M.; Arndt, Kenneth C.; and Cima, Michael J.
Corrosion of Aluminum Nitride (AlN) in Aqueous Cleaning Solutions. (1) 41
Swab, Jeffrey J. See Quinn, George D.
Swiler, Dan See Hill, Kimberly
Tabuchi, Mitsuharu See Takeuchi, Tomonari
Tadanaga, Kiyoharu See Nishiwaki, Shogo
Taguchi, Hiroyuki See Fukuda, Koichiro
Tai, Weon-Pil; Kimura, Kunio; and Jinnai, Kazuhiko
Processing of Lightweight, High-Strength Porcelains Using an Alumina Cement to Replace Feldspars and Clays. (7) 1658
Tajima, Ken-ichi; Hwang, Hae Jin; Sando, Mutsuo; and Niihara, Koichi
Electric-Field-Induced Crack Growth Behavior in PZT/Al_2O_3 Composites. (3) 651
Tajima, Ken-ichi See Oh, Sung-Tag
Takahashi, Minoru See Kato, Shinichi
Takaishi, Taigo; Jin, Jisun; Uchino, Takashi; and Yoko, Toshinobu
Structural Study of PbO–B_2O_3 Glasses by X-ray Diffraction and ^{11}B MAS NMR Techniques. (10) 2543
Takano, Hideo See Kamiya, Hidehiro
Takano, Yoshihiko; Hachiya, Masahiro; Yoshinaka, Masaru; Hirota, Ken; and Yamaguchi, Osamu
Processing and Mechanical Behavior of CrN/ZrO_2(2Y) Composites. (2) 448
Takase, Haruyuki See Ota, Toshitaka
Takeda, Hiroaki; Ohgaki, Masataka; Kizuki, Takashi; Hashimoto, Kazuaki; Toda, Yoshitomo; Udagawa, Shigekazu; and Yamashita, Kimihiro
Formation Mechanism and Synthesis of Apatite-Type Structure $Ba_{2+x}La_{8-x}(SiO_4)_6O_{2-\delta}$. (11) 2884
Takeda, Michio; Saeki, Akinori; Sakamoto, Jun-ichi; Imai, Yoshikazu; and Ichikawa, Hiroshi
Effect of Hydrogen Atmosphere on Pyrolysis of Cured Polycarbosilane Fibers. (5) 1063
Takeda, Michio; Urano, Akira; Sakamoto, Jun-ichi; and Imai, Yoshikazu
Microstructure and Oxidation Behavior of Silicon Carbide Fibers Derived from Polycarbosilane. (5) 1171
Takeda, Takenobu See Chen, Zhongchun
Takehara, Zen-Ichiro See Uchimoto, Yoshiharu
Takeuchi, Tomonari; Tabuchi, Mitsuharu; Kondoh, Isao; Tamari, Nobuyuki; and Kageyama, Hiroyuki
Synthesis of Dense Lead Titanate Ceramics with Submicrometer Grains by Spark Plasma Sintering. (3) 541
Takita, Yusaku See Ishihara, Tatsumi
Takizawa, Hirotsugu; Ubeda, Kyota; and Endo, Tadashi
Rapid Formation and Growth of Bixbyite-Type $(In_{0.67}Fe_{0.33})_2O_3$ by 28 GHz Microwave Irradiation. (9) 2321
Tamai, Hiroyasu; Hamauzu, Takashi; Ryumon, Akihito; Aoki, Kaoru; Oda, Kohei; and Yoshio, Tetsuo
Hydrothermal Corrosion and Strength Degradation of Aluminum Nitride Ceramics. (12) 3216
Tamari, Nobuyuki See Takeuchi, Tomonari
Tamaura, Yutaka See Sano, Taizo
Tan, Qi and Li, Jianxing
Determination of the Oxygen Deficiency in Vacuum-Hot-Pressed Ferroelectric Ceramics Using a Thermogravimetric Technique. (2) 451
Tanaka, Hidehiko; Yoshimura, Humberto N.; Otani, Shigeki; Zhou, You; and Toriyama, Motohiro
Influence of Silica and Aluminum Contents on Sintering of and Grain Growth in *6H-SiC* Powders. (1) 226
Tanaka, Hidehiko See Zhan, Guo-Dong; Zhou, You
Tanaka, Junzo See Rhee, Sang-Hoon
Tanaka, Tomohiro See Kishimoto, Akira
Tandon, Rajan See Lee, Seung Kun
Tang, Eric Z.; Etsell, Thomas H.; and Ivey, Douglas G.
A New Vapor Deposition Method to Form Composite Anodes for Solid Oxide Fuel Cells. (7) 1626
Tang, Jun See Cheng, Jian-Gong
Tang, Kaibin See Hu, Junqing
Tang, Xiaodong See Jiang, Chun
Tang, Yan L. See Xia, Tian D.
Tang, Zilong See Gong, Jianghong; Lin, Yuanhua
Taniguchi, Taketoshi See Okada, Kiyoshi
Tapfer, Leander See Epifani, Mauro
Tartaj, Jesús See Durán, Pedro
Taş, A. Cüneyt; Majewski, Peter J.; and Aldinger, Fritz
Chemical Preparation of Pure and Strontium- and/or Magnesium-Doped *Lanthanum Gallate Powders.* (12) 2954
Taş, A. Cüneyt See Engin, N. Özgür; Mavis, Bora
Tatami, Junichi See Komeya, Katsutoshi
Tatsumisago, Masahiro See Matsuda, Atsunori; Nishiwaki, Shogo
Tawarayama, Hiromasa; Ishikawa, Etsuko; Yamanaka, Kenji; Itoh, Katsuhisa; Okada, Keiko; Aoki, Hiroshi; Yanagita, Hiroaki; Matsuoka, Yoshihiko; and Toratani, Hisayoshi
Optical Amplification at 1.3 μm in a Praseodymium-Doped Sulfide-Glass Fiber. (4) 792
Templetou, Alan; Wang, Xiaoru; Penn, Stuart J.; Webb, Stephen J.; Cohen, Lesley F.; and Alford, Neil McN.
Microwave Dielectric Loss of Titanium Oxide. (1) 95
Tennery, Victor J.; Breder, Kristin; Ferber, Mattison K.; and Jenkins, Michael G.
Flexural Fracture Strength, Fracture Locations, and Monte Carlo Predictions for a Silicon Nitride by Ten U.S. Laboratories. (5) 1177; Tensile Fracture Behavior of Two Types of Silicon Nitride Specimen Geometries Conducted by Ten U.S. Groups. (5) 1186
Thayer, Ryan L.; Schmidt, Sarah R.; Dorris, Stephen E.; Bullard, Jeffrey W.; and Lanagan, Michael T.
Reactive Sintering and Retrograde Densification of Bulk Bismuth-Based Superconductors. (10) 2365
Thiele, Erik S. and Setter, Nava
Lead Zirconate Titanate Particle Dispersion in Thick-Film Ink Formulations. (6) 1407
Thollet, Gilbert See Montanaro, Laura
Thomas, Daniel F. See Kolodiazhnyi, Taras V.
Thun, Gerhard See Fett, Theo
Thurn, Günter See Christ, Martin
Tian, Fengren See Chen, Shujiang
Tien, Lai-Cheng; Chou, Chen-Chia; and Tsai, Dah-Shyang
Ordered Structure and Dielectric Properties of Lanthanum-Substituted $Ba(Mg_{1/3}Ta_{2/3})O_3$. (8) 2074
Tien, Tseng-Ying See Wang, Ling-Ling
Tietz, Frank See Vassen, Robert
Ting, Ching-Jui; Hsi, Chi-Shiung; and Lu, Hong-Yang
Interactions between Ruthenia-Based Resistors and Cordierite–Glass Substrates in Low-Temperature Co-fired Ceramics. (12) 2945
Ting, Ching-Jui and Lu, Hong-Yang
Deterioration in the Final-Stage Sintering of Magnesium Aluminate Spinel. (7) 1592
Toda, Yoshitomo See Takeda, Hiroaki
Tolbert, Renee See Olorunyolemi, Tayo
Tolley, Alfredo J. See Bohé, Ana E.
Toratani, Hisayoshi See Tawarayama, Hiromasa
Toriyama, Motohiro See Imamura, Hisayuki; Kitayama, Mikito; Lenčéš, Zoltán; Tanaka, Hidehiko; Zhou, You
Torrecillas, Ramón; Espino, Ana M.; and Moya, José F. Bartolomé José S.
Functionally Graded Zircon–Molybdenum Materials without Residual Stresses. (2) 454
Torrecillas, Ramon See Simonin, Fabien
Tortorelli, Peter F. See More, Karren L.
Toyoda, Fumihiko See Shimoo, Toshio
Traversa, Enrico; Nunziante, Patrizia; Sangaletti, Luigi; Allieri, Brigida; Depero, Laura E.; Aono, Hiromichi; and Sadaoka, Yoshihiko
Synthesis and Structural Characterization of Trimetallic Perovskite-Type Rare-Earth Orthoferrites, $La_xSm_{1-x}FeO_3$. (5) 1087
Trice, Rodney W. and Faber, K. T.
Role of Lamellae Morphology on the Microstructural Development and Mechanical Properties of Small-Particle Plasma-Sprayed Alumina. (4) 889
Trice, Rodney W. and Halloran, John W.
Elevated-Temperature Mechanical Properties of Silicon Nitride/Boron Nitride Fibrous Monolithic Ceramics. (2) 311

Trice, Rodney W.; Prine, David W.; and Faber, K. T.
Deformation Mechanisms in Compression-Loaded, Stand-Alone Plasma-Sprayed Alumina Coatings. (12) 3057
Trkula, M. See McKittrick, Joanna
Troczynski, Tom See Yang, Quanzu
Trolier-McKinstry, Susan See Duran, Cihangir; Hong, Seong-Hyeon; Rehrig, Paul W.
Trumble, Kevin See Moon, Robert
Tsai, Dah-Shyang See Tien, Lai-Cheng
Tsai, Yuan-Tu See Wu, Long
Tseng, T. Y. See Lee, Wen-Hsi
Tsetsekou, Athena See Agrafiotis, Christos
Tsuge, Akira See Kitayama, Mikito
Tsuji, Masamichi See Sano, Taizo
Tsujikawa, Kyozo and Ohashi, Masaharu
Mixed-Alkali Effect on Rayleigh Scattering in K_2O–Na_2O–MgO–SiO_2 Glasses. (3) 660
Tsukuma, Koji
Conversion from β-Ce_2O_3·$11Al_2O_3$ to α-Al_2O_3 in Tetragonal ZrO_2 Matrix. (12) 3219
Tsur, Yoed and Randall, Clive A.
Analysis of X-ray Powder Diffraction Data Using the Maximum Likelihood Estimation Method. (8) 2062
Tsutsumi, Kazushi See Uchimoto, Yoshiharu
Tuan, Wei-Hsing See Chen, Chin-Yi
Tulyaganov, Dilshat Ubaydullayevich
Phase Equilibrium in the Fluorapatite–Anorthite–Diopside System. (12) 3141
Turan, Servet See Kara, Ferhat
Tzenov, Nikolay V. and Barsoum, Michel W.
Synthesis and Characterization of Ti_3AlC_2. (4) 825
Uchimoto, Yoshiharu; Tsutsumi, Kazushi; Ioroi, Tsutomu; Ogumi, Zempachi; and Takehara, Zen-Ichiro
Reactions in Vapor-Phase Electrolytic Deposition for Preparing Yttria-Stabilized Zirconia Thin Films. (1) 77
Uchino, Takashi See Takaishi, Taigo
Udagawa, Shigekazu See Takeda, Hiroaki
Uematsu, Keizo See Shinohara, Nobuhiro
Uheda, Kyota See Takizawa, Hirotsugu
Um, Myeong-Heon See Lee, Chul-Tae
Umegaki, Takao See Sarkar, Partho
Ünal, Özer See Zheng, Jing
Uno, Masayoshi See Kinoshita, Hajime
Unuma, Hidero See Kato, Shinichi
Urabe, Kazuyori; Shirakami, Tatsuya; and Iwashima, Minori
Superstructure in a Triclinic Phase of Tricalcium Silicate. (5) 1253
Urabe, Kazuyori See Nakano, Hiromi; Park, Dae-Chul
Urano, Akira See Takeda, Michio
Uusimäki, Antti See Jantunen, Heli
Valant, Matjaz and Davies, Peter K.
Crystal Chemistry and Dielectric Properties of Chemically Substituted $(Bi_{1.5}Zn_{1.0}Nb_{1.5})O_7$ and $Bi_2(Zn_{2/3}Nb_{4/3})O_7$ Pyrochlores. (1) 147
Valant, Matjaz and Suvorov, Danilo
Chemical Compatibility between Silver Electrodes and Low-Firing Binary-Oxide Compounds: Conceptual Study. (11) 2721
van der Gijp, Sven; Elshof, Johan E. ten; Steigelmann, Oliver; and Verweij, Henk
Influence of Stress and Chemical Homogeneity on Dielectric Properties of $BaTi_{0.9}Zr_{0.1}O_3$. (10) 2610
Van Ommen, Jan G. See Nair, Jalajakumari
Vanswijgenhoven, Eddy L. See Sørensen, Bent F.
Varela, J. A See Leite, E. R.
Vargas, Tomás See Escobar, Iván S.
Varma, Kalidindi B. R. See Shantha, Kundapura
Varona, Ignacio See Sánchez-Soto, Pedro J.
Vasanelli, Lorenzo See Epifani, Mauro
Vassen, Robert; Cao, Xueqiang; Tietz, Frank; Basu, Debabrata; and Stöver, Detlev
Zirconates as New Materials for Thermal Barrier Coatings. (8) 2023
Vasylkiv, Oleg and Sakka, Yoshio
Nonisothermal Synthesis of Yttria-Stabilized Zirconia Nanopowder through Oxalate Processing: I. Characteristics of Y-Zr Oxalate Synthesis and Its Decomposition. (9) 2196
Vaudin, Mark D. See Seabaugh, Matthew M.
Večerníková, Eva See Šubrt, Jan
Veld, Henri in't See Slikkerveer, Peter J.
Venkataraman, Natesan See Rangarajan, Sriram
Verspui, Mariëtte See Slikkerveer, Peter J.
Verweij, Henk See Biesheuvel, P. Maarten; van der Gijp, Sven
Vichit-Vadakan, Wilasa and Scherer, George W.
Measuring Permeability of Rigid Materials by a Beam-Bending Method: II. Porous Glass. (9) 2240
Viehland, Dwight See Xu, Zhengkui
Vilarinho, Paula M.; Zhou, Liqin; Pöckl, Manfred; Marques, Nelson; and Baptista, João L.
Dielectric Properties of $Pb(Fe_{2/3}W_{1/3})O_3$–$PbTiO_3$ Solid-Solution Ceramics. (5) 1149
Vilarinho, Paula M. See Wu, Aiying; Zhou, Liqin
Villegas, Marina; Caballero, Amador C.; Moure, Carlos; Durán, Pedro; Fernández, José F.; and Newnham, Robert E.
Influence of Processing Parameters on the Sintering and Electrical Properties of $Pb(Zn_{1/3}Nb_{2/3})O_3$-Based Ceramics. (1) 141
Villegas, Marina See Caballero, Amador C.; Durán, Pedro
Vippola, Minnamari; Keränen, Jaakko; Zou, Xiaodong; Hovmöller, Sven; Lepistö, Toivo; and Mäntylä, Tapio
Structural Characterization of Aluminum Phosphate Binder. (7) 1834
Viskanta, Raymond See Fedorov, Andrei G.
Viswanath, Dabir S. See Liau, Leo C.-K.
Vithal, Muga See Nachimuthu, Ponnusamy
Wachsman, Eric D.; Boyapati, Sai; Kaufman, Michael J.; and Jiang, Naixiong
Modeling of Ordered Structures of Phase-Stabilized Cubic Bismuth Oxides. (8) 1964
Wakabayashi, Katsuhiro See Li, Jing-Feng
Waku, Yoshiharu See Bahlawane, Naoufal
Wall, Jason S. See Ottenbrite, Raphael M.
Wan, Dongmei; Xue, Junmin; and Wang, John
Mechanochemical Synthesis of $0.9[0.6Pb(Zn_{1/3}Nb_{2/3})O_3$·$0.4Pb(Mg_{1/3}Nb_{2/3})O_3]$-$0.1PbTiO_3$. (1) 53
Wan, Dongmei See Ang, Seok Khim; Xue, Junmin
Wang, Chang-An; Huang, Yong; Xie, Zhipeng; Li, Ying; and Zhang, Zhongtai
Complex Impedance Analysis on the Orientation Effect of Whiskers in Oriented Silicon Carbide Whisker/Silicon Nitride Composites. (11) 2689
Wang, Changan See Zhai, Hongxiang
Wang, Hong See Cheng, Jian-Gong
Wang, Hong-Ren See Jean, Jau-Ho
Wang, Jenn-Rong See Shyu, Jiin-Jyh
Wang, John See Ang, Seok Khim; Fang, Jiye; Wan, Dongmei; Xue, Junmin
Wang, Ling-Ling; Tien, Tseng-Ying; and Chen, I-Wei
Reply to "Comment on 'Morphology of Silicon Nitride Grown from a Liquid Phase'". (3) 677
Wang, Liwu; Sigmund, Wolfgang; and Aldinger, Fritz
Systematic Approach for Dispersion of Silicon Nitride Powder in Organic Media: I. Surface Chemistry of the Powder. (4) 691; Systematic Approach for Dispersion of Silicon Nitride Powder in Organic Media: II. Dispersion of the Powder. (4) 697
Wang, Min See Cheng, Jian-Gong
Wang, Minquan See Qian, Guodong
Wang, Ning See Shi, Wensheng
Wang, Shinan See Li, Jing-Feng
Wang, Shuhai See Jang, Jae Hyuk
Wang, Tian M. See Xia, Tian D.
Wang, Xiaoru See Templeton, Alan
Wang, Yu-Lin; Anandakumar, Umashankar; and Singh, Raj N.
Effect of Fiber Bridging Stress on the Fracture Resistance of Silicon-Carbide-Fiber/Zircon Composites. (5) 1207
Wang, Yucong; Fujimoto, Tetsuro; Maruyama, Hiroshi; and Koga, Kazunori
Precipitation of Magnesium Aluminum Spinel from Alumina-Matrix Solid Solution: I. Fundamental Concept and Precipitation Behavior. (4) 933
Wang, Yunzhi; Liu, Yuhui; Ciobanu, Cristian; and Patton, Bruce R.
Simulating Microstructural Evolution and Electrical Transport in Ceramic Gas Sensors. (9) 2219
Wang, Zhuo See Cheng, Jian-Gong
Waseda, Yoshio See Jacob, K. Thomas
Waser, Rainer See Franken, Klaus; Liedtke, R.; Prume, Klaus
Watanabe, Osamu See Maenami, Hiroki
Watanabe, Ryuzo See Li, Jing-Feng
Watanabe, Tadahiko See Bahlawane, Naoufal; Zeng, Yu-Ping
Watari, Koji See Kitayama, Mikito
Webb, Stephen J. See Templeton, Alan
Weber, J. K. Richard; Abadie, Johan G.; Hixson, April D.; Nordine, Paul C.; and Jerman, Gregory A.
Glass Formation and Polyamorphism in Rare-Earth Oxide–Aluminum Oxide Compositions. (8) 1868
Weber, J. Richard K. See Krishnan, Shankar
Wei, George C. and Rhodes, William H.
Sintering of Translucent Alumina in a Nitrogen–Hydrogen Gas Atmosphere. (7) 1641
Wei, Wen-Chen See Kao, Hung-Chan
Weinmann, Markus See Christ, Martin
Welham, Nicholas J.
Formation of Nanometric TiB_2 from TiO_2. (5) 1290
Welham, Nicholas J.; Willis, Paul E.; and Kerr, Tony
Mechanochemical Formation of Metal–Ceramic Composites. (1) 33
White, Kenneth W. See Fang, Yi
White, Shane N.; Paine, Michael L.; Luo, Wen; Sarikaya, Mehmet; Fong, Hanson; Yu, Zhaokun; Li, Zhen C.; and Snead, Malcolm L.
The Dentino-enamel Junction is a Broad Transitional Zone Uniting Dissimilar Bioceramic Composites. (1) 238
Wiederhorn, Sheldon M. See Yoon, Kyung Jin
Wilkinson, David S. See Lampenscherf, Stefan
Willis, Paul E. See Welham, Nicholas J.
Wilson, Otto, Jr. See Olorunyolemi, Tayo
Windisch, Charles F., Jr. See Jones, Russell H.
Winn, E. Jenny and Chen, I-Wei
Crack Deflection in Composites with Very Thin Interlayers. (12) 3222
Winter, Andrew N.; Corff, Brian A.; Reimanis, Ivar E.; and Rabin, Barry H.
Fabrication of Graded Nickel–Alumina Composites with a Thermal-Behavior-Matching Process. (9) 2147
Winterer, Markus See Srdić, Vladimir V.
Withrow, Stephen P. See Cheong, Yong S.
Woltersdorf, Jörg See Danko, Gene A.
Wood, David See Rafferty, Aran
Worrell, Wayne L. See Ramberg, C. Eric
Wu, Aiying; Vilarinho, Paula M.; Salvado, Isabel M. Miranda; and Baptista, João L.
Sol–Gel Preparation of Lead Zirconate Titanate Powders and Ceramics: Effect of Alkoxide Stabilizers and Lead Precursors. (6) 1379
Wu, Genhua See Chen, Rong
Wu, Jenn-Ming and Hwang, Shiang-Po
Effects of (B_2O_3, P_2O_5) Additives on Microstructural Development and Phase-Transformation Kinetics of Stoichiometric Cordierite Glasses. (5) 1259
Wu, Long; Chen, Yih-Chien; Huang, Cheng-Liang; Chou, Yi-Ping; and Tsai, Yuan-Tu
Direct-Current Field Dependence of Dielectric Properties in Alumina-Doped Barium Strontium Titanate. (7) 1713
Wu, Nae-Lih and Wu, Ton-Fon
Enhanced Phase Stability for Tetragonal Zirconia in Precipitation Synthesis. (12) 3225
Wu, Ton-Fon See Wu, Nae-Lih
Wu, Xin See Zhai, Hongxiang
Wu, Yong Jun and Chen, Xiang Ming
Bismuth/Samarium Cosubstituted $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ Microwave Dielectric Ceramics. (7) 1837
Wu, Yong Jun See Xu, Yebin
Wu, Yue See Jiang, Yang
Xia, Bin; Duan, Lianyun; and Xie, Youchang
ZrO_2 Nanopowders Prepared by Low-Temperature Vapor-Phase Hydrolysis. (5) 1077
Xia, Tian D.; Munir, Zuhair A.; Tang, Yan L.; Zhao, Wen J.; and Wang, Tian M.
Structure Formation in the Combustion Synthesis of Al_2O_3–TiC Composites. (3) 507
Xiao, Zhijun and Mitchell, Brian S.
Mullite Decomposition Kinetics and Melt Stabilization in the Temperature Range 1900–2000°C. (4) 761
Xie, Rong-Jun; Mitomo, Mamoru; Kim, Wonjoong; and Kim, Young-Wook
Texture Development in Silicon Nitride–Silicon Oxynitride *In Situ* Composites via Superplastic Deformation. (12) 3147
Xie, Rong-Jun; Mitomo, Mamoru; Zhan, Guo-Dong; and Emoto, Hideyuki
Superplastic Deformation in Silicon Nitride–Silicon Oxynitride *In Situ* Composites. (10) 2529
Xie, Rong-Jun See Zhan, Guo-Dong
Xie, Yi See Jiang, Yang
Xie, Youchang See Xia, Bin
Xie, Zhipeng See Wang, Chang-An
Xin, Xinquan See Yu, Xianghua
Xiong, Cao-Shui See Li, Ya-Dong
Xu, Gengfu See Olorunyolemi, Tayo
Xu, Huiwen See Ortiz, Angel L.
Xu, Yebin; Chen, Xiang Ming; and Wu, Yong Jun
Preparation of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ via Ethylenediaminetetraacetic Acid Precursor. (11) 2893
Xu, Zhengkui; Gupta, Surya M.; Viehland, Dwight; Yan, Yanfa; and Pennycook, Stephen J.
Direct Imaging of Atomic Ordering in Undoped and La-Doped $Pb(Mg_{1/3}Nb_{2/3})O_3$. (1) 181
Xue, Hongyong See Carrillo-Heian, Ellen M.
Xue, Junmin; Wang, John; and Wan, Dongmei
Nanosized Barium Titanate Powder by Mechanical Activation. (1) 232
Xue, Junmin See Ang, Seok Khim; Wan, Dongmei
Xue, Ziling See Yu, Xianghua
Yamada, Tetsuo See Fujimori, Hirotaka
Yamaguchi, Osamu See Kitaoka, Atsushi; Takano, Yoshihiko
Yamamoto, Jean See de Souza, Milton F.
Yamamoto, Ryuuji See Itoh, Hideaki
Yamamoto, Takahisa; Hayashi, Katsuro; Ikuhara, Yuichi; and Sakuma, Taketo
Current–Voltage Characteristics of Σ1 Boundaries with and without Cobalt Ions in Niobium-Doped $SrTiO_3$ Bicrystals. (6) 1527
Yamamoto, Takahisa See Hayashi, Katsuro
Yamamura, Takemi See Mamiya, Takayuki
Yamanaka, Kenji See Tawarayama, Hiromasa
Yamanaka, Shinsuke See Kinoshita, Hajime
Yamanouchi, Kazuhiko See Cho, Yasuo
Yamashita, Kimihiro See Sarkar, Partho; Takeda, Hiroaki
Yamauchi, Yukihiko See Kovalev, Serguei
Yamazoe, Noboru See Baik, Nam seok.
Yan, Yanfa See Xu, Zhengkui
Yan, Yong; Evetts, Jan E.; Zhang, Jin-li; and Stobbs, William M.
Characteristic Spherulitic Microstructure in Partial-Melt-Processed $YBa_2Cu_3O_x/HfO_2$. (5) 1266
Yanagi, Tadashi See Kinoshita, Hajime
Yanagita, Hiroaki See Tawarayama, Hiromasa

Yang, Chia-Yi; Shih, Wan Y.; and Shih, Wei-Heng
Gelation, Consolidation, and Rheological Properties of Boehmite-Coated Silicon Carbide Suspensions. (8) 1879
Yang, G. Y. See Li, Jie
Yang, Jian-Feng; Ohji, Tatsuki; and Niihara, Koichi
Influence of Yttria–Alumina Content on Sintering Behavior and Microstructure of Silicon Nitride Ceramics. (8) 2094
Yang, Jian-Feng See Zhang, Guo-Jun
Yang, Juan; Mei, Sen; and Ferreira, José M. F.
Hydrothermal Synthesis of Nanosized Titania Powders: Influence of Peptization and Peptizing Agents on the Crystalline Phases and Phase Transitions. (6) 1361
Yang, Quanzu and Troczynski, Tom
Alumina Sol-Assisted Sintering of SiC–Al_2O_3 Composites. (4) 958
Yang, Szu-Ming See Jean, Jau-Ho
Yang, W. Y. See Li, Jie
Yang, Zhenguo; Ren, Ruiming; and Shaw, Leon L.
Evolution of Microstructures and Nitrogen Sorption during High-Energy Milling of Silicon in Ammonia. (8) 1897
Yano, Junya See Miyazawa, Kun'ichi
Yano, Toyohiko See Park, Dae-Chul
Yasuda, Hidehiro See Huang, Jianyu Y.
Yasumori, Atsuo See Okada, Kiyoshi
Yatsui, Kiyoshi See Grigoriu, Constantin
Ye, Xiangrong See Yu, Xianghua
Yeo, Jeong-Gu; Lee, Kee Sung; and Lawn, Brian R.
Role of Microstructure in Dynamic Fatigue of Glass-Ceramics after Contact with Spheres. (6) 1545
Yogo, Toshinobu See Kojima, Takashi
Yoko, Toshinobu See Takaishi, Taigo
Yoo, Han-Ill See Song, Chang-Rock
Yoo, Young-Sung See Kang, Myung-Koo
Yoon, Chong S. See Chung, Yong-Chae
Yoon, Dong-Soo; Baik, Hong Koo; and Lee, Sung-Man
Electrical Properties of the Ta-RuO_2 Diffusion Barrier for High-Density Memory Devices. (4) 949
Yoon, Duk Yong See Park, Chan Woo
Yoon, Ki Hyun and Lee, Hong Ryul
Effect of Ba^{2+} Substitution on Dielectric and Electric-Field-Induced Strain Properties of PMN–PZ–PT Ceramics. (11) 2693
Yoon, Ki Hyun See Kim, Woo Sup
Yoon, Kyung Jin; Wiederhorn, Sheldon M.; and Luecke, William E.
Comparison of Tensile and Compressive Creep Behavior in Silicon Nitride. (8) 2017
Yoon, Kyung-Jin See Cho, Seong-Jai
Yoon, Seok Hyun; Lee, Kwang Ho; and Kim, Hwan
Effect of Acceptors on the Segregation of Donors in Niobium-Doped Barium Titanate Positive Temperature Coefficient Resistors. (10) 2463
Yoshimura, Humberto N. See Tanaka, Hidehiko
Yoshimura, Masahiro See Song, Seung-Wan
Yoshinaka, Masaru See Kitaoka, Atsushi; Takano, Yoshihiko
Yoshio, Tetsuo See Tamai, Hiroyasu
Young, J. Francis See Lewis, Jennifer A.
Yu, Feng See Fang, Yi
Yu, Hao; Jin, Zhanpeng; Chen, Qing; and Hillert, Mats
Thermodynamic Assessment of the Lithium-Borate System. (12) 3082
Yu, Shuhong See Hu, Junqing
Yu, Xianghua; Li, Feng; Ye, Xiangrong; Xin, Xinquan; and Xue, Ziling
Synthesis of Cerium(IV) Oxide Ultrafine Particles by Solid-State Reactions. (4) 964
Yu, Zhaokun See White, Shane N.
Yuan, Fangli See Lin, Yuanhua
Yunazar, Fahmi See Shimada, Shiro
Zangvil, Avigdor See Lin, Chien-Cheng
Zapatero, José See Pascual, José
Zawada, Larry P. See Staehler, James M.
Zeng, Qingji See Jiang, Chun
Zeng, Yu-Ping; Jiang, Dong-Liang; and Watanabe, Tadahiko
Fabrication and Properties of Tape-Cast Laminated and Functionally Gradient Alumina–Titanium Carbide Materials. (12) 2999
Zhai, Hongxiang; Huang, Yong; Wang, Changan; and Wu, Xin
Toughening by Multiple Mechanisms in Ceramic-Matrix Composites with Discontinuous Elongated Reinforcements. (8) 2006
Zhan, Guo-Dong; Mitomo, Mamoru; Ikuhara, Yuichi; and Sakuma, Taketo
Effects of Microstructure on Superplastic Behavior and Deformation Mechanisms in β-Silicon Nitride Ceramics. (12) 3179
Zhan, Guo-Dong; Mitomo, Mamoru; Nishimura, Toshiyuki; Xie, Rong-Jun; Sakuma, Taketo; and Ikuhara, Yuichi
Superplastic Behavior of Fine-Grained β-Silicon Nitride Material under Compression. (4) 841
Zhan, Guo-Dong; Mitomo, Mamoru; Tanaka, Hidehiko; and Kim, Young-Wook
Effect of Annealing Conditions on Microstructural Development and Phase Transformation in Silicon Carbide. (6) 1369
Zhan, Guo-Dong See Nagano, Takayuki; Xie, Rong-Jun
Zhang, Cheng See Komeya, Katsutoshi
Zhang, Guo-Jun; Deng, Zhen-Yan; Kondo, Naoki; Yang, Jian-Feng; and Ohji, Tatsuki
Reactive Hot Pressing of ZrB_2–SiC Composites. (9) 2330
Zhang, J. D. See Shi, Jian-Lin
Zhang, Jiang-Hui See Li, Ya-Dong
Zhang, Jianping and Lee, Burtrand I.
Electrophoretic Deposition and Characterization of Micrometer-Scale $BaTiO_3$ Based X7R Dielectric Thick Films. (10) 2417
Zhang, Jin-li See Yan, Yong
Zhang, Junzhou See Jiang, Chun
Zhang, L. Q. See Li, Jie
Zhang, Qiwu and Saito, Fumio
Mechanochemical Synthesis of Lanthanum Aluminate by Grinding Lanthanum Oxide with Transition Alumina. (2) 439
Zhang, Qiyun See Chen, Rong
Zhang, Q. Q.; Chan, H. L. W.; Zhou, Q. F.; and Choy, C. L.
Calcium- and Lanthanum-Modified Lead Titanate (PCLT) Ceramic and PCLT/Vinylidene Fluoride-Trifluoroethylene 0-3 Nanocomposites. (9) 2227
Zhang, Shaowei; Rezaie, Hamid Reza; Sarpoolaky, Hossain; and Lee, William Edward
Alumina Dissolution into Silicate Slag. (4) 897
Zhang, Shuren; Cai, Xumei; Zhong, Chaowei; and Zhu, Wenyi
X-ray Studies of Ferroelectric Cathodes. (5) 1317
Zhang, Tiejun See Zhang, Xiaozhong
Zhang, Tong-Yi See Fu, Ran
Zhang, Xiao Feng; Sixta, Mark E.; and De Jonghe, Lutgard C.
Grain Boundary Evolution in Hot-Pressed ABC-SiC. (11) 2813
Zhang, Xiao-Feng See Chen, Da
Zhang, Xiaozhong; Chang, Wenyi; Zhang, Tiejun; and Ong, Cong K.
Nanostructure of Calcium Silicate Hydrate Gels in Cement Paste. (10) 2600
Zhang, Zhongtai See Gong, Jianghong; Lin, Yuanhua; Wang, Chang-An
Zhao, Wen J. See Xia, Tian D.
Zheng, Jing; Kramer, Matthew J.; and Akinc, Mufit
In Situ Growth of SiC Whisker in Pyrolyzed Monolithic Mixture of AHPCS and SiC. (12) 2961
Zheng, Jing; Ünal, Özer; and Akinc, Mufit
Green State Joining of Silicon Carbide Using Polycarbosilane. (7) 1687
Zheng, Yanqing; Shi, Erwei; Cui, Suxian; Li, Wenjun; and Hu, Xingfang
Hydrothermal Preparation of Nanosized Brookite Powders. (10) 2634
Zheng, Yufeng See Shi, Wensheng
Zhmud, Boris V. See Laarz, Eric
Zhong, Chaowei See Zhang, Shuren
Zhou, Guien See Hu, Junqing
Zhou, Liqin; Vilarinho, Paula M.; and Baptista, João Lopes
Role of Defects on the Aging Behavior of Manganese-Doped Lead Iron Tungstate Relaxor Ceramics. (2) 413
Zhou, Liqin See Vilarinho, Paula M.
Zhou, Q. F. See Zhang, Q. Q.
Zhou, You; Hirao, Kiyoshi; Toriyama, Motohiro; and Tanaka, Hidehiko
Very Rapid Densification of Nanometer Silicon Carbide Powder by Pulse Electric Current Sintering. (3) 654
Zhou, You See Tanaka, Hidehiko
Zhu, Jing See Li, Jie
Zhu, Wenyi See Zhang, Shuren
Zok, Frank W. See McDonald, Kathleen R.
Zou, Xiaodong See Vippola, Minnamari

Subject Index

Numbers in parentheses refer to month of issue, following numbers are page numbers.

acids
- Nanocrystalline γ-Alumina Synthesized by Sonohydrolysis of Alkoxide Precursor in the Presence of Organic Acids: Structure and Morphological Properties. (1) 89
- Preparation and Proton Conductivity of Surfactant-Templated Mesoporous Silica Gels Impregnated with Protonic Acids. (12) 3004
- Rapid Hardening of Cement by the Addition of a Mechanically Activated $Al(OH)_3$–$Ca(OH)_2$ Mixture. (3) 523
- Reactivity of Aluminum Nitride Powder in Dilute Inorganic Acids. (6) 1375

additives
- Characteristic Spherulitic Microstructure in Partial-Melt-Processed $YBa_2Cu_3O_x/HfO_2$. (5) 1266
- Dielectric and Electromechanical Properties of Chemically Modified PMN-PT-BT Ceramics. (10) 2473
- Effect of Additives on the Hydration Resistance of Materials Synthesized from the Magnesia–Calcia System. (7) 1810
- Effect of Atmosphere on Weight Loss in Sintered Silicon Carbide during Heat Treatment. (11) 2781
- Effect of Divalent Cation Additives on the γ-Al_2O_3-to-α-Al_2O_3 Phase Transition. (4) 928
- Effect of Monovalent Cation Additives on the γ-Al_2O_3-to-α-Al_2O_3 Phase Transition. (5) 1233
- Effect of Nitrate Salts as Sintering Additives during the Ball-Milling Process of Silicon Nitride Powders. (12) 2967
- Effect of Silver on the Sintering and Grain-Growth Behavior of Barium Titanate. (12) 2988
- Effects of (B_2O_3, P_2O_5) Additives on Microstructural Development and Phase-Transformation Kinetics of Stoichiometric Cordierite Glasses. (5) 1259
- Effects of SiO_2, CaO_2, and MgO Additions on the Grain Growth of Alumina. (10) 2605
- Influence of Yttria–Alumina Content on Sintering Behavior and Microstructure of Silicon Nitride Ceramics. (8) 2094
- Microstructure and Current–Voltage Characteristics of Multicomponent Vanadium-Doped Zinc Oxide Varistors. (10) 2455
- Polyelectrolyte Effects on the Rheological Properties of Concentrated Cement Suspensions. (8) 1905
- Slurry Chemistry Control to Produce Easily Redispersible Ceramic Powder Compacts. (10) 2401
- Thermal Conductivity of β-Si_3N_4: II, Effect of Lattice Oxygen. (8) 1985

adsorption/adsorbents
- Cardanol: A New Dispersant for Alumina in Toluene. (6) 1533

aerogel/aerosol
- Synthesis and Characterization of Low-Dielectric Silica Aerogel Films. (3) 533

agglomeration/agglomerates
- Dissolution and Deagglomeration of Silicon Nitride in Aqueous Medium. (10) 2394
- Effect of Agglomerate Size Distribution on Loose Packing Fraction. (9) 2183
- Homogeneous Precipitation of Hydrous Tin Oxide Powders at Room Temperature Using Enzymatically Induced Gluconic Acid as a Precipitant. (4) 986
- Preparation and Spherical Agglomeration of Crystalline Cerium(IV) Oxide Nanoparticles by Thermal Hydrolysis. (5) 1287
- Solvothermal Synthesis and Characterization of Barium Titanate Powders. (10) 2637

aggregates
- Abnormal Grain Growth at the Interface of Centrifugally Cast Alumina Bilayer during Sintering. (7) 1773
- Influence of Particle Diameter on Surface Silanol Structure, Hydration Forces, and Aggregation Behavior of Alkoxide-Derived Silica Particles. (2) 287

aging
- Aging of Lime Putty: Effects on Traditional Lime Mortar Carbonation. (5) 1070
- Role of Defects on the Aging Behavior of Manganese-Doped Lead Iron Tungstate Relaxor Ceramics. (2) 413

alkalis/alkaline earths
- Effects of Alkaline-Earth-Metal Addition on the Sinterability and Microwave Characteristics of $(Zr,Sn)TiO_4$ Dielectrics. (4) 1010
- Mixed-Alkali Effect on Rayleigh Scattering in K_2O–Na_2O–MgO–SiO_2 Glasses. (3) 660

alkoxide
- Deformation Mechanism of Fine-Grained Magnesium Aluminate Spinel Prepared Using an Alkoxide Precursor. (3) 645

alumina
- A Layered Alumina Composite Tested at High Temperature in Air. (12) 3033
- Abnormal Grain Growth at the Interface of Centrifugally Cast Alumina Bilayer during Sintering. (7) 1773
- Al_2O_3/TiC Based Metal Cutting Tools by Microwave Sintering Followed by Hot Isostatic Pressing. (6) 1530
- Alumina Agglomerate Effects on Toughness-Curve Behavior of Alumina–Mullite Composites. (12) 3089
- Alumina Dissolution into Silicate Slag. (4) 897
- Alumina Particle Degradation during Solid Particle Impact on Glass. (9) 2263
- Alumina Sol-Assisted Sintering of SiC–Al_2O_3 Composites. (4) 958
- Alumina–Aluminide Alloys (3A) Technology: I, Model Development. (7) 1599
- Alumina–Aluminide Alloys (3A) Technology: II, Modeling of Ti_3Al_5–Al_2O_3 Composites Formation. (7) 1606
- Anisotropic Abnormal Grain Growth in TiO_2/SiO_2-Doped Alumina. (11) 2809
- Anisotropic Grain Growth in α-Al_2O_3 with SiO_2 and TiO_2 Additions. (11) 2845
- Coagulation Method of Aqueous Concentrated Alumina Suspensions by Thermal Decomposition of Hydroxyaluminum Diacetate. (11) 2661
- Comment on "Influence of Yttrium Doping on Grain Misorientation in Aluminum Oxide". (5) 1323
- Comparison of *R*-Curves from Single-Edge V-Notched-Beam (SEVNB) and Surface-Crack-in-Flexure (SCF) Fracture-Toughness Test Methods on Multilayered Alumina–Zirconia Composites. (2) 445
- Comparison of Texture Analysis Techniques for Highly Oriented α-Al_2O_3. (8) 2049
- Contact-Damage Behavior of Textured and Random Alumina Ceramics under Hertzian Indentation. (2) 410
- Critical Factors in the Templated Grain Growth of Textured Reaction-Bonded Alumina. (8) 2041
- Crystallization of Amorphous Precursors in the Calcia–Alumina System: A Differential Scanning Calorimetry Study. (1) 70
- Densification Behaviors of Fine-Alumina and Coarse-Alumina Compacts during Liquid-Phase Sintering with the Addition of Talc. (12) 3128
- Density Gradients and Sintered Dimensional Tolerance in Compacts Formed from Spray-Dried Alumina. (6) 1393
- Dispersion and Consolidation of Alumina Using a Bis-Hydrophilic Diblock Copolymer. (7) 1585
- Effect of Divalent Cation Additives on the γ-Al_2O_3-to-α-Al_2O_3 Phase Transition. (4) 928
- Effect of Electric Field on the Migration of Grain Boundaries in Alumina. (4) 915
- Effect of Monovalent Cation Additives on the γ-Al_2O_3-to-α-Al_2O_3 Phase Transition. (5) 1233
- Effects of SiO_2, CaO_2, and MgO Additions on the Grain Growth of Alumina. (10) 2605
- Forming Al_2O_3–Al Composites with Controlled Compositions by Reactive Metal Penetration of Dense Aluminosilicate Preforms. (5) 1293
- Forming and Sintering of *in Situ* Alumina Composite with Hydraulic Inorganic Binder. (7) 1613
- Glass Formation and Polyamorphism in Rare-Earth Oxide–Aluminum Oxide Compositions. (8) 1868
- Hot Forging of Mullite-Based Ceramics Prepared from Kaolin–Alumina. (7) 1825
- Inclusions of Nanometer-Sized Al_2O_3 Particles in a Crystalline $(Sc,Lu)_2(WO_4)_3$ Matrix. (2) 427
- Influence of Apparent Pressure on Wear Behavior of Self-Mated Alumina. (5) 1302
- Influence of the Characteristics of Spinels on the Slag Resistance of Al_2O_3–MgO and Al_2O_3–Spinel Castables. (9) 2333
- Inverse Problem for Composites with Imperfect Interface: Determination of Interfacial Thermal Resistance, Thermal Conductivity of Constituents, and Microstructural Parameters. (4) 848
- Kinetics and Microstructural Evolution of Heterogeneous Transformation of θ-Alumina to α-Alumina. (2) 362
- Localized Densification during the Compaction of Alumina Granules: The Stage I–II Transition. (4) 685
- Mechanochemical Synthesis of Lanthanum Aluminate by Grinding Lanthanum Oxide with Transition Alumina. (2) 439
- Microstructure of Alumina Composites Containing Niobium and Niobium Aluminides. (2) 397
- Microstructures and Properties of Three Composites of Alumina, Mullite, and Monoclinic $SrAl_2Si_2O_8$. (11) 2668
- Modeling of Grain-Boundary Segregation Behavior in Aluminum Oxide. (2) 344
- Molecular Dynamics Simulations of Calcium Aluminosilicate Intergranular Films on (0001) Al_2O_3 Facets. (9) 2273
- Morphological Changes in Process-Related Large Pores of Granular Compacted and Sintered Alumina. (7) 1633
- Nanocrystalline γ-Alumina Synthesized by Sonohydrolysis of Alkoxide Precursor in the Presence of Organic Acids: Structure and Morphological Properties. (1) 89
- New Sol–Gel Route for the Preparation of Pure α-Alumina at 950°C. (9) 2324
- Polymer Effects on the Chemorheological and Drying Behavior of Alumina–Poly(vinyl alcohol) Gelcasting Suspensions. (8) 1957
- Pore Structure Evolution of Lanthana–Alumina Systems Prepared through Coprecipitation. (8) 1942
- Preparation Method of Submicrometer-Sized α-Alumina by Surface Modification of γ-Alumina with Alumina Sol. (4) 750
- Processing, Microstructure, and Strength of Alumina–YAG Eutectic Polycrystals. (8) 2088
- Rapid Electroacoustic Method for Monitoring Dispersion: Zeta Potential Titration of Alumina with Ammonium Poly(methacrylate). (10) 2360
- Rapid Hardening of Cement by the Addition of a Mechanically Activated $Al(OH)_3$–$Ca(OH)_2$ Mixture. (3) 523
- Reaction Mechanism in Alumina/Chromia (Al_2O_3–Cr_2O_3) Solid Solutions Obtained by Coprecipitation. (8) 2036
- Reply to "Comment on 'Influence of Yttrium Doping on Grain Misorientation in Aluminum Oxide'". (5) 1324
- Sintering Behavior of Nanocrystalline Zirconia Doped with Alumina Prepared by Chemical Vapor Synthesis. (8) 1853
- Sintering of Mixtures of Seeded Boehmite and Ultrafine α-Alumina. (1) 82
- Sintering of Translucent Alumina in a Nitrogen–Hydrogen Gas Atmosphere. (7) 1641
- Solid Freeform Fabrication of Aqueous Alumina–Poly(vinyl alcohol) Gelcasting Suspensions. (10) 2409
- Strengthening of Porous Alumina by Pulse Electric Current Sintering and Nanocomposite Processing. (5) 1314
- Synthesis of Hydrated Aluminum Sulfate from Kaolin by Microwave Extraction. (6) 1341
- Ternary System Al_2O_3–MgO–CaO: Part II, Phase Relationships in the Subsystem Al_2O_3–$MgAl_2O_4$–$CaAl_4O_7$. (4) 919
- Texture Development and Microstructure Evolution in Liquid-Phase-Sintered α-Alumina Ceramics Prepared by Templated Grain Growth. (12) 3109
- The Reaction-Bonded Aluminum Oxide (RBAO) Process: II, The Solid-State Oxidation of RBAO Compacts. (8) 1845
- The Wulff Shape of Alumina: I, Modeling the Kinetics of Morphological Evolution. (10) 2561
- The Wulff Shape of Alumina: II, Experimental Measurements of Pore Shape Evolution Rates. (10) 2572
- Thermal Expansion Characteristics of Alumina–Magnesia and Alumina–Spinel Castables in the Temperature Range 800°–1650°C. (11) 2872
- Thermomechanical Behavior of High-Alumina Refractory Castables with Synthetic Spinel Additions. (10) 2481
- Ultrarapid Phase Conversion in β″-Alumina Tubes. (11) 2861
- Weakly Flocculated Aqueous Alumina Suspensions Prepared by the Addition of Mg(II) Ions. (3) 666

aluminates
- Deterioration in the Final-Stage Sintering of Magnesium Aluminate Spinel. (7) 1592
- Facile Synthesis of Aluminum-Containing Mixed-Metal Oxides Using Doped Carboxylate Alumoxane Nanoparticles. (7) 1777

Synthesis of Pure Monolithic Calcium, Strontium, and Barium Hexaluminates for Catalytic Applications. (6) 1524

aluminosilicates

Crystallization of (Na_2O–MgO)–CaO–Al_2O_3–SiO_2 Glassy Systems Formulated from Waste Products. (10) 2515

Microstructures and Properties of Three Composites of Alumina, Mullite, and Monoclinic $SrAl_2Si_2O_8$. (11) 2668

Structure of Liquid $Al_6Si_2O_{13}$ (3:2 Mullite). (11) 2777

Synthesis of Hexacelsian Barium Aluminosilicate by a Solid-State Process. (12) 2907

aluminum

Forming Al_2O_3–Al Composites with Controlled Compositions by Reactive Metal Penetration of Dense Aluminosilicate Preforms. (5) 1293

Improved Oxidation Resistance of Silicon Nitride by Aluminum Implantation: I, Kinetics and Oxide Characteristics. (1) 154

Improved Oxidation Resistance of Silicon Nitride by Aluminum Implantation: II, Analysis and Optimization. (1) 161

Preparation of Mullite Ceramics from Coprecipitated Aluminum Hydroxide and Kaolinite Using Hexamethylenediamine. (11) 2677

The Reaction-Bonded Aluminum Oxide Process: I, The Effect of Attrition Milling on the Solid-State Oxidation of Aluminum Powder. (2) 299

aluminum nitride

Aluminum Nitride Whisker Formation during Combustion Synthesis. (5) 1117

Corrosion of Aluminum Nitride (AlN) in Aqueous Cleaning Solutions. (1) 41

Effects of Residual Stress and Loading Geometry on Single-Edge Precracked-Beam (SEPB) Fracture-Toughness Test Results. (10) 2625

Hydrothermal Corrosion and Strength Degradation of Aluminum Nitride Ceramics. (12) 3216

Ion-Exchange Loading of Yttrium Acetate as a Sintering Aid on Aluminum Nitride Powder via Aqueous Processing. (11) 2793

Pyrolysis of Poly(isopropyliminoalane) to Aluminum Nitride. (10) 2436

Reactive Synthesis and Phase Stability Investigations in the Aluminum Nitride–Silicon Carbide System. (5) 1103

Reactivity of Aluminum Nitride Powder in Dilute Inorganic Acids. (6) 1375

Self-Propagating High-Temperature Synthesis of Aluminum Nitride under Lower Nitrogen Pressures. (5) 1021

Strengthening and Prevention of Oxidation of Aluminum Nitride by Formation of a Silica Layer on the Surface. (2) 306

Synthesis of Aluminum Nitride–Silicon Carbide Solid Solutions by Combustion Nitridation. (5) 1108

Synthesis of Nanosized Aluminum Nitride Powders by Pulsed Laser Ablation. (10) 2631

aluminum oxide

Al_2O_3–Ni Composites with High Strength and Fracture Toughness. (5) 1279

Conventional and Microwave-Induced Sintering Mechanisms for Reaction-Bonded Aluminum Oxide with Zirconium Oxide Additions. (1) 65

amorphous

Formation of Convoluted Silica Precipitates during Amorphous Phase Separation in the $Ca_3(PO_4)_2$–SiO_2–MgO System. (5) 1296

Glass Formation and Polyamorphism in Rare-Earth Oxide–Aluminum Oxide Compositions. (8) 1868

analysis/analyzers

Quantitative Phase-Composition Analysis of Liquid-Phase-Sintered Silicon Carbide Using the Rietveld Method. (9) 2282

anatase

Transparent Anatase Nanocomposite Films by the Sol–Gel Process at Low Temperatures. (1) 229

anisotropy

Anisotropic Abnormal Grain Growth in TiO_2/SiO_2-Doped Alumina. (11) 2809

Anisotropic Grain Growth and Microstructural Evolution of Dense Mullite above 1550°C. (1) 204

Experimental Method for Determining Surface Energy Anisotropy and Its Application to Magnesia. (5) 1226

Indentation Crack Length Anisotropy in Silicon Nitride with Aligned Reinforcing Grains. (3) 663

annealing

Effect of Annealing Conditions on Microstructural Development and Phase Transformation in Silicon Carbide. (6) 1369

anorthite

Gahnite Devitrification in Ceramic Frits: Mechanism and Process Kinetics. (12) 2938

Phase Equilibrium in the Fluorapatite–Anorthite–Diopside System. (12) 3141

apatite

Apatite Formation in the CaO–PbO–P_2O_5–H_2O System at 23° ± 1°C. (3) 612

Formation Mechanism and Synthesis of Apatite-Type Structure $Ba_{2+x}La_{8-x}(SiO_4)_6O_{2-\delta}$. (11) 2884

Influence of Fluorine Content in Apatite–Mullite Glass-Ceramics. (11) 2833

Phase Equilibrium in the Fluorapatite–Anorthite–Diopside System. (12) 3141

aspect ratio

Fractal Analysis of Toughening Behavior in 3BaO·5SiO_2 Glass-Ceramics. (3) 545

barium

Preparation of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ via Ethylenediaminetetraacetic Acid Precursor. (11) 2893

Synthesis of Hexacelsian Barium Aluminosilicate by a Solid-State Process. (12) 2907

barium titanate

Analysis of X-ray Powder Diffraction Data Using the Maximum Likelihood Estimation Method. (8) 2062

Chemical Diffusivity of $BaTiO_{3-\delta}$: IV, Acceptor-Doped Case. (4) 773

Crystal Structure and Related Properties of Manganese-Doped Barium Titanate Ceramics. (3) 605

Effect of Acceptors on the Segregation of Donors in Niobium-Doped Barium Titanate Positive Temperature Coefficient Resistors. (10) 2463

Effect of MgO Doping on the Phase Transformations of $BaTiO_3$. (1) 107

Effect of Precursor Pyrolysis on the Dielectric Properties of Hydrothermally Derived Barium Titanate Thin Films. (2) 442

Effect of Silver on the Sintering and Grain-Growth Behavior of Barium Titanate. (12) 2988

Effects of Solids Loading, pH, and Polyelectrolyte Addition on the Stabilization of Concentrated Aqueous $BaTiO_3$ Suspensions. (2) 277

Electrophoretic Deposition and Characterization of Micrometer-Scale $BaTiO_3$ Based X7R Dielectric Thick Films. (10) 2417

Evaporation of Silver during Cofiring with Barium Titanate. (7) 1693

Formation of Potential Barrier Related to Grain-Boundary Character in Semiconducting Barium Titanate. (11) 2684

Grain-Growth Inhibition in Na_2O-Doped TiO_2-Excess Barium Titanate Ceramic. (9) 2155

Growth of $BaTiO_3$ Seed Grains by the Twin-Plane Reentrant Edge Mechanism. (2) 385

Hysteresis in the *I–V* Tunneling Characteristics of *n*-Type $BaTiO_3$ Ceramics. (1) 129

Influence of Solids Concentration on the Isoelectric Point of Aqueous Barium Titanate. (10) 2381

Influence of Stress and Chemical Homogeneity on Dielectric Properties of $BaTi_{0.9}Zr_{0.1}O_3$. (10) 2610

Intermediate Phase Development in Phosphorus-Doped Barium Titanate. (6) 1499

Microstructural Changes during the Reduction/Reoxidation Process in Donor-Doped $BaTiO_3$ Ceramics. (10) 2593

Nanosized Barium Titanate Powder by Mechanical Activation. (1) 232

Necessary Conditions for the Formation of {111} Twins in Barium Titanate. (11) 2858

Nucleation and Inhibition Control during the Hydrothermal–Electrochemical Growth of Barium Titanate Films. (11) 2673

Preparation and Characterization of Barium Titanate Suspensions for Stereolithography. (7) 1804

R-Curve Behavior and Crack-Closure Stresses in Barium Titanate and (Mg,Y)-PSZ Ceramics. (2) 353

Role of Length Scale on Pressure Increase and Yield of Poly(vinyl butyral)–Barium Titanate–Platinum Multilayer Ceramic Capacitors during Binder Burnout. (11) 2645

Room-Temperature Solubility Behavior of Barium Titanate in Aqueous Media. (4) 860

Ruddlesden–Popper Planar Faults and Nanotwins in Heteroepitaxial Nonstoichiometric Barium Titanate Thin Films. (12) 3185

Single-Step Dip Coating of Crack-Free $BaTiO_3$ Films >1 μm Thick: Effect of Poly(vinylpyrrolidone) on Critical Thickness. (5) 1056

Sintering Characteristics in the $BaTiO_3$–Nb_2O_5–Co_3O_4 Ternary System: II, Stability of So-called "Core–Shell" Structure. (1) 101

Solvothermal Synthesis and Characterization of Barium Titanate Powders. (10) 2637

Stabilization and Memory of the Domain Structures in Barium Titanate Ceramics: Microstructural Observation. (6) 1495

Temperature Dependence of the Coarsening Behavior of Barium Titanate Grains. (12) 3202

Templated Grain Growth of Barium Titanate Single Crystals. (11) 2654

bending

Crack Healing Behavior of Silicon Carbide Ceramics. (11) 2788

Method to Estimate Crack-Tip Toughness from Bending Tests on Prenotched Bars. (2) 421

binder

Structural Characterization of Aluminum Phosphate Binder. (7) 1834

binders/binding

Effect of Density Gradients on Dimensional Tolerance During Binder Removal. (10) 2536

Extrusion of Metal–Ceramic Composite Pipes. (5) 1081

Forming and Sintering of *in Situ* Alumina Composite with Hydraulic Inorganic Binder. (7) 1613

Role of Length Scale on Pressure Increase and Yield of Poly(vinyl butyral)–Barium Titanate–Platinum Multilayer Ceramic Capacitors during Binder Burnout. (11) 2645

Wick Debinding of Molybdenum-Silicon-Boron Extrudates. (7) 1670

bioceramics

Dip Coating of Calcium Hydroxyapatite on Ti-6Al-4V Substrates. (4) 989

Evaluation of the Cyclic Fatigue Life of 3-mol%-Yttria-Stabilized Zirconia Bioceramic Using Biaxial Flexion. (2) 321

Nucleation of Hydroxyapatite Crystal through Chemical Interaction with Collagen. (11) 2890

Phase Analysis and Thermal Stability of Hot Isostatically Pressed Zirconia–Hydroxyapatite Composites. (11) 2798

Preparation of Porous $Ca_{10}(PO_4)_6(OH)_2$ and β-$Ca_3(PO_4)_2$ Bioceramics. (7) 1581

The Dentino-enamel Junction is a Broad Transitional Zone Uniting Dissimilar Bioceramic Composites. (1) 238

bismuth

Bismuth/Samarium Cosubstituted $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ Microwave Dielectric Ceramics. (7) 1837

Characterization of Fine-Grained Bismuth Vanadate Ceramics Obtained Using Nanosized Powders. (5) 1122

Crystal Chemistry and Dielectric Properties of Chemically Substituted $(Bi_{1.5}Zn_{1.0}Nb_{1.5})O_7$ and $Bi_2(Zn_{2/3}Nb_{4/3})O_7$ Pyrochlores. (1) 147

Synthesis of Dense Lead Titanate Ceramics with Submicrometer Grains by Spark Plasma Sintering. (3) 541

bismuth oxide

Differences in Wetting Characteristics of Bi_2O_3 Polymorphs in ZnO Varistor Materials. (9) 2311

Modeling of Ordered Structures of Phase-Stabilized Cubic Bismuth Oxides. (8) 1964

Tensile Transformation-Mismatch Plasticity of Bismuth Sesquioxide. (10) 2521

bismuth strontium calcium copper oxide

Reactive Sintering and Retrograde Densification of Bulk Bismuth-Based Superconductors. (10) 2365

Thermodynamic Optimization of the Silver–Bismuth–Strontium–Calcium–Copper–Oxygen (Ag-Bi-Sr-Ca-Cu-O) System. (4) 911

bismuth titanates

Dielectric and Electromechanical Properties of Textured Niobium-Doped Bismuth Titanate Ceramics. (1) 113

Electrical Properties of a Bismuth Layer-Structured $Ba_2Bi_4Ti_5O_{18}$ Single Crystal. (11) 2699

Low-Temperature Synthesis of Bismuth Titanate Niobate ($Bi_7Ti_4NbO_{21}$) Nanoparticles from a Metal-organic Polymeric Precursor. (5) 1029

Niobium Doping and Dielectric Anomalies in Bismuth Titanate. (3) 528

boehmite

Sintering of Mixtures of Seeded Boehmite and Ultrafine α-Alumina. (1) 82

borates

Thermodynamic Assessment of the Lithium-Borate System. (12) 3082

boron carbide

Densification and Mechanical Properties of B_4C with Al_2O_3 as a Sintering Aid. (11) 2863

boron nitride

B_6O–c-BN Composites Prepared by High-Pressure Sintering. (3) 501

Effect of Bridged Boron Nitride Coatings on the Flexure Behavior of a Unidirectional Ceramic-Fiber Ceramic-Matrix Composite. (12) 3231

Elevated-Temperature Mechanical Properties of Silicon Nitride/Boron Nitride Fibrous Monolithic Ceramics. (2) 311

HRTEM and EELS Studies on the Amorphization of Hexagonal Boron Nitride Induced by Ball Milling. (2) 403

Layered Silicon Nitride-Based Composites with Discontinuous Boron Nitride Interlayers. (10) 2503

Properties of Boron Nitride (B_xN_y) Films Produced by the Spin-Coating Process of Polyborazine. (11) 2681

boron oxide

Effects of B_2O_3 Addition on the Dielectric and Ferroelectric Properties of $Ba_{0.7}Sr_{0.3}TiO_3$ Ceramics. (5) 1145

borosilicate glass

Electrophoretic Deposition Forming of Nickel-Coated-Carbon-Fiber-Reinforced Borosilicate-Glass-Matrix Composites. (8) 1885

boundaries

Microstructural Development in SnO_2-Doped ZnO–Bi_2O_3 Ceramics. (12) 3172

calciners/calcination

Chemical Preparation of Pure and Strontium- and/or Magnesium-Doped Lanthanum Gallate Powders. (12) 2954

Effects of Calcination Temperature and A/B Ratio on the Dielectric Properties of $(Ba,Ca)(Ti,Zr,Mn)O_3$ for Multilayer Ceramic Capacitors with Nickel Electrodes. (6) 1402

calcium
Near-Net-Shaped Calcium Hydroxyapatite by the Oxidation of Machinable, Calcium-Bearing Precursors (the Volume Identical Metal Oxidation, or VIMOX, Process). (4) 998
Synthesis of Pure Monolithic Calcium, Strontium, and Barium Hexaluminates for Catalytic Applications. (6) 1524
calcium hydroxide
Aging of Lime Putty: Effects on Traditional Lime Mortar Carbonation. (5) 1070
Thermodynamic Solubility Constant of $Ca(OH)_2$ in Simulated Radioactive Sulfate Liquid Waste. (4) 882
calcium oxide
Effect of Additives on the Hydration Resistance of Materials Synthesized from the Magnesia–Calcia System. (7) 1810
calcium phosphate
Apatite Formation in the $CaO–PbO–P_2O_5–H_2O$ System at 23° ± 1°C. (3) 612
calcium silicate
Superstructure in a Triclinic Phase of Tricalcium Silicate. (5) 1253
calcium silicate hydrate
Hydrothermal Solidification of Kaolinite–Quartz–Lime Mixtures. (7) 1739
Interactions between Polymeric Dispersants and Calcium Silicate Hydrates. (10) 2556
Nanostructure of Calcium Silicate Hydrate Gels in Cement Paste. (10) 2600
capillarity
Stress Development Due to Capillary Condensation in Powder Compacts: A Two-Dimensional Model Study. (6) 1333
carbides
Microstructure and Abrasive Wear of Binderless Carbides. (10) 2491
Oxidation of Hafnium Carbide and Titanium Carbide Single Crystals with the Formation of Carbon at High Temperatures and Low Oxygen Pressures. (4) 721
Oxidation of Ti(C,N)-Based Ceramics Exposed at 1373 K in Air. (3) 672
Synthesis and Characterization of Ti_3AlC_2. (4) 825
carbon
Novel Method for Coating Magnetic Iron Oxide Particles with Carbon Black. (12) 2901
Production of Functionally Graded Materials from Electrochemically Modified Carbon Preforms. (4) 983
Role of Carbon in the Sintering of Boron-Doped Silicon Carbide. (5) 1039
carbon fibers
Electrophoretic Deposition Forming of Nickel-Coated-Carbon-Fiber-Reinforced Borosilicate-Glass-Matrix Composites. (8) 1885
catalysts/catalysis
Self-Catalyzed Synthesis of Organo-Silica Nanoparticles. (12) 3214
Synthesis of Pure Monolithic Calcium, Strontium, and Barium Hexaluminates for Catalytic Applications. (6) 1524
cavities
Comparison of Tensile and Compressive Creep Behavior in Silicon Nitride. (8) 2017
celsian ceramics
Sol–Gel-Prepared Pure and Lithium-Doped Hexacelsian Polymorphs: An Infrared, Raman, and Thermal Expansion Study of the β-Phase Stabilization by Frozen Short-Range Disorder. (12) 2974
cements
Aging of Lime Putty: Effects on Traditional Lime Mortar Carbonation. (5) 1070
Coarsening Behavior of Tricalcium Silicate (C_3S) and Dicalcium Silicate (C_2S) Grains Dispersed in a Clinker Melt. (5) 1247
Effect of Simulated Radioactive Liquid Waste on the Microstructure of Cementitious Materials: Portlandite Orientation and Saturation Factors in the Pore Solution. (11) 2803
Interactions between Polymeric Dispersants and Calcium Silicate Hydrates. (10) 2556
Monitoring of Hydration of White Cement Paste with Proton NMR Spin–Spin Relaxation. (3) 623
Superstructure in a Triclinic Phase of Tricalcium Silicate. (5) 1253
ceramic matrix composites
Bimodal Microstructure in Silicon Nitride–Barium Aluminum Silicate Ceramic-Matrix Composites by Pressureless Sintering. (7) 1828
Determination of the *In Situ* Fiber Strength in Ceramic-Matrix Composites from Crack-Resistance Evaluation Using Single-Edge Notched-Beam Tests. (11) 2762
Effect of Bridged Boron Nitride Coatings on the Flexure Behavior of a Unidirectional Ceramic-Fiber Ceramic-Matrix Composite. (12) 3231
Evaluation of Damage Evolution in Ceramic-Matrix Composites Using Thermoelastic Stress Analysis. (2) 337
Fugitive Interfacial Carbon Coatings for Oxide/Oxide Composites. (2) 329
Performance of Four Ceramic-Matrix Composite Divergent Flap Inserts Following Ground Testing on an F110 Turbofan Engine. (7) 1727
Rate of Strength Decrease of Fiber-Reinforced Ceramic-Matrix Composites during Fatigue. (6) 1469
Stress-Corrosion Cracking of Silicon Carbide Fiber/Silicon Carbide Composites. (8) 1999
Toughening by Multiple Mechanisms in Ceramic-Matrix Composites with Discontinuous Elongated Reinforcements. (8) 2006
Yttrium Silicate Coatings for Oxidation Protection of Carbon–Silicon Carbide Composites. (6) 1351
ceramic-metal systems
Formation of Core/Rim Structures in Ti(C,N)-WC-Ni Cermets via a Dissolution and Precipitation Process. (6) 1489
cerium/cerium compounds
Influence of Grain Size on the Indentation-Fatigue Behavior of Alumina. (4) 967
Preparation and Spherical Agglomeration of Crystalline Cerium(IV) Oxide Nanoparticles by Thermal Hydrolysis. (5) 1287
chemical durability
Chloride-Ion Activities in Simplified Synthetic Concrete Pore Solutions: The Effect of the Accompanying Ions. (3) 640
Influence of Air Compressibility on the Permeability Evaluation of Refractory Castables. (6) 1536
chemical vapor deposition
A New Vapor Deposition Method to Form Composite Anodes for Solid Oxide Fuel Cells. (7) 1626
Characterization of Photoluminescent $(Y_{1-x}Eu_x)_2O_3$ Thin Films Prepared by Metallorganic Chemical Vapor Deposition. (5) 1241
Coal Slag Protection of Silicon Carbide with Chemically Vapor Deposited Mullite Coatings. (10) 2429
CVD Mullite Coatings in High-Temperature, High-Pressure Air–H_2O. (3) 657
Modeling of Laser-Induced Chemical Vapor Deposition of Silicon Carbide Rods from Tetramethylsilane. (8) 1947
Paralinear Oxidation of CVD SiC in Simulated Fuel-Rich Combustion. (7) 1761
chemical vapor infiltration
Elastic-Property Measurements on CVI SiC/SiC Minicomposites by Acoustic Microscopy. (4) 809
chromium oxide
Reaction Mechanism in Alumina/Chromia $(Al_2O_3–Cr_2O_3)$ Solid Solutions Obtained by Coprecipitation. (8) 2036
Synthesis Mechanism of an Iron–Chromium Ceramic Pigment. (1) 29
coarsening
Shape Dependence of the Coarsening Behavior of Niobium Carbide Grains Dispersed in a Liquid Iron Matrix. (12) 3117
Temperature Dependence of the Coarsening Behavior of Barium Titanate Grains. (12) 3202
coatings
Ceramic Composites with Multilayer Interface Coatings. (12) 3014
CVD Mullite Coatings in High-Temperature, High-Pressure Air–H_2O. (3) 657
Deformation Mechanisms in Compression-Loaded, Stand-Alone Plasma-Sprayed Alumina Coatings. (12) 3057
Development of Titanium Coatings on Particulate Diamond. (8) 2106
Dip Coating of Calcium Hydroxyapatite on Ti-6Al-4V Substrates. (4) 989
Effect of Bridged Boron Nitride Coatings on the Flexure Behavior of a Unidirectional Ceramic-Fiber Ceramic-Matrix Composite. (12) 3231
Effect of Slurry Rheological Properties on the Coating of Ceramic Honeycombs with Yttria-Stabilized-Zirconia Washcoats. (5) 1033
Effects of Glass Frit Oxides on Crystallization and Zircon Pigment Dissolution in Whiteware Coatings. (9) 2170
Effects of Pores on Mechanical Properties of Plasma-Sprayed Ceramic Coatings. (3) 578
Fugitive Interfacial Carbon Coatings for Oxide/Oxide Composites. (2) 329
Gelation, Consolidation, and Rheological Properties of Boehmite-Coated Silicon Carbide Suspensions. (8) 1879
Novel Method for Coating Magnetic Iron Oxide Particles with Carbon Black. (12) 2901
Phase Transformation in EB-PVD Yttria Partially Stabilized Zirconia Thermal Barrier Coatings during Annealing. (4) 904
Piezospectroscopic Analysis of Interface Debonding in Thermal Barrier Coatings. (5) 1165
Y_2O_2S:Eu Red Phosphor Powders Coated with Silica. (8) 1928
Yttrium Silicate Coatings for Oxidation Protection of Carbon–Silicon Carbide Composites. (6) 1351
Zirconates as New Materials for Thermal Barrier Coatings. (8) 2023
colloids
Colloid Emulsion of Nanosized Strontium Bismuth Tantalate Powder. (5) 1320
Colloidal Processing of Ceramics. (10) 2341
Gelation, Consolidation, and Rheological Properties of Boehmite-Coated Silicon Carbide Suspensions. (8) 1879
Influence of Solids Concentration on the Isoelectric Point of Aqueous Barium Titanate. (10) 2381
Mimicking Nanometer Atomic Processes on a Micrometer Scale via Electrophoretic Deposition. (6) 1399
Novel Powder-Processing Methods for Advanced Ceramics. (7) 1557
Origins and Applications of London Dispersion Forces and Hamaker Constants in Ceramics. (9) 2117
Probing Polymeric Stabilization in Nonaqueous Media by Direct Measurements. (1) 217
combustion synthesis
Aluminum Nitride Whisker Formation during Combustion Synthesis. (5) 1117
Mechanical Properties of $La_{1-x}Sr_xCo_{0.2}Fe_{0.8}O_3$ Mixed-Conducting Perovskites Made by the Combustion Synthesis Technique. (6) 1457
Structure Formation in the Combustion Synthesis of Al_2O_3–TiC Composites. (3) 507
compacts/compaction
Compaction and Sintering Behavior of Bimodal Alumina Powder Suspensions by Pressure Filtration. (4) 737
Localized Densification during the Compaction of Alumina Granules: The Stage I–II Transition. (4) 685
composites
A Layered Alumina Composite Tested at High Temperature in Air. (12) 3033
A New Vapor Deposition Method to Form Composite Anodes for Solid Oxide Fuel Cells. (7) 1626
Absorption and Emission Spectral Properties of Pr^{3+}, Nd^{3+}, and Eu^{3+} Ions in Heavy-Metal Oxide Glasses. (3) 597
Al_2O_3–Ni Composites with High Strength and Fracture Toughness. (5) 1279
B_6O–c-BN Composites Prepared by High-Pressure Sintering. (3) 501
Ceramic Composites with Multilayer Interface Coatings. (12) 3014
Co^{2+}-Substitution Effect in Ce-TZP/La M-type Hexaferrite Composites. (2) 281
Consolidation of Eutectic Powder of Al_2O_3–$GdAlO_3$. (11) 2878
Crack Deflection in Composites with Very Thin Interlayers. (12) 3222
Effect of Fiber Bridging Stress on the Fracture Resistance of Silicon-Carbide-Fiber/Zircon Composites. (5) 1207
Effect of Moisture on the High-Temperature Stability of Unidirectionally Solidified Al_2O_3/YAG Eutectic Composites. (12) 3077
Electric-Field-Induced Crack Growth Behavior in PZT/Al_2O_3 Composites. (3) 651
Electrophoretic Deposition Forming of Nickel-Coated-Carbon-Fiber-Reinforced Borosilicate-Glass-Matrix Composites. (8) 1885
Extrusion of Metal–Ceramic Composite Pipes. (5) 1081
Fabrication of Graded Nickel–Alumina Composites with a Thermal-Behavior-Matching Process. (9) 2147
Formation of Novel ZSM-5/Porous Mullite Composite from Sintered Kaolin Honeycomb by Hydrothermal Reaction. (5) 1093
Forming Al_2O_3–Al Composites with Controlled Compositions by Reactive Metal Penetration of Dense Aluminosilicate Preforms. (5) 1293
Forming and Sintering of *in Situ* Alumina Composite with Hydraulic Inorganic Binder. (7) 1613
Infiltration and Pyrolysis of Polytitanocarbosilane in an Si-Ti-C-O Fabric/Mullite Porous Composite. (5) 1044
Intermediate-Temperature Stress Rupture of a Woven Hi-Nicalon, BN-Interphase, SiC-Matrix Composite in Air. (6) 1441
Mechanochemical Formation of Metal–Ceramic Composites. (1) 33
Microstructural Characterization of Sintered $MoSi_2$/SiC_p Composites. (4) 992
Microstructure of Alumina Composites Containing Niobium and Niobium Aluminides. (2) 397
Modeling the Ultimate Tensile Strength of Unidirectional Glass-Matrix Composites. (1) 166
New Uniformly Porous $CaZrO_3$/MgO Composites with Three-Dimensional Network Structure from Natural Dolomite. (8) 2091
Phase Evolution in Silicon Carbide–Whisker-Reinforced Mullite/Zirconia Composite during Long-Term Oxidation at 1000° to 1350°C. (7) 1797
Processing and Mechanical Behavior of CrN/ZrO_2(2Y) Composites. (2) 448
Processing and Properties of Blackglas™–Nextel™ 312 (BN) Composites Incorporating Fillers. (12) 2929
Reactive Hot Pressing of ZrB_2–SiC Composites. (9) 2330
Structure Formation in the Combustion Synthesis of Al_2O_3–TiC Composites. (3) 507
Synthesis of Cerium(IV) Oxide Ultrafine Particles by Solid-State Reactions. (4) 964
The Dentino-enamel Junction is a Broad Transitional Zone Uniting Dissimilar Bioceramic Composites. (1) 238
Thermal Conductance of Delamination Cracks in a Fiber-Reinforced Ceramic Composite. (3) 553
Thermochemical Reactions and Equilibria between

Fluoromicas and Silicate Matrices: A Petromimetic Perspective on Structural Ceramic Composites. (9) 2287
Toughening and Strengthening of NiAl with Al_2O_3 by the Addition of ZrO_2(3Y). (5) 1311
Toughening of an Alumina–Mullite Composite by Unbroken Bridging Elements. (4) 833

concrete
Chloride-Ion Activities in Simplified Synthetic Concrete Pore Solutions: The Effect of the Accompanying Ions. (3) 640

conductivity
ac Impedance Study of Zirconia Doped with Yttria and Calcia. (3) 648
Disorder in Pyrochlore Oxides. (8) 1873
Effect of the Interfacial Transition Zone on the Conductivity of Portland Cement Mortars. (5) 1137
Effects of M^{3+} Ions on the Conductivity of Glasses and Glass-Ceramics in the System Li_2O–M_2O_3–GeO_2–P_2O_5 (M = Al, Ga, Y, Dy, Gd, and La). (4) 1004
Preparation and Proton Conductivity of Surfactant-Templated Mesoporous Silica Gels Impregnated with Protonic Acids. (12) 3004
Resistance Degradation of Iron-Doped Strontium Titanate Investigated by Spatially Resolved Conductivity Measurements. (8) 1969

copper
Wettability of Silica Substrates by Silver–Copper Based Brazing Alloys *in Vacuo*. (12) 2913

cordierite
Interactions between Ruthenia-Based Resistors and Cordierite–Glass Substrates in Low-Temperature Co-fired Ceramics. (12) 2945

corrosion/corrosion resistance
Corrosion of Aluminum Nitride (AlN) in Aqueous Cleaning Solutions. (1) 41
Corrosion of Ceramics in Aqueous Hydrofluoric Acid. (5) 1160
Effect of Moisture on the High-Temperature Stability of Unidirectionally Solidified Al_2O_3/YAG Eutectic Composites. (12) 3077
Hydrothermal Corrosion and Strength Degradation of Aluminum Nitride Ceramics. (12) 3216

crack bridging
Numerical Evaluation of Toughening by Crack-Face Grain Interlocking in Self-Reinforced Ceramics. (4) 817

crack growth
Crack Deflection in Composites with Very Thin Interlayers. (12) 3222
Effect of Atmospheric Humidity on the Fatigue Crack Propagation Behavior of Short Cracks in Silicon Nitride. (3) 571
Electric-Field-Induced Crack Growth Behavior in PZT/Al_2O_3 Composites. (3) 651
Fracture and Subcritical Crack-Growth Behavior of Y-Si-Al-O-N Glasses and Si_3N_4 Ceramics. (3) 585
Fracture Resistance and Stable Crack-Growth Behavior of 8-mol%-Yttria-Stabilized Zirconia. (5) 1199
Subcritical Crack Growth in Soda–Lime Glass under Mixed-Mode Loading. (8) 2109

crack tip
Crack Tip Morphology of Slowly Growing Cracks in Glass. (2) 415
Method to Estimate Crack-Tip Toughness from Bending Tests on Prenotched Bars. (2) 421

cracks/cracking
Crack Healing Behavior of Silicon Carbide Ceramics. (11) 2788
Effect of Nickel Oxide/Yttria-Stabilized Zirconia Anode Precursor Sintering Temperature on the Properties of Solid Oxide Fuel Cells. (3) 489
Green State Joining of Silicon Carbide Using Polycarbosilane. (7) 1687
Performance of Four Ceramic-Matrix Composite Divergent Flap Inserts Following Ground Testing on an F110 Turbofan Engine. (7) 1727
Stress-Corrosion Cracking of Silicon Carbide Fiber/Silicon Carbide Composites. (8) 1999
Thermal Conductance of Delamination Cracks in a Fiber-Reinforced Ceramic Composite. (3) 553

creep
Comment on "Influence of Yttrium Doping on Grain Misorientation in Aluminum Oxide". (5) 1323
Comparison of Tensile and Compressive Creep Behavior in Silicon Nitride. (8) 2017
Effect of Microstructure on High-Temperature Compressive Creep of Self-Reinforced Hot-Pressed Silicon Nitride. (12) 3065
High-Temperature Mechanical Properties of Si-B-C-N-Precursor-Derived Amorphous Ceramics and the Applicability of Deformation Models Developed for Metallic Glasses. (12) 3025
Reply to "Comment on 'Influence of Yttrium Doping on Grain Misorientation in Aluminum Oxide'". (5) 1324

crystals/crystallization
Ab Initio Calculations of the Atomic and Electronic Structure of β-Silicon Nitride. (10) 2449
Analysis of X-ray Powder Diffraction Data Using the Maximum Likelihood Estimation Method. (8) 2062
Bulk Crystallization of Glasses Belonging to the Calcia–Zirconia–Silica System by Microwave Energy. (4) 1001
Comment on "Morphology of Silicon Nitride Grown from a Liquid Phase". (3) 675
Crystal Nucleation and Growth in Lithium Diborate Glass by Thermal Analysis. (7) 1753
Crystallization in $70Ga_2S_3$·$30La_2S_3$ (mol%) Glasses as a Function of Oxide/Hydroxide Concentration. (3) 617
Crystallization of Amorphous Precursors in the Calcia–Alumina System: A Differential Scanning Calorimetry Study. (1) 70
Effect of Chondroitin Sulfate on the Crystal Growth of Hydroxyapatite. (8) 2100
Gahnite Devitrification in Ceramic Frits: Mechanism and Process Kinetics. (12) 2938
Hydrothermal Synthesis of Nanosized Titania Powders: Influence of Peptization and Peptizing Agents on the Crystalline Phases and Phase Transitions. (6) 1361
Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes. (12) 3153
Microscopic Study of SnO_2 Crystals in the Gold Decoration Layer of Bone China. (5) 1308
New Method for Determining the Nucleation and Crystal-Growth Rates in Glasses. (4) 865
Nucleation Barrier for Volume-Conserving Shape Changes of Faceted Crystals. (1) 214
Oxidation of Hafnium Carbide and Titanium Carbide Single Crystals with the Formation of Carbon at High Temperatures and Low Oxygen Pressures. (4) 721
Recrystallization of Oxygen Ion Implanted $Ba_{0.7}Sr_{0.3}TiO_3$ Thin Films. (2) 436
Reply to "Comment on 'Morphology of Silicon Nitride Grown from a Liquid Phase'". (3) 677
Templated Grain Growth of Barium Titanate Single Crystals. (11) 2654
Testing Method for the Johnson–Mehl–Avrami Equation in Kinetic Analysis of Crystallization Processes. (8) 2103

curing
Curing of Highly Loaded Ceramic Suspensions in Acrylates. (10) 2375

current
Current–Voltage Characteristics of Σ1 Boundaries with and without Cobalt Ions in Niobium-Doped $SrTiO_3$ Bicrystals. (6) 1527

cyclic fatigue
Evaluation of the Cyclic Fatigue Life of 3-mol%-Yttria-Stabilized Zirconia Bioceramic Using Biaxial Flexion. (2) 321
Model for Cyclic Fatigue of Quasi-Plastic Ceramics in Contact with Spheres. (9) 2255

damage
Contact-Damage Behavior of Textured and Random Alumina Ceramics under Hertzian Indentation. (2) 410
Evaluation of Damage Evolution in Ceramic-Matrix Composites Using Thermoelastic Stress Analysis. (2) 337
Model for Cyclic Fatigue of Quasi-Plastic Ceramics in Contact with Spheres. (9) 2255
Scratch Damage in Zirconia Ceramics. (6) 1428

debonding
Fracture Behavior of Alumina/Monazite Muitilayer Laminates. (4) 802

decomposition
Mullite Decomposition Kinetics and Melt Stabilization in the Temperature Range 1900–2000°C. (4) 761

defects
Morphological Changes in Process-Related Large Pores of Granular Compacted and Sintered Alumina. (7) 1633
Role of Defects on the Aging Behavior of Manganese-Doped Lead Iron Tungstate Relaxor Ceramics. (2) 413

deflocculants
Effect of Slurry Rheological Properties on the Coating of Ceramic Honeycombs with Yttria-Stabilized-Zirconia Washcoats. (5) 1033

deformation
Deformation Mechanism of Fine-Grained Magnesium Aluminate Spinel Prepared Using an Alkoxide Precursor. (3) 645
Deformation Mechanisms in Compression-Loaded, Stand-Alone Plasma-Sprayed Alumina Coatings. (12) 3057
Effects of Microstructure on Superplastic Behavior and Deformation Mechanisms in β-Silicon Nitride Ceramics. (12) 3179
Enhanced Magnetization of 3 mol% Yttria-Doped Zirconia/Barium Hexaferrite by Post-Plastic Deformation. (5) 1113
High-Temperature Tensile Deformation of Glass-Doped 3Y-TZP. (12) 3095
Scratch Damage in Zirconia Ceramics. (6) 1428
Structure and Viscosity of Grain Boundary in High-Purity SiAlON Ceramics. (10) 2549
Superplastic Behavior of Fine-Grained β-Silicon Nitride Material under Compression. (4) 841
Superplastic Deformation in Silicon Nitride–Silicon Oxynitride *In Situ* Composites. (10) 2529
Texture Development in Silicon Nitride–Silicon Oxynitride *In Situ* Composites via Superplastic Deformation. (12) 3147

degradation
Alumina Particle Degradation during Solid Particle Impact on Glass. (9) 2263
Resistance Degradation of Iron-Doped Strontium Titanate Investigated by Spatially Resolved Conductivity Measurements. (8) 1969
Strength Degradation of Nonrandom Porous Ceramic Structures under Uniaxial Compressive Loading. (11) 2730

densification
Densification and Mechanical Properties of B_4C with Al_2O_3 as a Sintering Aid. (11) 2863
Densification Behaviors of Fine-Alumina and Coarse-Alumina Compacts during Liquid-Phase Sintering with the Addition of Talc. (12) 3128
Density Gradients and Sintered Dimensional Tolerance in Compacts Formed from Spray-Dried Alumina. (6) 1393
Effect of Atmosphere on Weight Loss in Sintered Silicon Carbide during Heat Treatment. (11) 2781
Fabrication of Graded Nickel–Alumina Composites with a Thermal-Behavior-Matching Process. (9) 2147
Field-Assisted Sintering of Nanocrystalline Titanium Nitride. (5) 1281
Kinetics and Microstructural Evolution of Heterogeneous Transformation of θ-Alumina to α-Alumina. (2) 362
Localized Densification during the Compaction of Alumina Granules: The Stage I–II Transition. (4) 685
Measurement of Densification of Zinc Oxide Compacts Using an Optical, Noncontact, Noninvasive Extensometer. (4) 974
Processing of Lightweight, High-Strength Porcelains Using an Alumina Cement to Replace Feldspars and Clays. (7) 1658
Very Rapid Densification of Nanometer Silicon Carbide Powder by Pulse Electric Current Sintering. (3) 654
X-ray Computed Tomography and Mercury Porosimetry for Evaluation of Density Evolution and Porosity Distribution. (3) 518

deposition
Electrophoretic Deposition and Characterization of Micrometer-Scale $BaTiO_3$ Based X7R Dielectric Thick Films. (10) 2417
Mimicking Nanometer Atomic Processes on a Micrometer Scale via Electrophoretic Deposition. (6) 1399
Preparation of Yttria-Stabilized Zirconia Thin Films on Strontium-Doped $LaMnO_3$ Cathode Substrates via Electrophoretic Deposition for Solid Oxide Fuel Cells. (8) 1921
Reactions in Vapor-Phase Electrolytic Deposition for Preparing Yttria-Stabilized Zirconia Thin Films. (1) 77

diamonds
Development of Titanium Coatings on Particulate Diamond. (8) 2106

dielectric materials/properties
Alternating-Current Electrical Properties of $CaMnO_3$ below the Néel Temperature. (4) 797
Bismuth/Samarium Cosubstituted $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ Microwave Dielectric Ceramics. (7) 1837
Crystal Chemistry and Dielectric Properties of Chemically Substituted $(Bi_{1.5}Zn_{1.0}Nb_{1.5})O_7$ and $Bi_2(Zn_{2/3}Nb_{4/3})O_7$ Pyrochlores. (1) 147
Crystallization and Dielectric Properties of SrO–BaO–Nb_2O_5–SiO_2 Tungsten-Bronze Glass-Ceramics. (12) 3135
Dielectric and Electromechanical Properties of Chemically Modified PMN-PT-BT Ceramics. (10) 2473
Dielectric and Electromechanical Properties of Textured Niobium-Doped Bismuth Titanate Ceramics. (1) 113
Dielectric and Structural Characteristics in Barium Lanthanum Magnesium Niobate. (4) 937
Dielectric Properties of $Pb(Fe_{2/3}W_{1/3})O_3$–$PbTiO_3$ Solid-Solution Ceramics. (5) 1149
Dielectric-State Analysis in Solid-Solution $Pb(Yb_{1/2}Ta_{1/2})O_3$–$Pb(Lu_{1/2}Nb_{1/2})O_3$. (1) 135
Direct-Current Field Dependence of Dielectric Properties in Alumina-Doped Barium Strontium Titanate. (7) 1713
Effect of Ba^{2+} Substitution on Dielectric and Electric-Field-Induced Strain Properties of PMN–PZ–PT Ceramics. (11) 2693
Effects of Alkaline-Earth-Metal Addition on the Sinterability and Microwave Characteristics of (Zr,Sn)TiO_4 Dielectrics. (4) 1010
Effects of Barium Substitution on Perovskite Formation, Dielectric Properties, and Diffuseness Characteristics of Lead Zinc Niobate Ceramics. (7) 1720
Effects of B_2O_3 Addition on the Dielectric and Ferroelectric Properties of $Ba_{0.7}Sr_{0.3}TiO_3$ Ceramics. (5) 1145
Effects of Calcination Temperature and A/B Ratio on the Dielectric Properties of $(Ba,Ca)(Ti,Zr,Mn)O_3$ for Multilayer Ceramic Capacitors with Nickel Electrodes. (6) 1402
Effects of Heating Rate on the Sintering Behavior and the Dielectric Properties of $Ba_{0.7}Sr_{0.3}TiO_3$ Ceramics Prepared by Boron-Containing Liquid-Phase Sintering. (12) 3009

Electrical Properties of a Bismuth Layer-Structured $Ba_2Bi_4Ti_5O_{18}$ Single Crystal. (11) 2699
Energy Conversion during Microwave Sintering of a Multiphase Ceramic Surrounded by a Susceptor. (6) 1465
Evaporation of Silver during Cofiring with Barium Titanate. (7) 1693
Influence of Stress and Chemical Homogeneity on Dielectric Properties of $BaTi_{0.9}Zr_{0.1}O_3$. (10) 2610
Low-Fire Processing of ZrO_2–SnO_2–TiO_2 Ceramics. (6) 1417
Mechanical Activation-Assisted Synthesis of $Pb(Fe_{2/3}W_{1/3})O_3$. (7) 1575
Microstructure of Lanthanum Magnesium Niobate at Elevated Temperature. (4) 943
Microwave Dielectric Loss of Titanium Oxide. (1) 95
Microwave Dielectric Properties and Far-Infrared Reflectivity Characteristics of the $CaTiO_3$–$Li_{(1/2)-3\delta}Sm_{(1/2)+\delta}TiO_3$ Ceramics. (9) 2327
Niobium Doping and Dielectric Anomalies in Bismuth Titanate. (3) 528
Ordered Structure and Dielectric Properties of Lanthanum-Substituted $Ba(Mg_{1/3}Ta_{2/3})O_3$. (8) 2074
Scanning Electron-Beam Dielectric Microscopy for the Investigation of the Temperature Coefficient Distribution of Dielectric Ceramics. (5) 1299
Synthesis of Dense Lead Titanate Ceramics with Submicrometer Grains by Spark Plasma Sintering. (3) 541
Thermally Induced Coarsening of the Chemically Ordered Domains in $Pb(Mg_{1/3}Nb_{2/3})O_3$ (PMN)-Based Relaxor Ferroelectrics. (1) 119

differential scanning calorimetry
Crystallization of Amorphous Precursors in the Calcia–Alumina System: A Differential Scanning Calorimetry Study. (1) 70
Curing of Highly Loaded Ceramic Suspensions in Acrylates. (10) 2375

diffusion/diffusivity
Chemical Diffusivity of $BaTiO_{3-\delta}$: IV. Acceptor-Doped Case. (4) 773
Electrical Properties of the Ta-RuO_2 Diffusion Barrier for High-Density Memory Devices. (4) 949

dislocations
Effect of Dislocations on Grain Growth in Strontium Titanate. (11) 2828

disorder
Disorder in Pyrochlore Oxides. (8) 1873

dispersants/dispersion
Cardanol: A New Dispersant for Alumina in Toluene. (6) 1533
Dispersion and Consolidation of Alumina Using a Bis-Hydrophilic Diblock Copolymer. (7) 1585
Effects of Solids Loading, pH, and Polyelectrolyte Addition on the Stabilization of Concentrated Aqueous $BaTiO_3$ Suspensions. (2) 277
Effects of Solvent Mixtures on Dispersion of Lanthanum-Modified Lead Zirconate Titanate Tape Casting Slurries. (7) 1681
Interactions between Polymeric Dispersants and Calcium Silicate Hydrates. (10) 2556
Lead Zirconate Titanate Particle Dispersion in Thick-Film Ink Formulations. (6) 1407
Origins and Applications of London Dispersion Forces and Hamaker Constants in Ceramics. (9) 2117
Probing Polymeric Stabilization in Nonaqueous Media by Direct Measurements. (1) 217
Slurry Chemistry Control to Produce Easily Redispersible Ceramic Powder Compacts. (10) 2401
Systematic Approach for Dispersion of Silicon Nitride Powder in Organic Media: I, Surface Chemistry of the Powder. (4) 691
Systematic Approach for Dispersion of Silicon Nitride Powder in Organic Media: II, Dispersion of the Powder. (4) 697
Weakly Flocculated Aqueous Alumina Suspensions Prepared by the Addition of Mg(II) Ions. (3) 666

dolomite
New Uniformly Porous $CaZrO_3$/MgO Composites with Three-Dimensional Network Structure from Natural Dolomite. (8) 2091
Ternary System Al_2O_3–MgO–CaO: Part II, Phase Relationships in the Subsystem Al_2O_3–$MgAl_2O_4$–$CaAl_4O_7$. (4) 919

domains
Short-Range Ordering in $Pb(B'_{1/3}B''_{2/3})O_3$-Type Relaxor Ferroelectrics. (7) 1699
Stabilization and Memory of the Domain Structures in Barium Titanate Ceramics: Microstructural Observation. (6) 1495
Two Types of Domain Boundaries in Lanthanum Magnesium Niobate. (11) 2875

dopants/doping
2.0 μm Emission Properties and Energy Transfer between Ho^{3+} and Tm^{3+} in PbO–Bi_2O_3–Ga_2O_3 Glasses. (4) 787
ac Impedance Study of Zirconia Doped with Yttria and Calcia. (3) 648
Anisotropic Grain Growth in α-Al_2O_3 with SiO_2 and TiO_2 Additions. (11) 2845
Chemical Diffusivity of $BaTiO_{3-\delta}$: IV, Acceptor-Doped Case. (4) 773
Direct-Current Field Dependence of Dielectric Properties in Alumina-Doped Barium Strontium Titanate. (7) 1713
Direct Imaging of Atomic Ordering in Undoped and La-Doped $Pb(Mg_{1/3}Nb_{2/3})O_3$. (1) 181
Effect of MgO Doping on the Phase Transformations of $BaTiO_3$. (1) 107
Electronic Structure and Bonding of β-SiAlON. (4) 780
Equilibrium Point Defect and Electronic Carrier Distributions near Interfaces in Acceptor-Doped Strontium Titanate. (5) 1129
Intermediate Phase Development in Phosphorus-Doped Barium Titanate. (6) 1499
Microstructural Characterization of C_{60}-Doped Zirconia. (9) 2315
Microstructural Development in SnO_2-Doped ZnO–Bi_2O_3 Ceramics. (12) 3172
Sol–Gel-Prepared Pure and Lithium-Doped Hexacelsian Polymorphs: An Infrared, Raman, and Thermal Expansion Study of the β-Phase Stabilization by Frozen Short-Range Disorder. (12) 2974
Zirconia-Based Metastable Solid Solutions through Self-Propagating High-Temperature Synthesis: Synthesis, Characterization, and Mechanistic Investigations. (8) 1935

elastic constants
Elastic Constants of Erbia Single Crystals. (9) 2246
Elastic Modulus by Resonance of Rectangular Prisms: Corrections for Edge Treatments. (2) 317

elastic materials/properties
Elastic Properties of Model Porous Ceramics. (12) 3041
Elastic-Property Measurements on CVI SiC/SiC Minicomposites by Acoustic Microscopy. (4) 809

electrical conductivity
Electrical Conductivity of the High-Temperature Proton Conductor $BaZr_{0.9}Y_{0.1}O_{2.95}$. (4) 768
Improvement of Mechanical and Electrical Properties of Scandia-Doped Zirconia Ceramics by Post-Sintering with Hot Isostatic Pressing. (10) 2619

electrical properties
Characterization of Electrical Properties of $Li(Fe_xAl_{1-x})_5O_8$ Solid Solutions by Impedance Spectroscopy. (11) 2705
Effects of an Electric Field on the Fracture Toughness of Poled Lead Zirconate Titanate Ceramics. (5) 1215
Electric-Field-Induced Crack Growth Behavior in PZT/Al_2O_3 Composites. (3) 651
Electrical Characterization of $Sr_{0.97}Ti_{1-x}Fe_xO_{3-\delta}$ by Complex Impedance Spectroscopy: I, Materials with Low Iron Contents. (11) 2715
Electrical Properties of a Bismuth Layer-Structured $Ba_2Bi_4Ti_5O_{18}$ Single Crystal. (11) 2699
Electrical Properties of the Ta-RuO_2 Diffusion Barrier for High-Density Memory Devices. (4) 949
Fabrication and Electrical Properties of Textured $Sr_{0.53}Ba_{0.47}Nb_2O_6$ Ceramics by Templated Grain Growth. (9) 2203
Hysteresis in the *I–V* Tunneling Characteristics of *n*-Type $BaTiO_3$ Ceramics. (1) 129
Influence of Ca_2PbO_4 on Phase Formation and Electrical Properties of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$/Ag Superconducting Composites. (7) 1675

electroceramics
Effect of 20°–200°C Fabrication Temperature on Microstructure of Hydrothermally Prepared $LiCoO_2$ Films. (11) 2839
Oxide Superconductors. (1) 5
Pr^{3+}/Er^{3+} Codoped Ge-As-Ga-S Glasses as Dual-Wavelength Fiber-optic Amplifiers for 1.31 and 1.55 μm Windows. (5) 1284
Preparing Low-Loss Low-Temperature Cofired Ceramic Material without Glass Addition. (11) 2855
Simulating Microstructural Evolution and Electrical Transport in Ceramic Gas Sensors. (9) 2219

electrochemistry
Chloride-Ion Activities in Simplified Synthetic Concrete Pore Solutions: The Effect of the Accompanying Ions. (3) 640
Effects of M^{3+} Ions on the Conductivity of Glasses and Glass-Ceramics in the System Li_2O–M_2O_3–GeO_2–P_2O_5 (M = Al, Ga, Y, Dy, Gd, and La). (4) 1004
Electrochemical Determination of the Gibbs Energy of Formation of $Na_3Fe_2O_4$ and Na_5FeO_4 Employing Na-β-Al_2O_3 Solid Electrolyte. (1) 175

electromechanical properties
Dielectric and Electromechanical Properties of Textured Niobium-Doped Bismuth Titanate Ceramics. (1) 113

erbium
Elastic Constants of Erbia Single Crystals. (9) 2246

europium
Characterization of Photoluminescent $(Y_{1-x}Eu_x)_2O_3$ Thin Films Prepared by Metallorganic Chemical Vapor Deposition. (5) 1241
Synthesis *In Situ*, Characterization, and Photostability of Europium β-Diketone Chelates in Organically Modified Silicates (ORMOSILs). (4) 703

eutectics
Consolidation of Eutectic Powder of Al_2O_3–$GdAlO_3$. (11) 2878
Piezospectroscopic Study of Residual Stresses in Al_2O_3–ZrO_2 Directionally Solidified Eutectics. (11) 2745
Processing, Microstructure, and Strength of Alumina–YAG Eutectic Polycrystals. (8) 2088

extrusion
Extrusion of Metal–Ceramic Composite Pipes. (5) 1081
Wick Debinding of Molybdenum-Silicon-Boron Extrudates. (7) 1670

fabrication
Fabrication and High-Temperature Phase Stability of $Mo(Al,Si)_2$–$MoSi_2$ Intermetallics. (4) 946
Fabrication of Free-Standing Titania-Based Gas Sensors by the Oxidation of Metallic Titanium Foils. (4) 1007
Fabrication of Piezoelectric Ceramic/Polymer Composite Transducers Using Fused Deposition of Ceramics. (1) 124
Low-Temperature Fabrication of Transparent Yttrium Aluminum Garnet (YAG) Ceramics without Additives. (4) 961

fatigue
Effect of Atmospheric Humidity on the Fatigue Crack Propagation Behavior of Short Cracks in Silicon Nitride. (3) 571
Humidity Dependence of the Fatigue of High-Strength Fused Silica Optical Fibers. (12) 3100
Improvement in Time-Dependent Displacement Degradation of Piezoelectric Ceramics by Manganese/Indium Addition. (6) 1423
Inverse Problem for Composites with Imperfect Interface: Determination of Interfacial Thermal Resistance, Thermal Conductivity of Constituents, and Microstructural Parameters. (4) 848
Role of Microstructure in Dynamic Fatigue of Glass-Ceramics after Contact with Spheres. (6) 1545

ferrites
Co^{2+}-Substitution Effect in Ce-TZP/La M-type Hexaferrite Composites. (2) 281
Enhanced Magnetization of 3 mol% Yttria-Doped Zirconia/Barium Hexaferrite by Post-Plastic Deformation. (5) 1113
In Situ Formation of Hexaferrite Magnets within a 3Y-TZP Matrix: La_2O_3–ZnO–Fe_2O_3 and BaO–Fe_2O_3 Systems. (6) 1346
Oxygen Uptake and Release Mechanism of Lithium Manganese Ferrite in the Low Temperature Range of 573–773 K. (10) 2509
Synthesis and Structural Characterization of Trimetallic Perovskite-Type Rare-Earth Orthoferrites, $La_xSm_{1-x}FeO_3$. (5) 1087

ferroelectricity/ferroelectric materials
Determination of the Oxygen Deficiency in Vacuum-Hot-Pressed Ferroelectric Ceramics Using a Thermogravimetric Technique. (2) 451
Novel Route to Lead-Based Ferroelectric Compounds via Tetragonal Lead(II) Oxide Intermediates. (9) 2214
Short-Range Ordering in $Pb(B'_{1/3}B''_{2/3})O_3$-Type Relaxor Ferroelectrics. (7) 1699
X-ray Studies of Ferroelectric Cathodes. (5) 1317

ferromagnetism/ferromagnetic materials
Fine Strontium Ferrite Powders from an Ethanol-Based Microemulsion. (5) 1049

fibers
Absorption and Emission Spectral Properties of Pr^{3+}, Nd^{3+}, and Eu^{3+} Ions in Heavy-Metal Oxide Glasses. (3) 597
Crystallization of Electrostatically Seeded Lanthanum Hexaluminate Films on Polycrystalline Oxide Fibers. (12) 3165
Modeling the Ultimate Tensile Strength of Unidirectional Glass-Matrix Composites. (1) 166
Optical Amplification at 1.3 μm in a Praseodymium-Doped Sulfide-Glass Fiber. (4) 792
Oxidation Behavior of Si-C-O Fibers (Nicalon) under Oxygen Partial Pressures from 10^2 to 10^5 Pa at 1773 K. (12) 3049
Processing Effects on the Surface Composition of Glass Fiber. (10) 2423
Rate of Strength Decrease of Fiber-Reinforced Ceramic-Matrix Composites during Fatigue. (6) 1469
Tensile Fracture Behavior and Strength of Surface-Modified SiTiCO Fiber SiC-Matrix Minicomposites Fabricated by the PIP Process. (2) 433
Thermal Stability of Low-Oxygen Silicon Carbide Fiber (Hi-Nicalon) Subjected to Selected Oxidation Treatment. (6) 1450

films
Behavior of $MgFe_2O_4$ Films on MgO in an Electric Field. (7) 1768
Constrained Film Sintering of Nanocrystalline TiO_2. (8) 1889
Effect of 20°–200°C Fabrication Temperature on Microstructure of Hydrothermally Prepared $LiCoO_2$ Films. (11) 2839
Imaging Secondary-Ion Mass Spectroscopy Observation of the Scavenging of Siliceous Film from 8-mol%-Yttria-Stabilized Zirconia by the Addition of Alumina. (5) 1273
Molecular Dynamics Simulations of Calcium Aluminosilicate Intergranular Films on (0001) Al_2O_3 Facets. (9) 2273
Nucleation and Inhibition Control during the Hydrothermal–Electrochemical Growth of Barium Titanate Films. (11) 2673

Properties of Boron Nitride (B_xN_y) Films Produced by the Spin-Coating Process of Polyborazine. (11) 2681
Refined Continuum Model on the Behavior of Intergranular Films in Silicon Nitride Ceramics. (11) 2821
Single-Step Dip Coating of Crack-Free $BaTiO_3$ Films >1 μm Thick: Effect of Poly(vinylpyrrolidone) on Critical Thickness. (5) 1056
Synthesis and Characterization of Low-Dielectric Silica Aerogel Films. (3) 533
Transparent Anatase Nanocomposite Films by the Sol–Gel Process at Low Temperatures. (1) 229

finite element analysis
Elastic Properties of Model Porous Ceramics. (12) 3041
Finite-Element Analysis of Ceramic Multilayer Capacitors: Failure Probability Caused by Wave Soldering and Bending Loads. (6) 1433
Finite-Element Analysis of Ceramic Multilayer Capacitors: Modeling and Electrical Impedance Spectroscopy for a Nondestructive Failure Test. (5) 1153
Numerical Evaluation of Toughening by Crack-Face Grain Interlocking in Self-Reinforced Ceramics. (4) 817
Realistic Finite-Element Model for the Double-Torsion Loading Configuration. (11) 2737

fluorescence
2.0 μm Emission Properties and Energy Transfer between Ho^{3+} and Tm^{3+} in $PbO–Bi_2O_3–Ga_2O_3$ Glasses. (4) 787
Pr^{3+}/Er^{3+} Codoped Ge-As-Ga-S Glasses as Dual-Wavelength Fiber-optic Amplifiers for 1.31 and 1.55 μm Windows. (5) 1284
Yb:Niobosilicate Glass with High-Emission Cross Section. (7) 1709

fluorine/fluorine compounds
Phase Diagram of the System $KF–AlF_3$. (12) 3196

fly ash
Effect of Simulated Radioactive Liquid Waste on the Microstructure of Cementitious Materials: Portlandite Orientation and Saturation Factors in the Pore Solution. (11) 2803

foams
Properties of Highly Porous Hydroxyapatite Obtained by the Gelcasting of Foams. (12) 3021
Radiation Characteristics of Glass Foams. (11) 2769

formation
Formation Mechanism and Synthesis of Apatite-Type Structure $Ba_{2+x}La_{8-x}(SiO_4)_6O_{2-\delta}$. (11) 2884
Hot Forging of Mullite-Based Ceramics Prepared from Kaolin–Alumina. (7) 1825
Mechanochemical Formation of Metal–Ceramic Composites. (1) 33

fracture
Controlling and Testing the Fracture Strength of Silicon on the Mesoscale. (6) 1476
Flexural Fracture Strength, Fracture Locations, and Monte Carlo Predictions for a Silicon Nitride by Ten U.S. Laboratories. (5) 1177
Fractal Analysis of Toughening Behavior in $3BaO·5SiO_2$ Glass-Ceramics. (3) 545
Fracture and Subcritical Crack-Growth Behavior of Y-Si-Al-O-N Glasses and Si_3N_4 Ceramics. (3) 585
Fracture Behavior of Alumina/Monazite Multilayer Laminates. (4) 802
Realistic Finite-Element Model for the Double-Torsion Loading Configuration. (11) 2737
Tensile Fracture Behavior and Strength of Surface-Modified SiTiCO Fiber SiC-Matrix Minicomposites Fabricated by the PIP Process. (2) 433
Tensile Fracture Behavior of Two Types of Silicon Nitride Specimen Geometries Conducted by Ten U.S. Groups. (5) 1186
Three-Dimensional Analysis of Decorated Ceramic Fracture Surfaces by Automatic Stereophotogrammetry. (1) 223

fracture mechanics/toughness
Comparison of Methods to Determine the Fracture Toughness of Three Glass-Ceramics at Elevated Temperatures. (12) 3070
Effects of an Electric Field on the Fracture Toughness of Poled Lead Zirconate Titanate Ceramics. (5) 1215
Effects of Residual Stress and Loading Geometry on Single-Edge Precracked-Beam (SEPB) Fracture-Toughness Test Results. (10) 2625
Fracture Energy of an Aligned Porous Silicon Nitride. (7) 1807
Method to Estimate Crack-Tip Toughness from Bending Tests on Prenotched Bars. (2) 421
R-Curve Behavior and Crack-Closure Stresses in Barium Titanate and (Mg,Y)-PSZ Ceramics. (2) 353
Toughening and Strengthening of NiAl with Al_2O_3 by the Addition of $ZrO_2(3Y)$. (5) 1311

functionally gradient materials
Calculation of the Composition Profile of a Functionally Graded Material Produced by Centrifugal Casting. (4) 743
Fabrication and Properties of Tape-Cast Laminated and Functionally Gradient Alumina–Titanium Carbide Materials. (12) 2999
Fabrication of Graded Nickel–Alumina Composites with a Thermal-Behavior-Matching Process. (9) 2147
Functionally Graded Zircon–Molybdenum Materials without Residual Stresses. (2) 454
Production of Functionally Graded Materials from Electrochemically Modified Carbon Preforms. (4) 983

fused silica
Humidity Dependence of the Fatigue of High-Strength Fused Silica Optical Fibers. (12) 3100

gelcasting
Polymer Effects on the Chemorheological and Drying Behavior of Alumina–Poly(vinyl alcohol) Gelcasting Suspensions. (8) 1957
Properties of Highly Porous Hydroxyapatite Obtained by the Gelcasting of Foams. (12) 3021
Solid Freeform Fabrication of Aqueous Alumina–Poly(vinyl alcohol) Gelcasting Suspensions. (10) 2409

gels
Mullite Whiskers Grown from Erbia-Doped Aluminum Hydroxide–Silica Gel. (1) 60
Preparation and Proton Conductivity of Surfactant-Templated Mesoporous Silica Gels Impregnated with Protonic Acids. (12) 3004
Preparation of Stabilized Nanosized Tin Oxide Particles by Hydrothermal Treatment. (12) 2983

germanium
Fabrication and Ultraviolet Absorption of Sol–Gel-Derived Germanium Oxide Glass Thin Films. (6) 1356
Influence of Reaction Parameters on the Microstructure of the Germanium Disulfide Gel. (7) 1790
Physical Properties of Chalcogenide and Chalcohalide Glasses. (4) 855

Gibbs energy of formation
Electrochemical Determination of the Gibbs Energy of Formation of $Na_2Fe_2O_4$ and $Na_3Fe_5O_9$ Employing Na-β-Al_2O_3 Solid Electrolyte. (1) 175

glass
Absorption and Emission Spectral Properties of Pr^{3+}, Nd^{3+}, and Eu^{3+} Ions in Heavy-Metal Oxide Glasses. (3) 597
Bulk Crystallization of Glasses Belonging to the Calcia–Zirconia–Silica System by Microwave Energy. (4) 1001
Crack Tip Morphology of Slowly Growing Cracks in Glass. (2) 415
Crystal Nucleation and Growth in Lithium Diborate Glass by Thermal Analysis. (7) 1753
Crystallization in $70Ga_2S_3·30La_2S_3$ (mol%) Glasses as a Function of Oxide/Hydroxide Concentration. (3) 617
Effect of Glass Composition on the Electrical Properties of Thick-Film Resistors. (10) 2441
Effects of (B_2O_3, P_2O_5) Additives on Microstructural Development and Phase-Transformation Kinetics of Stoichiometric Cordierite Glasses. (5) 1259
Fracture and Subcritical Crack-Growth Behavior of Y-Si-Al-O-N Glasses and Si_3N_4 Ceramics. (3) 585
Glass Formation and Polyamorphism in Rare-Earth Oxide–Aluminum Oxide Compositions. (8) 1868
Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes. (12) 3153
Infrared Spectroscopic Method for Determination of Thermal Properties of Fluorophosphate Glasses. (5) 1305
Kinetics of Enthalpy Relaxation at the Glass Transition in Ternary Tellurite Glasses. (5) 1192
Measuring Permeability of Rigid Materials by a Beam-Bending Method: II, Porous Glass. (9) 2240
Mixed-Alkali Effect on Rayleigh Scattering in $K_2O–Na_2O–MgO–SiO_2$ Glasses. (3) 660
Modeling the Ultimate Tensile Strength of Unidirectional Glass-Matrix Composites. (1) 166
New Method for Determining the Nucleation and Crystal-Growth Rates in Glasses. (4) 865
Optical Amplification at 1.3 μm in a Praseodymium-Doped Sulfide-Glass Fiber. (4) 792
Physical Properties of Chalcogenide and Chalcohalide Glasses. (4) 855
Pr^{3+}/Er^{3+} Codoped Ge-As-Ga-S Glasses as Dual-Wavelength Fiber-optic Amplifiers for 1.31 and 1.55 μm Windows. (5) 1284
Processing Effects on the Surface Composition of Glass Fiber. (10) 2423
Radiation Characteristics of Glass Foams. (11) 2769
Structural Study of $PbO–B_2O_3$ Glasses by X-ray Diffraction and ^{11}B MAS NMR Techniques. (10) 2543
Subcritical Crack Growth in Soda–Lime Glass under Mixed-Mode Loading. (8) 2109
Yb:Niobosilicate Glass with High-Emission Cross Section. (7) 1709

glass-ceramics
Comparison of Methods to Determine the Fracture Toughness of Three Glass-Ceramics at Elevated Temperatures. (12) 3070
Crystallization and Dielectric Properties of $SrO–BaO–Nb_2O_5–SiO_2$ Tungsten-Bronze Glass-Ceramics. (12) 3135
Crystallization of $(Na_2O–MgO)–CaO–Al_2O_3–SiO_2$ Glassy Systems Formulated from Waste Products. (10) 2515
Effect of Interfacial Layers on Wear Behavior of a Dental Glass-Ceramic. (7) 1831
Effects of M^{3+} Ions on the Conductivity of Glasses and Glass-Ceramics in the System $Li_2O–M_2O_3–GeO_2–P_2O_5$ (M = Al, Ga, Y, Dy, Gd, and La). (4) 1004
Influence of Fluorine Content in Apatite–Mullite Glass-Ceramics. (11) 2833
Long-Lasting Phosphorescence of Transparent Surface-Crystallized Glass-Ceramics. (10) 2613
Role of Microstructure in Dynamic Fatigue of Glass-Ceramics after Contact with Spheres. (6) 1545
Sintering and Phase Transformation in B_2O_3/P_2O_5-Doped $Li_2O·Al_2O_3·4SiO_2$ Glass-Ceramics. (3) 635
Thermochemical Reactions and Equilibria between Fluoromicas and Silicate Matrices: A Petromimetic Perspective on Structural Ceramic Composites. (9) 2287

glassmelting
Radiation Characteristics of Glass Foams. (11) 2769

goethite
Preparation of Nanosized Hematite Particles by Mechanical Activation of Goethite Samples. (2) 294

grain boundaries
Effect of Acceptors on the Segregation of Donors in Niobium-Doped Barium Titanate Positive Temperature Coefficient Resistors. (10) 2463
Effect of Electric Field on the Migration of Grain Boundaries in Alumina. (4) 915
Effects of Grain-Boundary Structure on the Strength, Toughness, and Cyclic-Fatigue Properties of a Monolithic Silicon Carbide. (8) 2079
Electrical Characterization of $Sr_{0.97}Ti_{1-x}Fe_xO_{3-\delta}$ by Complex Impedance Spectroscopy: I, Materials with Low Iron Contents. (11) 2715
Formation of Potential Barrier Related to Grain-Boundary Character in Semiconducting Barium Titanate. (11) 2684
Grain Boundary Evolution in Hot-Pressed ABC-SiC. (11) 2813
Imaging Secondary-Ion Mass Spectroscopy Observation of the Scavenging of Siliceous Film from 8-mol%-Yttria-Stabilized Zirconia by the Addition of Alumina. (5) 1273
Modeling of Grain-Boundary Segregation Behavior in Aluminum Oxide. (2) 344
Structure and Viscosity of Grain Boundary in High-Purity SiAlON Ceramics. (10) 2549

grain growth
Abnormal Grain Growth at the Interface of Centrifugally Cast Alumina Bilayer during Sintering. (7) 1773
Anisotropic Abnormal Grain Growth in TiO_2/SiO_2-Doped Alumina. (11) 2809
Anisotropic Grain Growth and Microstructural Evolution of Dense Mullite above 1550°C. (1) 204
Coarsening Behavior of Tricalcium Silicate (C_3S) and Dicalcium Silicate (C_2S) Grains Dispersed in a Clinker Melt. (5) 1247
Critical Factors in the Templated Grain Growth of Textured Reaction-Bonded Alumina. (8) 2041
Effect of Dislocations on Grain Growth in Strontium Titanate. (11) 2828
Effect of Silver on the Sintering and Grain-Growth Behavior of Barium Titanate. (12) 2988
Effects of SiO_2, CaO_2, and MgO Additions on the Grain Growth of Alumina. (10) 2605
Fabrication and Electrical Properties of Textured $Sr_{0.53}Ba_{0.47}Nb_2O_6$ Ceramics by Templated Grain Growth. (9) 2203
Grain-Growth Inhibition in Na_2O-Doped TiO_2-Excess Barium Titanate Ceramic. (9) 2155
Growth of $BaTiO_3$ Seed Grains by the Twin-Plane Reentrant Edge Mechanism. (2) 385
Influence of Silica and Aluminum Contents on Sintering of and Grain Growth in 6H-SiC Powders. (1) 226
Microstructural Development in SnO_2-Doped $ZnO–Bi_2O_3$ Ceramics. (12) 3172
Rapid Formation and Growth of Bixbyite-Type $(In_{0.67}Fe_{0.33})_2O_3$ by 28 GHz Microwave Irradiation. (9) 2321
Temperature Dependence of the Coarsening Behavior of Barium Titanate Grains. (12) 3202
Templated Grain Growth of Barium Titanate Single Crystals. (11) 2654
Texture Development and Microstructure Evolution in Liquid-Phase-Sintered α-Alumina Ceramics Prepared by Templated Grain Growth. (12) 3109

grain size
Inverse Problem for Composites with Imperfect Interface: Determination of Interfacial Thermal Resistance, Thermal Conductivity of Constituents, and Microstructural Parameters. (4) 848

grains
Influence of Undercooling and $Nd_4Ba_2Cu_2O_{10}$ Content on the Growth Rate of Large-Grain Bulk Nd-Ba-Cu-O Superconductor. (10) 2622

grinding
Effects of Dry Grinding on the Structural Changes of Kaolinite Powders. (7) 1649
High-Voltage Screening of Unidirectionally Surface-Ground Titania Ceramics. (6) 1413

hardness
The Dentino-enamel Junction is a Broad Transitional Zone Uniting Dissimilar Bioceramic Composites. (1) 238

heat engines
Paralinear Oxidation of CVD SiC in Simulated Fuel-Rich Combustion. (7) 1761
heat treatment
Grain Boundary Evolution in Hot-Pressed ABC-SiC. (11) 2813
Long-Lasting Phosphorescence of Transparent Surface-Crystallized Glass-Ceramics. (10) 2613
heaters/heating
Comparison of Microwave Hybrid and Conventional Heating of Preceramic Polymers to Form Silicon Carbide and Silicon Oxycarbide Ceramics. (7) 1617
Effects of Heating Rate on the Sintering Behavior and the Dielectric Properties of $Ba_{0.7}Sr_{0.3}TiO_3$ Ceramics Prepared by Boron-Containing Liquid-Phase Sintering. (12) 3009
hematite
Preparation of Nanosized Hematite Particles by Mechanical Activation of Goethite Samples. (2) 294
Hertzian cone cracks
Role of Microstructure in Dynamic Fatigue of Glass-Ceramics after Contact with Spheres. (6) 1545
high temperature
A Layered Alumina Composite Tested at High Temperature in Air. (12) 3033
High-Temperature Tensile Deformation of Glass-Doped 3Y-TZP. (12) 3095
hot pressing
Properties of Modified Lead Zirconate Titanate Ceramics Prepared at Low Temperature (800°C) by Hot Isostatic Pressing. (4) 955
hydration
Influence of Particle Diameter on Surface Silanol Structure, Hydration Forces, and Aggregation Behavior of Alkoxide-Derived Silica Particles. (2) 287
Monitoring of Hydration of White Cement Paste with Proton NMR Spin–Spin Relaxation. (3) 623
hydrofluoric acid
Corrosion of Ceramics in Aqueous Hydrofluoric Acid. (5) 1160
hydrogen
Effect of Hydrogen Atmosphere on Pyrolysis of Cured Polycarbosilane Fibers. (5) 1063
Sintering of Translucent Alumina in a Nitrogen–Hydrogen Gas Atmosphere. (7) 1641
hydrolysis
Formation Mechanism of Hydrous-Zirconia Particles Produced by Hydrolysis of $ZrOCl_2$ Solutions: II. (6) 1386
Preparation and Spherical Agglomeration of Crystalline Cerium(IV) Oxide Nanoparticles by Thermal Hydrolysis. (5) 1287
ZrO_2 Nanopowders Prepared by Low-Temperature Vapor-Phase Hydrolysis. (5) 1077
hydroxyapatite
Dip Coating of Calcium Hydroxyapatite on Ti-6Al-4V Substrates. (4) 989
Effect of Chondroitin Sulfate on the Crystal Growth of Hydroxyapatite. (8) 2100
Near-Net-Shaped Calcium Hydroxyapatite by the Oxidation of Machinable, Calcium-Bearing Precursors (the Volume Identical Metal Oxidation, or VIMOX, Process). (4) 998
Nucleation of Hydroxyapatite Crystal through Chemical Interaction with Collagen. (11) 2890
Phase Analysis and Thermal Stability of Hot Isostatically Pressed Zirconia–Hydroxyapatite Composites. (11) 2798
Preparation of Porous $Ca_{10}(PO_4)_6(OH)_2$ and β-$Ca_3(PO_4)_2$ Bioceramics. (7) 1581
Properties of Highly Porous Hydroxyapatite Obtained by the Gelcasting of Foams. (12) 3021
hysteresis
Hysteresis in the *I–V* Tunneling Characteristics of *n*-Type $BaTiO_3$ Ceramics. (1) 129
impedance
Alternating-Current Electrical Properties of $CaMnO_3$ below the Néel Temperature. (4) 797
Characterization of Electrical Properties of $Li(Fe_xAl_{1-x})_5O_8$ Solid Solutions by Impedance Spectroscopy. (11) 2705
Electrical Conductivity of the High-Temperature Proton Conductor $BaZr_{0.9}Y_{0.1}O_{2.95}$. (4) 768
Ionic Mobilities and Association Energies from an Analysis of Electrical Impedance of ZrO_2–Y_2O_3 Alloys. (7) 1703
indentation
Contact-Damage Behavior of Textured and Random Alumina Ceramics under Hertzian Indentation. (2) 410
Indentation Crack Length Anisotropy in Silicon Nitride with Aligned Reinforcing Grains. (3) 663
Instrumented Micro-indentation of Zirconia Ceramics. (8) 1977
indium/indium compounds
Rapid Formation and Growth of Bixbyite-Type $(In_{0.67}Fe_{0.33})_2O_3$ by 28 GHz Microwave Irradiation. (9) 2321
infiltration
Spontaneous Infiltration of Iron Silicides into Silicon Carbide Powder Preforms. (12) 2919
infrared techniques
Infrared Spectroscopic Method for Determination of Thermal Properties of Fluorophosphate Glasses. (5) 1305
interfaces
Ceramic Composites with Multilayer Interface Coatings. (12) 3014
Coarsening Behavior of Tricalcium Silicate (C_3S) and Dicalcium Silicate (C_2S) Grains Dispersed in a Clinker Melt. (5) 1247
Crack Deflection in Composites with Very Thin Interlayers. (12) 3222
Effect of Interfacial Layers on Wear Behavior of a Dental Glass-Ceramic. (7) 1831
Effect of the Interfacial Transition Zone on the Conductivity of Portland Cement Mortars. (5) 1137
Equilibrium Point Defect and Electronic Carrier Distributions near Interfaces in Acceptor-Doped Strontium Titanate. (5) 1129
Fugitive Interfacial Carbon Coatings for Oxide/Oxide Composites. (2) 329
Piezospectroscopic Analysis of Interface Debonding in Thermal Barrier Coatings. (5) 1165
ion-exchange
Synthesis of Titanate Derivatives Using Ion-Exchange Reaction. (5) 1098
iron/iron compounds
Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes. (12) 3153
Microstructural Characterization of ZrO_2 Particles Prepared by Reaction of Gaseous $ZrCl_4$ with Fe_2O_3. (4) 755
Spontaneous Infiltration of Iron Silicides into Silicon Carbide Powder Preforms. (12) 2919
joints/joining
Experimental Investigation and Thermodynamic Description of the Constitution of the Ternary System Cr-Si-C. (8) 2067
Green State Joining of Silicon Carbide Using Polycarbosilane. (7) 1687
Joining Si_3N_4-Based Ceramics with Oxidation-Formed Surface Layers. (12) 2925
kaolinite
Effects of Dry Grinding on the Structural Changes of Kaolinite Powders. (7) 1649
Preparation of Mullite Ceramics from Coprecipitated Aluminum Hydroxide and Kaolinite Using Hexamethylenediamine. (11) 2677
kinetics
Kinetics of Enthalpy Relaxation at the Glass Transition in Ternary Tellurite Glasses. (5) 1192
Testing Method for the Johnson–Mehl–Avrami Equation in Kinetic Analysis of Crystallization Processes. (8) 2103
The Wulff Shape of Alumina: I. Modeling the Kinetics of Morphological Evolution. (10) 2561
laminates
Fabrication and Properties of Tape-Cast Laminated and Functionally Gradient Alumina–Titanium Carbide Materials. (12) 2999
Fracture Behavior of Alumina/Monazite Multilayer Laminates. (4) 802
lanthanides
Facile Synthesis of Aluminum-Containing Mixed-Metal Oxides Using Doped Carboxylate Alumoxane Nanoparticles. (7) 1777
Synthesis and Characterization of Nanocrystalline Lanthanide Oxysulfide via a $La(OH)_3$ Gel Solvothermal Route. (10) 2628
lanthanum/lanthanum compounds
Chemical Preparation of Pure and Strontium- and/or Magnesium-Doped Lanthanum Gallate Powders. (12) 2954
Crystallization of Electrostatically Seeded Lanthanum Hexaluminate Films on Polycrystalline Oxide Fibers. (12) 3165
Direct Imaging of Atomic Ordering in Undoped and La-Doped $Pb(Mg_{1/3}Nb_{2/3})O_3$. (1) 181
Mechanical Properties of Strontium-Doped Lanthanum Manganite. (1) 47
Mechanochemical Synthesis of Lanthanum Aluminate by Grinding Lanthanum Oxide with Transition Alumina. (2) 439
Ordered Structure and Dielectric Properties of Lanthanum-Substituted $Ba(Mg_{1/3}Ta_{2/3})O_3$. (8) 2074
Pore Structure Evolution of Lanthana–Alumina Systems Prepared through Coprecipitation. (8) 1942
Sintering of $LaFeO_3$ Ceramics. (9) 2318
lasers
Laser Ablation Synthesis and Optical Characterization of Silicon Carbide Nanowires. (12) 3228
Synthesis of Nanosized Aluminum Nitride Powders by Pulsed Laser Ablation. (10) 2631
lattice
Modeling of Ordered Structures of Phase-Stabilized Cubic Bismuth Oxides. (8) 1964
layered ceramics
Fabrication and Crack Deflection in Ceramic Laminates with Porous Interlayers. (10) 2369
Layered Silicon Nitride-Based Composites with Discontinuous Boron Nitride Interlayers. (10) 2503
lead
Dielectric-State Analysis in Solid-Solution $Pb(Yb_{1/2}Ta_{1/2})O_3$–$Pb(Lu_{1/2}Nb_{1/2})O_3$. (1) 135
Low-Temperature Synthesis of Lead Tantalate Pyrochlore Solid Solutions $Pb_{1.5+x}(Ta_{2-y}Pb_y)O_{7-\delta}$ ($0.0 < x < 0.5$; $0.0 < y < 0.6$). (2) 418
lead lanthanum zirconate titanate
Effects of Solvent Mixtures on Dispersion of Lanthanum-Modified Lead Zirconate Titanate Tape Casting Slurries. (7) 1681
lead magnesium niobates
Dielectric and Electromechanical Properties of Chemically Modified PMN-PT-BT Ceramics. (10) 2473
Direct Imaging of Atomic Ordering in Undoped and La-Doped $Pb(Mg_{1/3}Nb_{2/3})O_3$. (1) 181
Effect of Ba^{2+} Substitution on Dielectric and Electric-Field-Induced Strain Properties of PMN–PZ–PT Ceramics. (11) 2693
Synthesis of Phase-Pure $Pb(Zn_xMg_{1-x}/_{1/3}Nb_{2/3}O_3$ up to $x = 0.7$ from a Single Mixture via a Soft-Mechanochemical Route. (12) 3208
Thermally Induced Coarsening of the Chemically Ordered Domains in $Pb(Mg_{1/3}Nb_{2/3})O_3$ (PMN)-Based Relaxor Ferroelectrics. (1) 119
lead oxide
2.0 μm Emission Properties and Energy Transfer between Ho^{3+} and Tm^{3+} in PbO–Bi_2O_3–Ga_2O_3 Glasses. (4) 787
Apatite Formation in the CaO–PbO–P_2O_5–H_2O System at 23° ± 1°C. (3) 612
Novel Route to Lead-Based Ferroelectric Compounds via Tetragonal Lead(II) Oxide Intermediates. (9) 2214
Structural Study of PbO–B_2O_3 Glasses by X-ray Diffraction and ^{11}B MAS NMR Techniques. (10) 2543
lead titanate
Dielectric Properties of $Pb(Fe_{2/3}W_{1/3})O_3$–$PbTiO_3$ Solid-Solution Ceramics. (5) 1149
Direct Amorphous-to-Cubic Perovskite Phase Transformation for Lead Titanate. (6) 1539
Simple Synthesis of Submicrometer Lead Titanate Powder by Precipitation of TiO_2 Precursor on PbO Particulates. (4) 971
lead zinc niobates
Effects of Barium Substitution on Perovskite Formation, Dielectric Properties, and Diffuseness Characteristics of Lead Zinc Niobate Ceramics. (7) 1720
Influence of Processing Parameters on the Sintering and Electrical Properties of $Pb(Zn_{1/3}Nb_{2/3})O_3$-Based Ceramics. (1) 141
Mechanochemical Synthesis of $0.9[0.6Pb(Zn_{1/3}Nb_{2/3})O_3 \cdot 0.4Pb(Mg_{1/3}Nb_{2/3})O_3]$-$0.1PbTiO_3$. (1) 53
lead zirconate titanate
Differences in Tensile and Bending Strength for Knoop-Cracked Lead Zirconate Titanate Specimens. (3) 669
Effect of Ba^{2+} Substitution on Dielectric and Electric-Field-Induced Strain Properties of PMN–PZ–PT Ceramics. (11) 2693
Effect of Poling Direction on *R*-Curve Behavior in Lead Zirconate Titanate. (2) 424
Effects of an Electric Field on the Fracture Toughness of Poled Lead Zirconate Titanate Ceramics. (5) 1215
Improvement in Time-Dependent Displacement Degradation of Piezoelectric Ceramics by Manganese/Indium Addition. (6) 1423
Lead Zirconate Titanate Particle Dispersion in Thick-Film Ink Formulations. (6) 1407
Processing and Sol Chemistry of a Triol-Based Sol–Gel Route for Preparing Lead Zirconate Titanate Thin Films. (8) 1914
Properties of Modified Lead Zirconate Titanate Ceramics Prepared at Low Temperature (800°C) by Hot Isostatic Pressing. (4) 955
R-Curve for a Lead Zirconate Titanate Ceramic Obtained from Tensile Strength Tests with Knoop-Damaged Specimens. (12) 3199
Sol–Gel Preparation of Lead Zirconate Titanate Powders and Ceramics: Effect of Alkoxide Stabilizers and Lead Precursors. (6) 1379
X-ray Studies of Ferroelectric Cathodes. (5) 1317
lithium
Effect of 20°–200°C Fabrication Temperature on Microstructure of Hydrothermally Prepared $LiCoO_2$ Films. (11) 2839
Oxygen Uptake and Release Mechanism of Lithium Manganese Ferrite in the Low Temperature Range of 573–773 K. (10) 2509
lithium oxide
Thermodynamic Assessment of the Lithium-Borate System. (12) 3082
lithography
Preparation and Characterization of Barium Titanate Suspensions for Stereolithography. (7) 1804
luminescence
Characterization of Photoluminescent $(Y_{1-x}Eu_x)_2O_3$ Thin Films Prepared by Metallorganic Chemical Vapor Deposition. (5) 1241
Long-Lasting Phosphorescence of Transparent Surface-Crystallized Glass-Ceramics. (10) 2613
magnesium
Atomistic Simulation of the Surface Energy of Spinel $MgAl_2O_4$. (8) 2082

magnesium oxide
Behavior of $MgFe_2O_4$ Films on MgO in an Electric Field. (7) 1768
Effect of Additives on the Hydration Resistance of Materials Synthesized from the Magnesia–Calcia System. (7) 1810
Effect of MgO Doping on the Phase Transformations of $BaTiO_3$. (1) 107
Experimental Method for Determining Surface Energy Anisotropy and Its Application to Magnesia. (5) 1226
Mullite Suspensions for Reticulate Ceramic Preparation. (12) 2993
Sintering of Industrial Mullites in the Presence of Magnesia as a Sintering Aid. (1) 189
magnetic materials/properties
Enhanced Magnetization of 3 mol% Yttria-Doped Zirconia/Barium Hexaferrite by Post-Plastic Deformation. (5) 1113
Ferromagnetism and Magnetoresistance in $La_{0.67}Sr_{0.33}Fe_{0.07}Mn_{0.93}O_3$. (4) 980
Novel Method for Coating Magnetic Iron Oxide Particles with Carbon Black. (12) 2901
manganese/manganese compounds
Alternating-Current Electrical Properties of $CaMnO_3$ below the Néel Temperature. (4) 797
Crystal Structure and Related Properties of Manganese-Doped Barium Titanate Ceramics. (3) 605
Mechanical Properties of Strontium-Doped Lanthanum Manganite. (1) 47
Phase-Diagram Studies in the La_2O_3–SrO–CaO–Mn_3O_4 System at 1200°C in Air. (6) 1513
measurement
Measuring Permeability of Rigid Materials by a Beam-Bending Method: I, Theory. (9) 2231
Measuring Permeability of Rigid Materials by a Beam-Bending Method: II, Porous Glass. (9) 2240
Probing Polymeric Stabilization in Nonaqueous Media by Direct Measurements. (1) 217
mechanical properties
^{29}Si MASNMR Spin-Lattice Relaxation Study of α-, β-, and Amorphous Silicon Nitride. (9) 2251
Densification and Mechanical Properties of B_4C with Al_2O_3 as a Sintering Aid. (11) 2863
Effect of Hot-Pressing Temperature on Densification and Mechanical Properties of Titanium Diboride with Silicon Nitride as a Sintering Aid. (6) 1542
Effects of Grain-Boundary Structure on the Strength, Toughness, and Cyclic-Fatigue Properties of a Monolithic Silicon Carbide. (8) 2079
Elastic Modulus by Resonance of Rectangular Prisms: Corrections for Edge Treatments. (2) 317
Elevated-Temperature Mechanical Properties of Silicon Nitride/Boron Nitride Fibrous Monolithic Ceramics. (2) 311
Further Improvement in Mechanical Properties of Highly Anisotropic Silicon Nitride Ceramics. (3) 495
Gahnite Devitrification in Ceramic Frits: Mechanism and Process Kinetics. (12) 2938
Mechanical Properties of $La_{1-x}Sr_xCo_{0.2}Fe_{0.8}O_3$ Mixed-Conducting Perovskites Made by the Combustion Synthesis Technique. (6) 1457
Microstructure and Bending Strength of 3Y-TZP/12Ce-TZP Ceramics Fabricated by Liquid-Phase Sintering at Low Temperature. (11) 2881
Microstructure and Mechanical Properties of Fine-Grained Magnesia-Partially-Stabilized Zirconia Containing Titanium Carbide Particles. (7) 1813
Processing and Mechanical Behavior of $CrN/ZrO_2(2Y)$ Composites. (2) 448
Role of Lamellae Morphology on the Microstructural Development and Mechanical Properties of Small-Particle Plasma-Sprayed Alumina. (4) 889
Silicon Nitride and Related Materials. (2) 245
Superplastic Behavior of Fine-Grained β-Silicon Nitride Material under Compression. (4) 841
Synthesis and Characterization of Ti_3AlC_2. (4) 825
melts
Mullite Decomposition Kinetics and Melt Stabilization in the Temperature Range 1900–2000°C. (4) 761
Reactive Infiltration of Si-Mo Alloyed Melt into Carbonaceous Preforms of Silicon Carbide. (6) 1548
microscopy
Scanning Electron-Beam Dielectric Microscopy for the Investigation of the Temperature Coefficient Distribution of Dielectric Ceramics. (5) 1299
microstructure
Anisotropic Grain Growth in α-Al_2O_3 with SiO_2 and TiO_2 Additions. (11) 2845
Bimodal Microstructure in Silicon Nitride–Barium Aluminum Silicate Ceramic-Matrix Composites by Pressureless Sintering. (7) 1828
Characteristic Spherulitic Microstructure in Partial-Melt-Processed $YBa_2Cu_3O_x/HfO_2$. (5) 1266
Conversion from β-Ce_2O_3·11Al_2O_3 to α-Al_2O_3 in Tetragonal ZrO_2 Matrix. (12) 3219
Dielectric and Structural Characteristics in Barium Lanthanum Magnesium Niobate. (4) 937
Effect of Microstructure on High-Temperature Compressive Creep of Self-Reinforced Hot-Pressed Silicon Nitride. (12) 3065
Effects of Microstructure on Superplastic Behavior and Deformation Mechanisms in β-Silicon Nitride Ceramics. (12) 3179
Environmental Scanning Electron Microscopy (ESEM) Investigation of the Reaction Mechanism in Praseodymium-Doped Zircon. (6) 1518
Evolution of Microstructures and Nitrogen Sorption during High-Energy Milling of Silicon in Ammonia. (8) 1897
Formation of Core/Rim Structures in Ti(C,N)-WC-Ni Cermets via a Dissolution and Precipitation Process. (6) 1489
Grain-Boundary Viscosity of BaO-Doped SiC. (3) 563
Grain-Growth Inhibition in Na_2O-Doped TiO_2-Excess Barium Titanate Ceramic. (9) 2155
Influence of Reaction Parameters on the Microstructure of the Germanium Disulfide Gel. (7) 1790
Microscopic Study of SnO_2 Crystals in the Gold Decoration Layer of Bone China. (5) 1308
Microstructural Changes during the Reduction/Reoxidation Process in Donor-Doped $BaTiO_3$ Ceramics. (10) 2593
Microstructural Characterization of C_{60}-Doped Zirconia. (9) 2315
Microstructural Characterization of Reactively Sintered Mullites. (2) 369
Microstructural Evolution in Triaxial Porcelain. (12) 3121
Microstructural Observations in Barium Calcium Magnesium Niobate. (9) 2267
Microstructure and Abrasive Wear of Binderless Carbides. (10) 2491
Microstructure and Mechanical Properties of Fine-Grained Magnesia-Partially-Stabilized Zirconia Containing Titanium Carbide Particles. (7) 1813
Microstructure and Oxidation Behavior of Silicon Carbide Fibers Derived from Polycarbosilane. (5) 1171
Microstructure Control of *In-Situ*-Toughened α-SiAlON Ceramics. (7) 1819
Microstructure of a Complex Oxide, $Ho_2Mn_xTa_{2-x}O_7$ ($x \cong 1.0$), with a Pyrochlore-Related Structure. (9) 2305
Microstructure of Alumina Composites Containing Niobium and Niobium Aluminides. (2) 397
Microstructure of Lanthanum Magnesium Niobate at Elevated Temperature. (4) 943
Modeling of Laser-Induced Chemical Vapor Deposition of Silicon Carbide Rods from Tetramethylsilane. (8) 1947
Nanostructure of Calcium Silicate Hydrate Gels in Cement Paste. (10) 2600
Porous Titania Ceramic Prepared by Mimicking Silicified Wood. (6) 1521
Refinement of Nanoscale Grain Structure in Bulk Titania via a Transformation-Assisted Consolidation (TAC) Method. (9) 2163
Role of Lamellae Morphology on the Microstructural Development and Mechanical Properties of Small-Particle Plasma-Sprayed Alumina. (4) 889
Simulating Microstructural Evolution and Electrical Transport in Ceramic Gas Sensors. (9) 2219
Sintering Behavior, Microstructure, and Phase Composition of $Sr(Fe,Co)O_{3-\delta}$ Ceramics. (12) 3158
Stabilization and Memory of the Domain Structures in Barium Titanate Ceramics: Microstructural Observation. (6) 1495
Strengthening of Porous Alumina by Pulse Electric Current Sintering and Nanocomposite Processing. (5) 1314
Texture Development and Microstructure Evolution in Liquid-Phase-Sintered α-Alumina Ceramics Prepared by Templated Grain Growth. (12) 3109
Transformation Toughening in Zirconia-Containing Ceramics. (3) 461
microwaves
Bismuth/Samarium Cosubstituted $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ Microwave Dielectric Ceramics. (7) 1837
Bulk Crystallization of Glasses Belonging to the Calcia–Zirconia–Silica System by Microwave Energy. (4) 1001
Energy Conversion during Microwave Sintering of a Multiphase Ceramic Surrounded by a Susceptor. (6) 1465
Low-Fire Processing of ZrO_2–SnO_2–TiO_2 Ceramics. (6) 1417
Microwave Dielectric Loss of Titanium Oxide. (1) 95
Rapid Formation and Growth of Bixbyite-Type $(In_{0.67}Fe_{0.33})_2O_3$ by 28 GHz Microwave Irradiation. (9) 2321
Sintering of Partially Stabilized Zirconia by Microwave Heating Using ZnO–MnO_2–Al_2O_3 Plates in a Domestic Microwave Oven. (8) 2085
Synthesis of Hydrated Aluminum Sulfate from Kaolin by Microwave Extraction. (6) 1341
migration
Effect of Electric Field on the Migration of Grain Boundaries in Alumina. (4) 915
mills/milling
Effect of Milling Media on the Reaction Kinetics of the Mechanochemical Synthesis of Pentatitanium Trisilicide. (11) 2887
Effect of Nitrate Salts as Sintering Additives during the Ball-Milling Process of Silicon Nitride Powders. (12) 2967
Evolution of Microstructures and Nitrogen Sorption during High-Energy Milling of Silicon in Ammonia. (8) 1897
HRTEM and EELS Studies on the Amorphization of Hexagonal Boron Nitride Induced by Ball Milling. (2) 403
modeling/model
Alumina–Aluminide Alloys (3A) Technology: I, Model Development. (7) 1599
Alumina–Aluminide Alloys (3A) Technology: II, Modeling of Ti_xAl_y–Al_2O_3 Composites Formation. (7) 1606
Calculation of the Composition Profile of a Functionally Graded Material Produced by Centrifugal Casting. (4) 743
Finite-Element Analysis of Ceramic Multilayer Capacitors: Failure Probability Caused by Wave Soldering and Bending Loads. (6) 1433
Measuring Permeability of Rigid Materials by a Beam-Bending Method: I, Theory. (9) 2231
Modeling of Grain-Boundary Segregation Behavior in Aluminum Oxide. (2) 344
Modeling of Ordered Structures of Phase-Stabilized Cubic Bismuth Oxides. (8) 1964
Realistic Finite-Element Model for the Double-Torsion Loading Configuration. (11) 2737
Refined Continuum Model on the Behavior of Intergranular Films in Silicon Nitride Ceramics. (11) 2821
The Wulff Shape of Alumina: I, Modeling the Kinetics of Morphological Evolution. (10) 2561
The Wulff Shape of Alumina: II, Experimental Measurements of Pore Shape Evolution Rates. (10) 2572
Thermal Expansion Kinetics: Method to Measure Permeability of Cementitious Materials: I, Theory. (11) 2753
molybdenum
Functionally Graded Zircon–Molybdenum Materials without Residual Stresses. (2) 454
molybdenum disilicide
Fabrication and High-Temperature Phase Stability of $Mo(Al,Si)_2$–$MoSi_2$ Intermetallics. (4) 946
morphology
Comment on "Morphology of Silicon Nitride Grown from a Liquid Phase". (3) 675
Crack Tip Morphology of Slowly Growing Cracks in Glass. (2) 415
Reply to "Comment on 'Morphology of Silicon Nitride Grown from a Liquid Phase'". (3) 677
Shape Dependence of the Coarsening Behavior of Niobium Carbide Grains Dispersed in a Liquid Iron Matrix. (12) 3117
mullite
Alumina Agglomerate Effects on Toughness-Curve Behavior of Alumina–Mullite Composites. (12) 3089
Anisotropic Grain Growth and Microstructural Evolution of Dense Mullite above 1550°C. (1) 204
Coal Slag Protection of Silicon Carbide with Chemically Vapor Deposited Mullite Coatings. (10) 2429
CVD Mullite Coatings in High-Temperature, High-Pressure Air–H_2O. (3) 657
Hot Forging of Mullite-Based Ceramics Prepared from Kaolin–Alumina. (7) 1825
Infiltration and Pyrolysis of Polytitanocarbosilane in an Si-Ti-C-O Fabric/Mullite Porous Composite. (5) 1044
Microstructural Characterization of Reactively Sintered Mullites. (2) 369
Microstructural Evolution in Triaxial Porcelain. (12) 3121
Microstructures and Properties of Three Composites of Alumina, Mullite, and Monoclinic $SrAl_2Si_2O_8$. (11) 2668
Mullite Decomposition Kinetics and Melt Stabilization in the Temperature Range 1900–2000°C. (4) 761
Mullite Suspensions for Reticulate Ceramic Preparation. (12) 2993
Mullite Whiskers Grown from Erbia-Doped Aluminum Hydroxide–Silica Gel. (1) 60
Mullitization from a Multicomponent Oxide System in the Temperature Range 1200°–1500°C. (5) 1237
Phase Evolution in Silicon Carbide–Whisker-Reinforced Mullite/Zirconia Composite during Long-Term Oxidation at 1000° to 1350°C. (7) 1797
Preparation of Mullite Ceramics from Coprecipitated Aluminum Hydroxide and Kaolinite Using Hexamethylenediamine. (11) 2677
Sintering of Industrial Mullites in the Presence of Magnesia as a Sintering Aid. (1) 189
multilayer capacitor
Finite-Element Analysis of Ceramic Multilayer Capacitors: Failure Probability Caused by Wave Soldering and Bending Loads. (6) 1433
Finite-Element Analysis of Ceramic Multilayer Capacitors: Modeling and Electrical Impedance Spectroscopy for a Nondestructive Failure Test. (5) 1153
Role of Length Scale on Pressure Increase and Yield of Poly(vinyl butyral)–Barium Titanate–Platinum Multilayer Ceramic Capacitors during Binder Burnout. (11) 2645
Room-Temperature Solubility Behavior of Barium Titanate in Aqueous Media. (4) 860

nanocomposites
Alumina Sol-Assisted Sintering of SiC–Al_2O_3 Composites. (4) 958
Calcium- and Lanthanum-Modified Lead Titanate (PCLT) Ceramic and PCLT/Vinylidene Fluoride-Trifluoroethylene 0-3 Nanocomposites. (9) 2227
Inclusions of Nanometer-Sized Al_2O_3 Particles in a Crystalline $(Sc,Lu)_2(WO_4)_3$ Matrix. (2) 427
Polishing Behavior and Surface Quality of Alumina and Alumina/Silicon Carbide Nanocomposites. (5) 1219
Precipitation of Magnesium Aluminum Spinel from Alumina-Matrix Solid Solution: I. Fundamental Concept and Precipitation Behavior. (4) 933
Reaction-Bonded and Superplastically Sinter-Forged Silicon Nitride–Silicon Carbide Nanocomposites. (7) 1816
Strengthening of Porous Alumina by Pulse Electric Current Sintering and Nanocomposite Processing. (5) 1314
Transparent Anatase Nanocomposite Films by the Sol–Gel Process at Low Temperatures. (1) 229
nanomaterials
Formation of Nanometric TiB_2 from TiO_2. (5) 1290
Laser Ablation Synthesis and Optical Characterization of Silicon Carbide Nanowires. (12) 3228
Nanocrystalline γ-Alumina Synthesized by Sonohydrolysis of Alkoxide Precursor in the Presence of Organic Acids: Structure and Morphological Properties. (1) 89
Preparation of Nanosized Hematite Particles by Mechanical Activation of Goethite Samples. (2) 294
Rapid Hardening of Cement by the Addition of a Mechanically Activated $Al(OH)_3$–$Ca(OH)_2$ Mixture. (3) 523
Sintering Behavior of Nanocrystalline Zirconia Prepared by Chemical Vapor Synthesis. (4) 729
Synthesis and Characterization of Nanocrystalline Lanthanide Oxysulfide via a $La(OH)_3$ Gel Solvothermal Route. (10) 2628
nanoparticulates
Colloid Emulsion of Nanosized Strontium Bismuth Tantalate Powder. (5) 1320
Deposition of Nano-Size Titania–Silica Particles in a Hot-Wall CVD Process. (4) 709
Hollow Beads Composed of Nanosize Ca α-SiAlON Grains. (4) 995
Hydrothermal Preparation of Nanosized Brookite Powders. (10) 2634
Low-Temperature Synthesis of Bismuth Titanate Niobate $(Bi_7Ti_4NbO_{21})$ Nanoparticles from a Metal-organic Polymeric Precursor. (5) 1029
Nanosized Barium Titanate Powder by Mechanical Activation. (1) 232
Nonisothermal Synthesis of Yttria-Stabilized Zirconia Nanopowder through Oxalate Processing: I, Characteristics of Y-Zr Oxalate Synthesis and Its Decomposition. (9) 2196
Self-Catalyzed Synthesis of Organo-Silica Nanoparticles. (12) 3214
Sol–Gel Synthesis and Characterization of Ag and Au Nanoparticles in SiO_2, TiO_2, and ZrO_2 Thin Films. (10) 2385
neodymium
Influence of Undercooling and $Nd_4Ba_2Cu_2O_{10}$ Content on the Growth Rate of Large-Grain Bulk Nd-Ba-Cu-O Superconductor. (10) 2622
Nextel
Processing and Properties of Blackglas™–Nextel™ 312 (BN) Composites Incorporating Fillers. (12) 2929
Nicalon
Intermediate-Temperature Stress Rupture of a Woven Hi-Nicalon, BN-Interphase, SiC-Matrix Composite in Air. (6) 1441
nickel/nickel compounds
Al_2O_3–Ni Composites with High Strength and Fracture Toughness. (5) 1279
Effects of Calcination Temperature and A/B Ratio on the Dielectric Properties of (Ba,Ca)(Ti,Zr,Mn)O_3 for Multilayer Ceramic Capacitors with Nickel Electrodes. (6) 1402
niobium/niobium compounds
Dielectric and Structural Characteristics in Barium Lanthanum Magnesium Niobate. (4) 937
Microstructural Observations in Barium Calcium Magnesium Niobate. (9) 2267
Microstructure of Lanthanum Magnesium Niobate at Elevated Temperature. (4) 943
Niobium Doping and Dielectric Anomalies in Bismuth Titanate. (3) 528
Shape Dependence of the Coarsening Behavior of Niobium Carbide Grains Dispersed in a Liquid Iron Matrix. (12) 3117
Sintering Characteristics in the $BaTiO_3$–Nb_2O_5–Co_3O_4 Ternary System: II, Stability of So-called "Core–Shell" Structure. (1) 101
nitridation
Hollow Beads Composed of Nanosize Ca α-SiAlON Grains. (4) 995
nitrogen
Self-Propagating High-Temperature Synthesis of Aluminum Nitride under Lower Nitrogen Pressures. (5) 1021
nuclear magnetic resonance
^{29}Si MASNMR Spin-Lattice Relaxation Study of α-, β-, and Amorphous Silicon Nitride. (9) 2251
Monitoring of Hydration of White Cement Paste with Proton NMR Spin–Spin Relaxation. (3) 623
nucleation
Crystal Nucleation and Growth in Lithium Diborate Glass by Thermal Analysis. (7) 1753
Influence of Fluorine Content in Apatite–Mullite Glass-Ceramics. (11) 2833
New Method for Determining the Nucleation and Crystal-Growth Rates in Glasses. (4) 865
Nucleation and Inhibition Control during the Hydrothermal–Electrochemical Growth of Barium Titanate Films. (11) 2673
Nucleation Barrier for Volume-Conserving Shape Changes of Faceted Crystals. (1) 214
Nucleation of Hydroxyapatite Crystal through Chemical Interaction with Collagen. (11) 2890
optical materials/properties
Effects of Selected Processing Variables on Color Formation in Praseodymium-Doped Zircon Pigments. (9) 2177
Fabrication of Translucent Magnesium Aluminum Spinel Ceramics. (11) 2866
Humidity Dependence of the Fatigue of High-Strength Fused Silica Optical Fibers. (12) 3100
Optical Amplification at 1.3 μm in a Praseodymium-Doped Sulfide-Glass Fiber. (4) 792
Origins and Applications of London Dispersion Forces and Hamaker Constants in Ceramics. (9) 2117
Synthesis *In Situ*, Characterization, and Photostability of Europium β-Diketone Chelates in Organically Modified Silicates (ORMOSILs). (4) 703
Yb:Niobosilicate Glass with High-Emission Cross Section. (7) 1709
orientation
Comparison of Texture Analysis Techniques for Highly Oriented $α-Al_2O_3$. (8) 2049
Complex Impedance Analysis on the Orientation Effect of Whiskers in Oriented Silicon Carbide Whisker/Silicon Nitride Composites. (11) 2689
Fracture Energy of an Aligned Porous Silicon Nitride. (7) 1807
Orientation Effects on the High-Temperature Morphological Evolution of Pore Channels in Sapphire. (9) 2297
Two Types of Domain Boundaries in Lanthanum Magnesium Niobate. (11) 2875
oxidation
Improved Oxidation Resistance of Silicon Nitride by Aluminum Implantation: I, Kinetics and Oxide Characteristics. (1) 154
Improved Oxidation Resistance of Silicon Nitride by Aluminum Implantation: II, Analysis and Optimization. (1) 161
Joining Si_3N_4-Based Ceramics with Oxidation-Formed Surface Layers. (12) 2925
Microstructure and Oxidation Behavior of Silicon Carbide Fibers Derived from Polycarbosilane. (5) 1171
Near-Net-Shaped Calcium Hydroxyapatite by the Oxidation of Machinable, Calcium-Bearing Precursors (the Volume Identical Metal Oxidation, or VIMOX, Process). (4) 998
Observations of Accelerated Silicon Carbide Recession by Oxidation at High Water-Vapor Pressures. (1) 211
Oxidation Behavior of Si-C-O Fibers (Nicalon) under Oxygen Partial Pressures from 10^2 to 10^5 Pa at 1773 K. (12) 3049
Oxidation of Hafnium Carbide and Titanium Carbide Single Crystals with the Formation of Carbon at High Temperatures and Low Oxygen Pressures. (4) 721
Strengthening and Prevention of Oxidation of Aluminum Nitride by Formation of a Silica Layer on the Surface. (2) 306
The Reaction-Bonded Aluminum Oxide (RBAO) Process: II, The Solid-State Oxidation of RBAO Compacts. (8) 1845
oxidation resistance
Oxidation of Ti(C,N)-Based Ceramics Exposed at 1373 K in Air. (3) 672
Yttrium Silicate Coatings for Oxidation Protection of Carbon–Silicon Carbide Composites. (6) 1351
oxides
Chemical Compatibility between Silver Electrodes and Low-Firing Binary-Oxide Compounds: Conceptual Study. (11) 2721
Chemical Interactions Promoting the ZrO_2 Tetragonal Stabilization in ZrO_2–SiO_2 Binary Oxides. (6) 1506
Influence of Grain Size on the Indentation-Fatigue Behavior of Alumina. (4) 967
Microstructure of a Complex Oxide, $Ho_2Mn_xTa_{2-x}O_7$ ($x \cong 1.0$), with a Pyrochlore-Related Structure. (9) 2305
Mullitization from a Multicomponent Oxide System in the Temperature Range 1200°–1500°C. (5) 1237
Phase Stability of Yttria-Stabilized Zirconia with Dissolved Cerium and Neptunium Oxides Under Oxidizing and Reducing Atmospheres. (2) 391
Preliminary Observations on Phase Relations in the "V_2O_3–FeO" and V_2O_3–TiO_2 Systems from 1400°C to 1600°C in Reducing Atmospheres. (6) 1485
Preparing Low-Loss Low-Temperature Cofired Ceramic Material without Glass Addition. (11) 2855
Refinement of the Thermodynamic Properties of Ruthenium Dioxide and Osmium Dioxide. (7) 1745
The Reaction-Bonded Aluminum Oxide Process: I, The Effect of Attrition Milling on the Solid-State Oxidation of Aluminum Powder. (2) 299
oxygen
Determination of the Oxygen Deficiency in Vacuum-Hot-Pressed Ferroelectric Ceramics Using a Thermogravimetric Technique. (2) 451
Oxygen Uptake and Release Mechanism of Lithium Manganese Ferrite in the Low Temperature Range of 573–773 K. (10) 2509
Recrystallization of Oxygen Ion Implanted $Ba_{0.7}Sr_{0.3}TiO_3$ Thin Films. (2) 436
oxynitride
Corrosion of Aluminum Nitride (AlN) in Aqueous Cleaning Solutions. (1) 41
packing
Effect of Agglomerate Size Distribution on Loose Packing Fraction. (9) 2183
palladium/palladium compounds
Behavior of Silver and Palladium Mixtures during Heating. (11) 2709
particle size
Formation Mechanism of Hydrous-Zirconia Particles Produced by Hydrolysis of $ZrOCl_2$ Solutions: II. (6) 1386
particle size distribution
Nonisothermal Synthesis of Yttria-Stabilized Zirconia Nanopowder through Oxalate Processing: I, Characteristics of Y-Zr Oxalate Synthesis and Its Decomposition. (9) 2196
particles
Alumina Particle Degradation during Solid Particle Impact on Glass. (9) 2263
Colloidal Processing of Ceramics. (10) 2341
Influence of Grain Size on the Indentation-Fatigue Behavior of Alumina. (4) 967
Influence of Solids Concentration on the Isoelectric Point of Aqueous Barium Titanate. (10) 2381
Preparation of $ZnGa_2O_4$ Spinel Fine Particles by the Hydrothermal Method. (4) 977
permeability
Measuring Permeability of Rigid Materials by a Beam-Bending Method: I, Theory. (9) 2231
Measuring Permeability of Rigid Materials by a Beam-Bending Method: II, Porous Glass. (9) 2240
Modified Pressure-Decay Technique for Evaluating the Permeability of Highly Dense Refractories. (1) 220
Thermal Expansion Kinetics: Method to Measure Permeability of Cementitious Materials: I, Theory. (11) 2753
perovskites
Dielectric-State Analysis in Solid-Solution $Pb(Yb_{1/2}Ta_{1/2})O_3$–$Pb(Lu_{1/2}Nb_{1/2})O_3$. (1) 135
Direct Amorphous-to-Cubic Perovskite Phase Transformation for Lead Titanate. (6) 1539
Mechanical Properties of $La_{1-x}Sr_xCo_{0.2}Fe_{0.8}O_3$ Mixed-Conducting Perovskites Made by the Combustion Synthesis Technique. (6) 1457
Mechanochemical Synthesis of $0.9[0.6Pb(Zn_{1/3}Nb_{2/3})O_3$-$0.4Pb(Mg_{1/3}Nb_{2/3})O_3]$-$0.1PbTiO_3$. (1) 53
Metastability of the Fluorite, Pyrochlore, and Perovskite Structures in the PbO–ZrO_2–TiO_2 System. (4) 873
Microstructural Observations in Barium Calcium Magnesium Niobate. (9) 2267
Nanosized Barium Titanate Powder by Mechanical Activation. (1) 232
Novel Route to Lead-Based Ferroelectric Compounds via Tetragonal Lead(II) Oxide Intermediates. (9) 2214
Phase-Diagram Studies in the La_2O_3–SrO–CaO–Mn_3O_4 System at 1200°C in Air. (6) 1513
Short-Range Ordering in $Pb(B'_{1/3}B''_{2/3})O_3$-Type Relaxor Ferroelectrics. (7) 1699
Synthesis of Phase-Pure $Pb(Zn_xMg_{1-x})_{1/3}Nb_{2/3}O_3$ up to $x = 0.7$ from a Single Mixture via a Soft-Mechanochemical Route. (12) 3208
Two Types of Domain Boundaries in Lanthanum Magnesium Niobate. (11) 2875
phase diagrams
Chemical Compatibility between Silver Electrodes and Low-Firing Binary-Oxide Compounds: Conceptual Study. (11) 2721
Experimental Investigation and Thermodynamic Description of the Constitution of the Ternary System Cr-Si-C. (8) 2067
Phase Diagram of the System KF–AlF$_3$. (12) 3196
Phase-Diagram Studies in the La_2O_3–SrO–CaO–Mn_3O_4 System at 1200°C in Air. (6) 1513
Ternary System Al_2O_3–MgO–CaO: Part II, Phase Relationships in the Subsystem Al_2O_3–$MgAl_2O_4$–$CaAl_4O_7$. (4) 919
phase equilibria
Phase Equilibrium in the Fluorapatite–Anorthite–Diopside System. (12) 3141
Preliminary Observations on Phase Relations in the "V_2O_3–FeO" and V_2O_3–TiO_2 Systems from 1400°C to 1600°C in Reducing Atmospheres. (6) 1485

phase transformations
Crystal Structure and Related Properties of Manganese-Doped Barium Titanate Ceramics. (3) 605
Direct Amorphous-to-Cubic Perovskite Phase Transformation for Lead Titanate. (6) 1539
Effect of Annealing Conditions on Microstructural Development and Phase Transformation in Silicon Carbide. (6) 1369
Effect of Divalent Cation Additives on the γ-Al_2O_3-to-α-Al_2O_3 Phase Transition. (4) 928
Effect of Monovalent Cation Additives on the γ-Al_2O_3-to-α-Al_2O_3 Phase Transition. (5) 1233
Effects of (B_2O_3, P_2O_5) Additives on Microstructural Development and Phase-Transformation Kinetics of Stoichiometric Cordierite Glasses. (5) 1259
Enhanced Phase Stability for Tetragonal Zirconia in Precipitation Synthesis. (12) 3225
HRTEM and EELS Studies on the Amorphization of Hexagonal Boron Nitride Induced by Ball Milling. (2) 403
Hydrothermal Synthesis of Nanosized Titania Powders: Influence of Peptization and Peptizing Agents on the Crystalline Phases and Phase Transitions. (6) 1361
New Sol–Gel Route for the Preparation of Pure α-Alumina at 950°C. (9) 2324
Phase Transformation in EB-PVD Yttria Partially Stabilized Zirconia Thermal Barrier Coatings during Annealing. (4) 904
Refinement of Nanoscale Grain Structure in Bulk Titania via a Transformation-Assisted Consolidation (TAC) Method. (9) 2163
Sintering and Phase Transformation in B_2O_3/P_2O_5-Doped Li_2O-Al_2O_3-$4SiO_2$ Glass-Ceramics. (3) 635
Stabilization of Tetragonal ZrO_2 in ZrO_2–SiO_2 Binary Oxides. (3) 628
Surface Relief Induced by Martensitic Transformation in Phosphorus-Bearing Dicalcium Silicate. (8) 2097
Zirconium Oxide Structure Prepared by the Sol–Gel Route: I, The Role of the Alcoholic Solvent. (2) 377
ZrO_2 Nanopowders Prepared by Low-Temperature Vapor-Phase Hydrolysis. (5) 1077

phases
Influence of Ca_2PbO_4 on Phase Formation and Electrical Properties of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$/Ag Superconducting Composites. (7) 1675
Intermediate Phase Development in Phosphorus-Doped Barium Titanate. (6) 1499
Phase Stability of Yttria-Stabilized Zirconia with Dissolved Cerium and Neptunium Oxides Under Oxidizing and Reducing Atmospheres. (2) 391
Reactive Synthesis and Phase Stability Investigations in the Aluminum Nitride–Silicon Carbide System. (5) 1103
Sintering Behavior, Microstructure, and Phase Composition of $Sr(Fe,Co)O_{3-\delta}$ Ceramics. (12) 3158
Ultrarapid Phase Conversion in β''-Alumina Tubes. (11) 2861

phosphates
Preparation of Porous $Ca_{10}(PO_4)_6(OH)_2$ and β-$Ca_3(PO_4)_2$ Bioceramics. (7) 1581
Structural Characterization of Aluminum Phosphate Binder. (7) 1834

piezoelectric materials/properties
Calcium- and Lanthanum-Modified Lead Titanate (PCLT) Ceramic and PCLT/Vinylidene Fluoride-Trifluoroethylene 0-3 Nanocomposites. (9) 2227
Differences in Tensile and Bending Strength for Knoop-Cracked Lead Zirconate Titanate Specimens. (3) 669
Fabrication of Piezoelectric Ceramic/Polymer Composite Transducers Using Fused Deposition of Ceramics. (1) 124
Improvement in Time-Dependent Displacement Degradation of Piezoelectric Ceramics by Manganese/Indium Addition. (6) 1423
Properties of Modified Lead Zirconate Titanate Ceramics Prepared at Low Temperature (800°C) by Hot Isostatic Pressing. (4) 955
R-Curve for a Lead Zirconate Titanate Ceramic Obtained from Tensile Strength Tests with Knoop-Damaged Specimens. (12) 3199

pigment
Synthesis Mechanism of an Iron–Chromium Ceramic Pigment. (1) 29

plasma
Consolidation of Eutectic Powder of Al_2O_3–$GdAlO_3$. (11) 2878
Preparation of Nanometer Zinc Oxide Powders by Plasma Pyrolysis Technology and Their Applications. (11) 2869

plasma spraying
Deformation Mechanisms in Compression-Loaded, Stand-Alone Plasma-Sprayed Alumina Coatings. (12) 3057
Role of Lamellae Morphology on the Microstructural Development and Mechanical Properties of Small-Particle Plasma-Sprayed Alumina. (4) 889

plasticity
Superplasticity of Liquid-Phase-Sintered β-SiC with Al_2O_3–Y_2O_3–AlN Additions in an N_2 Atmosphere. (10) 2497

polishing
Polishing Behavior and Surface Quality of Alumina and Alumina/Silicon Carbide Nanocomposites. (5) 1219

polycarbosilane
Effect of Hydrogen Atmosphere on Pyrolysis of Cured Polycarbosilane Fibers. (5) 1063

polymers/polymerization
Comparison of Microwave Hybrid and Conventional Heating of Preceramic Polymers to Form Silicon Carbide and Silicon Oxycarbide Ceramics. (7) 1617
Dispersion and Consolidation of Alumina Using a Bis-Hydrophilic Diblock Copolymer. (7) 1585
In situ Growth of SiC Whisker in Pyrolyzed Monolithic Mixture of AHPCS and SiC. (12) 2961
Polymer Effects on the Chemorheological and Drying Behavior of Alumina–Poly(vinyl alcohol) Gelcasting Suspensions. (8) 1957
Synthesis of Yttrium Aluminum Garnet from a Mixed-Metal Citrate Precursor. (5) 1276

porcelain
Microstructural Evolution in Triaxial Porcelain. (12) 3121
Processing of Lightweight, High-Strength Porcelains Using an Alumina Cement to Replace Feldspars and Clays. (7) 1658

pores/porosity
Effects of Pores on Mechanical Properties of Plasma-Sprayed Ceramic Coatings. (3) 578
Fabrication and Crack Deflection in Ceramic Laminates with Porous Interlayers. (10) 2369
Morphological Changes in Process-Related Large Pores of Granular Compacted and Sintered Alumina. (7) 1633
Orientation Effects on the High-Temperature Morphological Evolution of Pore Channels in Sapphire. (9) 2297
Porous Titania Ceramic Prepared by Mimicking Silicified Wood. (6) 1521
Production of Functionally Graded Materials from Electrochemically Modified Carbon Preforms. (4) 983
Strength Degradation of Nonrandom Porous Ceramic Structures under Uniaxial Compressive Loading. (11) 2730
The Wulff Shape of Alumina: II, Experimental Measurements of Pore Shape Evolution Rates. (10) 2572
X-ray Computed Tomography and Mercury Porosimetry for Evaluation of Density Evolution and Porosity Distribution. (3) 518

porous materials
Elastic Properties of Model Porous Ceramics. (12) 3041
Modified Pressure-Decay Technique for Evaluating the Permeability of Highly Dense Refractories. (1) 220
New Uniformly Porous $CaZrO_3$/MgO Composites with Three-Dimensional Network Structure from Natural Dolomite. (8) 2091

portland cement
Effect of the Interfacial Transition Zone on the Conductivity of Portland Cement Mortars. (5) 1137
Nanostructure of Calcium Silicate Hydrate Gels in Cement Paste. (10) 2600
Polyelectrolyte Effects on the Rheological Properties of Concentrated Cement Suspensions. (8) 1905

positive temperature coefficient of resistivity
Formation of Potential Barrier Related to Grain-Boundary Character in Semiconducting Barium Titanate. (11) 2684

powders
Characterization of Fine-Grained Bismuth Vanadate Ceramics Obtained Using Nanosized Powders. (5) 1122
Chemical Preparation of Pure and Strontium- and/or Magnesium-Doped Lanthanum Gallate Powders. (12) 2954
Determination of the Degree of Mixing in Multicomponent Ceramic Powder Compacts by Micro-Raman Spectroscopy. (8) 1953
Effect of the Interparticle Pair Potential on the Rheological Behavior of Zirconia Powders: I, Electrostatic Double Layer Approach. (3) 513
Fine Strontium Ferrite Powders from an Ethanol-Based Microemulsion. (5) 1049
Hydrothermal Preparation of Nanosized Brookite Powders. (10) 2634
Low-Temperature Chemical Synthesis of Nanocrystalline $MgAl_2O_4$ Spinel Powder. (7) 1822
Novel Powder-Processing Methods for Advanced Ceramics. (7) 1557
Powder Processing, Rheology, and Mechanical Properties of Feedstock for Fused Deposition of Si_3N_4 Ceramics. (7) 1663
Preparation Method of Submicrometer-Sized α-Alumina by Surface Modification of γ-Alumina with Alumina Sol. (4) 750
Preparation of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ via Ethylenediaminetetraacetic Acid Precursor. (11) 2893
Reactivity of Aluminum Nitride Powder in Dilute Inorganic Acids. (6) 1375
Stress Development Due to Capillary Condensation in Powder Compacts: A Two-Dimensional Model Study. (6) 1333
Systematic Approach for Dispersion of Silicon Nitride Powder in Organic Media: I, Surface Chemistry of the Powder. (4) 691
Systematic Approach for Dispersion of Silicon Nitride Powder in Organic Media: II, Dispersion of the Powder. (4) 697

praseodymium/praseodymium compounds
Effects of Selected Processing Variables on Color Formation in Praseodymium-Doped Zircon Pigments. (9) 2177
Environmental Scanning Electron Microscopy (ESEM) Investigation of the Reaction Mechanism in Praseodymium-Doped Zircon. (6) 1518

precipitates/precipitation
Ferromagnetism and Magnetoresistance in $La_{0.67}Sr_{0.33}Fe_{0.07}Mn_{0.93}O_3$. (4) 980
Formation of Convoluted Silica Precipitates during Amorphous Phase Separation in the $Ca_3(PO_4)_2$–SiO_2–MgO System. (5) 1296
Homogeneous Precipitation of Hydrous Tin Oxide Powders at Room Temperature Using Enzymatically Induced Gluconic Acid as a Precipitant. (4) 986
Pore Structure Evolution of Lanthana–Alumina Systems Prepared through Coprecipitation. (8) 1942
Precipitation of Magnesium Aluminum Spinel from Alumina-Matrix Solid Solution: I, Fundamental Concept and Precipitation Behavior. (4) 933
Reaction Mechanism in Alumina/Chromia (Al_2O_3–Cr_2O_3) Solid Solutions Obtained by Coprecipitation. (8) 2036
Simple Synthesis of Submicrometer Lead Titanate Powder by Precipitation of TiO_2 Precursor on PbO Particulates. (4) 971
Synthesis of Hydrated Aluminum Sulfate from Kaolin by Microwave Extraction. (6) 1341

precursors
High-Temperature Mechanical Properties of Si-B-C-N-Precursor-Derived Amorphous Ceramics and the Applicability of Deformation Models Developed for Metallic Glasses. (12) 3025
Preparation of Nanometer Zinc Oxide Powders by Plasma Pyrolysis Technology and Their Applications. (11) 2869
Pyrolysis of Poly(isopropyliminoalane) to Aluminum Nitride. (10) 2436
Sol–Gel Preparation of Lead Zirconate Titanate Powders and Ceramics: Effect of Alkoxide Stabilizers and Lead Precursors. (6) 1379
Sol–Gel Route to Porous Lanthanum Cobaltite ($LaCoO_3$) Thin Films. (11) 2852
Synthesis and Characterization of $MgAl_2O_4$ Spinel Precursor from a Heterogeneous Alkoxide Solution Containing Fine MgO Powder. (1) 235

pressure
Influence of Apparent Pressure on Wear Behavior of Self-Mated Alumina. (5) 1302

processing
Calculation of the Composition Profile of a Functionally Graded Material Produced by Centrifugal Casting. (4) 743
Colloidal Processing of Ceramics. (10) 2341
Influence of Processing Parameters on the Sintering and Electrical Properties of $Pb(Zn_{1/3}Nb_{2/3})O_3$-Based Ceramics. (1) 141
Novel Powder-Processing Methods for Advanced Ceramics. (7) 1557
Processing and Mechanical Behavior of $CrN/ZrO_2(2Y)$ Composites. (2) 448
Processing and Properties of Blackglas™–Nextel™ 312 (BN) Composites Incorporating Fillers. (12) 2929
Processing and Sol Chemistry of a Triol-Based Sol–Gel Route for Preparing Lead Zirconate Titanate Thin Films. (8) 1914
Processing Effects on the Surface Composition of Glass Fiber. (10) 2423
Wick Debinding of Molybdenum-Silicon-Boron Extrudates. (7) 1670

pyrochlore
Crystal Chemistry and Dielectric Properties of Chemically Substituted $(Bi_{1.5}Zn_{1.0}Nb_{1.5})O_7$ and $Bi_2(Zn_{2/3}Nb_{4/3})O_7$ Pyrochlores. (1) 147
Disorder in Pyrochlore Oxides. (8) 1873
Low-Temperature Synthesis of Lead Tantalate Pyrochlore Solid Solutions $Pb_{1.5+x}(Ta_{2-x}Pb_x)O_{7-\delta}$ ($0.0 < x < 0.5$; $0.0 < y < 0.6$). (2) 418
Metastability of the Fluorite, Pyrochlore, and Perovskite Structures in the PbO–ZrO_2–TiO_2 System. (4) 873
Microstructure of a Complex Oxide, $Ho_2Mn_xTa_{2-x}O_7$ ($x \approx 1.0$), with a Pyrochlore-Related Structure. (9) 2305
Synthesis of Dense Lead Titanate Ceramics with Submicrometer Grains by Spark Plasma Sintering. (3) 541

pyrolysis
Effect of Hydrogen Atmosphere on Pyrolysis of Cured Polycarbosilane Fibers. (5) 1063
Effect of Precursor Pyrolysis on the Dielectric Properties of Hydrothermally Derived Barium Titanate Thin Films. (2) 442
Infiltration and Pyrolysis of Polytitanocarbosilane in an Si-Ti-C-O Fabric/Mullite Porous Composite. (5) 1044
Preparation of Nanometer Zinc Oxide Powders by Plasma Pyrolysis Technology and Their Applications. (11) 2869
Pyrolysis of Poly(isopropyliminoalane) to Aluminum Nitride. (10) 2436

R-curve
R-Curve for a Lead Zirconate Titanate Ceramic Obtained from Tensile Strength Tests with Knoop-Damaged Specimens. (12) 3199
Effect of Fiber Bridging Stress on the Fracture Resistance of Silicon-Carbide-Fiber/Zircon Composites. (5) 1207
Effect of Poling Direction on *R*-Curve Behavior in Lead Zirconate Titanate. (2) 424
Fracture Resistance and Stable Crack-Growth Behavior of 8-mol%-Yttria-Stabilized Zirconia. (5) 1199
Numerical Evaluation of Toughening by Crack-Face Grain Interlocking in Self-Reinforced Ceramics. (4) 817
Toughening of an Alumina–Mullite Composite by Unbroken Bridging Elements. (4) 833
radioactive waste
Thermodynamic Solubility Constant of $Ca(OH)_2$ in Simulated Radioactive Sulfate Liquid Waste. (4) 882
Raman spectroscopy
Determination of the Degree of Mixing in Multicomponent Ceramic Powder Compacts by Micro-Raman Spectroscopy. (8) 1953
rare earths
Synthesis and Structural Characterization of Trimetallic Perovskite-Type Rare-Earth Orthoferrites, $La_xSm_{1-x}FeO_3$. (5) 1087
reaction bonding
Conventional and Microwave-Induced Sintering Mechanisms for Reaction-Bonded Aluminum Oxide with Zirconium Oxide Additions. (1) 65
Critical Factors in the Templated Grain Growth of Textured Reaction-Bonded Alumina. (8) 2041
Reaction-Bonded and Superplastically Sinter-Forged Silicon Nitride–Silicon Carbide Nanocomposites. (7) 1816
Reactive Infiltration of Si-Mo Alloyed Melt into Carbonaceous Preforms of Silicon Carbide. (6) 1548
Silicon Nitride and Related Materials. (2) 245
The Reaction-Bonded Aluminum Oxide (RBAO) Process: II, The Solid-State Oxidation of RBAO Compacts. (8) 1845
The Reaction-Bonded Aluminum Oxide Process: I, The Effect of Attrition Milling on the Solid-State Oxidation of Aluminum Powder. (2) 299
reduction
Microstructural Changes during the Reduction/Reoxidation Process in Donor-Doped $BaTiO_3$ Ceramics. (10) 2593
refractories
Alumina Dissolution into Silicate Slag. (4) 897
Influence of Air Compressibility on the Permeability Evaluation of Refractory Castables. (6) 1536
Modified Pressure-Decay Technique for Evaluating the Permeability of Highly Dense Refractories. (1) 220
Thermomechanical Behavior of High-Alumina Refractory Castables with Synthetic Spinel Additions. (10) 2481
relaxors
Mechanical Activation-Assisted Synthesis of $Pb(Fe_{2/3}W_{1/3})O_3$. (7) 1575
Role of Defects on the Aging Behavior of Manganese-Doped Lead Iron Tungstate Relaxor Ceramics. (2) 413
Thermally Induced Coarsening of the Chemically Ordered Domains in $Pb(Mg_{1/3}Nb_{2/3})O_3$ (PMN)-Based Relaxor Ferroelectrics. (1) 119
residual stress
Effects of Residual Stress and Loading Geometry on Single-Edge Precracked-Beam (SEPB) Fracture-Toughness Test Results. (10) 2625
resistivity
Effect of Glass Composition on the Electrical Properties of Thick-Film Resistors. (10) 2441
rheology/rheometry
Effect of Surface-Active Substances on the Rheological Properties of Silicon Carbide Suspensions in Paraffin. (2) 273
Effect of the Interparticle Pair Potential on the Rheological Behavior of Zirconia Powders: I, Electrostatic Double Layer Approach. (3) 513
Effects of Ammonium Chloride on the Rheological Properties and Sedimentation Behavior of Aqueous Silica Suspensions. (2) 266
Effects of Solids Loading, pH, and Polyelectrolyte Addition on the Stabilization of Concentrated Aqueous $BaTiO_3$ Suspensions. (2) 277
Gelation, Consolidation, and Rheological Properties of Boehmite-Coated Silicon Carbide Suspensions. (8) 1879
High-Temperature Flow Behavior of Ceramic Suspensions. (9) 2189
Polyelectrolyte Effects on the Rheological Properties of Concentrated Cement Suspensions. (8) 1905
Powder Processing, Rheology, and Mechanical Properties of Feedstock for Fused Deposition of Si_3N_4 Ceramics. (7) 1663
Rheological Behavior of Slurries and Consolidated Bodies Containing Mixed Silicon Nitride Networks. (8) 1861
ruthenium/ruthenium compounds
Electrical Properties of the Ta-RuO_2 Diffusion Barrier for High-Density Memory Devices. (4) 949
Interactions between Ruthenia-Based Resistors and Cordierite–Glass Substrates in Low-Temperature Co-fired Ceramics. (12) 2945
Refinement of the Thermodynamic Properties of Ruthenium Dioxide and Osmium Dioxide. (7) 1745
sapphire
Orientation Effects on the High-Temperature Morphological Evolution of Pore Channels in Sapphire. (9) 2297
scanning electron microscopy
Three-Dimensional Analysis of Decorated Ceramic Fracture Surfaces by Automatic Stereophotogrammetry. (1) 223
scattering
Mixed-Alkali Effect on Rayleigh Scattering in K_2O–Na_2O–MgO–SiO_2 Glasses. (3) 660
seeding
Crystallization of Electrostatically Seeded Lanthanum Hexaluminate Films on Polycrystalline Oxide Fibers. (12) 3165
Further Improvement in Mechanical Properties of Highly Anisotropic Silicon Nitride Ceramics. (3) 495
segregation
Effect of Acceptors on the Segregation of Donors in Niobium-Doped Barium Titanate Positive Temperature Coefficient Resistors. (10) 2463
selenium
Physical Properties of Chalcogenide and Chalcohalide Glasses. (4) 855
self-propagating high-temperature synthesis
Effect of Milling Media on the Reaction Kinetics of the Mechanochemical Synthesis of Pentatitanium Trisilicide. (11) 2887
Fabrication and High-Temperature Phase Stability of $Mo(Al,Si)_2$–$MoSi_2$ Intermetallics. (4) 946
Self-Propagating High-Temperature Synthesis of Aluminum Nitride under Lower Nitrogen Pressures. (5) 1021
Zirconia-Based Metastable Solid Solutions through Self-Propagating High-Temperature Synthesis: Synthesis, Characterization, and Mechanistic Investigations. (8) 1935
sensors
Fabrication of Free-Standing Titania-Based Gas Sensors by the Oxidation of Metallic Titanium Foils. (4) 1007
Simulating Microstructural Evolution and Electrical Transport in Ceramic Gas Sensors. (9) 2219
SiAlON
Electronic Structure and Bonding of β-SiAlON. (4) 780
Hollow Beads Composed of Nanosize Ca α-SiAlON Grains. (4) 995
Microstructure Control of *In-Situ*-Toughened α-SiAlON Ceramics. (7) 1819
Structure and Viscosity of Grain Boundary in High-Purity SiAlON Ceramics. (10) 2549
silica
Deposition of Nano-Size Titania–Silica Particles in a Hot-Wall CVD Process. (4) 709
Effects of Ammonium Chloride on the Rheological Properties and Sedimentation Behavior of Aqueous Silica Suspensions. (2) 266
Formation of Convoluted Silica Precipitates during Amorphous Phase Separation in the $Ca_3(PO_4)_2$–SiO_2–MgO System. (5) 1296
Influence of Particle Diameter on Surface Silanol Structure, Hydration Forces, and Aggregation Behavior of Alkoxide-Derived Silica Particles. (2) 287
Observations of Accelerated Silicon Carbide Recession by Oxidation at High Water-Vapor Pressures. (1) 211
Processing of Lightweight, High-Strength Porcelains Using an Alumina Cement to Replace Feldspars and Clays. (7) 1658
Stabilization of Tetragonal ZrO_2 in ZrO_2–SiO_2 Binary Oxides. (3) 628
Synthesis and Characterization of Low-Dielectric Silica Aerogel Films. (3) 533
Wettability of Silica Substrates by Silver–Copper Based Brazing Alloys *in Vacuo*. (12) 2913
Y_2O_2S:Eu Red Phosphor Powders Coated with Silica. (8) 1928
silicates
Alumina Dissolution into Silicate Slag. (4) 897
Surface Relief Induced by Martensitic Transformation in Phosphorus-Bearing Dicalcium Silicate. (8) 2097
Synthesis *In Situ*, Characterization, and Photostability of Europium β-Diketone Chelates in Organically Modified Silicates (ORMOSILs). (4) 703
silicon
Controlling and Testing the Fracture Strength of Silicon on the Mesoscale. (6) 1476
Evolution of Microstructures and Nitrogen Sorption during High-Energy Milling of Silicon in Ammonia. (8) 1897
Experimental Investigation and Thermodynamic Calculation of the Titanium–Silicon–Carbon System. (1) 197
silicon carbide
Coal Slag Protection of Silicon Carbide with Chemically Vapor Deposited Mullite Coatings. (10) 2429
Comparison of Ion Irradiation Effects in Silicon-Based Preceramic Thin Films. (4) 713
Comparison of Microwave Hybrid and Conventional Heating of Preceramic Polymers to Form Silicon Carbide and Silicon Oxycarbide Ceramics. (7) 1617
Complex Impedance Analysis on the Orientation Effect of Whiskers in Oriented Silicon Carbide Whisker/Silicon Nitride Composites. (11) 2689
Crack Healing Behavior of Silicon Carbide Ceramics. (11) 2788
Effect of Annealing Conditions on Microstructural Development and Phase Transformation in Silicon Carbide. (6) 1369
Effect of Atmosphere on Weight Loss in Sintered Silicon Carbide during Heat Treatment. (11) 2781
Effect of Surface-Active Substances on the Rheological Properties of Silicon Carbide Suspensions in Paraffin. (2) 273
Effects of Grain-Boundary Structure on the Strength, Toughness, and Cyclic-Fatigue Properties of a Monolithic Silicon Carbide. (8) 2079
Elastic-Property Measurements on CVI SiC/SiC Minicomposites by Acoustic Microscopy. (4) 809
Experimental Investigation and Thermodynamic Description of the Constitution of the Ternary System Cr-Si-C. (8) 2067
Grain Boundary Evolution in Hot-Pressed ABC-SiC. (11) 2813
Grain-Boundary Viscosity of BaO-Doped SiC. (3) 563
Green State Joining of Silicon Carbide Using Polycarbosilane. (7) 1687
In situ Growth of SiC Whisker in Pyrolyzed Monolithic Mixture of AHPCS and SiC. (12) 2961
Influence of Silica and Aluminum Contents on Sintering of and Grain Growth in 6H-SiC Powders. (1) 226
Laser Ablation Synthesis and Optical Characterization of Silicon Carbide Nanowires. (12) 3228
Microstructure and Oxidation Behavior of Silicon Carbide Fibers Derived from Polycarbosilane. (5) 1171
Modeling of Laser-Induced Chemical Vapor Deposition of Silicon Carbide Rods from Tetramethylsilane. (8) 1947
Morphology and Stacking Faults of β-Silicon Carbide Whisker Synthesized by Carbothermal Reduction. (10) 2584
Observations of Accelerated Silicon Carbide Recession by Oxidation at High Water-Vapor Pressures. (1) 211
Oxidation Behavior of Si-C-O Fibers (Nicalon) under Oxygen Partial Pressures from 10^2 to 10^5 Pa at 1773 K. (12) 3049
Paralinear Oxidation of CVD SiC in Simulated Fuel-Rich Combustion. (7) 1761
Quantitative Phase-Composition Analysis of Liquid-Phase-Sintered Silicon Carbide Using the Rietveld Method. (9) 2282
Reactive Hot Pressing of ZrB_2–SiC Composites. (9) 2330
Reactive Infiltration of Si-Mo Alloyed Melt into Carbonaceous Preforms of Silicon Carbide. (6) 1548
Role of Carbon in the Sintering of Boron-Doped Silicon Carbide. (5) 1039
Spontaneous Infiltration of Iron Silicides into Silicon Carbide Powder Preforms. (12) 2919
Stress-Corrosion Cracking of Silicon Carbide Fiber/Silicon Carbide Composites. (8) 1999
Superplasticity of Liquid-Phase-Sintered β-SiC with Al_2O_3–Y_2O_3–AlN Additions in an N_2 Atmosphere. (10) 2497
Synthesis of Aluminum Nitride–Silicon Carbide Solid Solutions by Combustion Nitridation. (5) 1108
Synthesis of Cerium(IV) Oxide Ultrafine Particles by Solid-State Reactions. (4) 964
Thermal Stability of Low-Oxygen Silicon Carbide Fiber (Hi-Nicalon) Subjected to Selected Oxidation Treatment. (6) 1450
Very Rapid Densification of Nanometer Silicon Carbide Powder by Pulse Electric Current Sintering. (3) 654
silicon carbonitride
High-Temperature Mechanical Properties of Si-B-C-N-Precursor-Derived Amorphous Ceramics and the Applicability of Deformation Models Developed for Metallic Glasses. (12) 3025
silicon nitride
Ab Initio Calculations of the Atomic and Electronic Structure of β-Silicon Nitride. (10) 2449
^{29}Si MASNMR Spin-Lattice Relaxation Study of α-, β-, and Amorphous Silicon Nitride. (9) 2251
Bimodal Microstructure in Silicon Nitride–Barium Aluminum Silicate Ceramic-Matrix Composites by Pressureless Sintering. (7) 1828
Comment on "Morphology of Silicon Nitride Grown from a Liquid Phase". (3) 675
Comparison of Tensile and Compressive Creep Behavior in Silicon Nitride. (8) 2017
Dissolution and Deagglomeration of Silicon Nitride in Aqueous Medium. (10) 2394
Effect of Atmospheric Humidity on the Fatigue Crack Propagation Behavior of Short Cracks in Silicon Nitride. (3) 571
Effect of Microstructure on High-Temperature Compressive Creep of Self-Reinforced Hot-Pressed Silicon Nitride. (12) 3065
Effect of Nitrate Salts as Sintering Additives during the Ball-Milling Process of Silicon Nitride Powders. (12) 2967

Effects of Microstructure on Superplastic Behavior and Deformation Mechanisms in β-Silicon Nitride Ceramics. (12) 3179
Elevated-Temperature Mechanical Properties of Silicon Nitride/Boron Nitride Fibrous Monolithic Ceramics. (2) 311
Flexural Fracture Strength, Fracture Locations, and Monte Carlo Predictions for a Silicon Nitride by Ten U.S. Laboratories. (5) 1177
Fracture Energy of an Aligned Porous Silicon Nitride. (7) 1807
Further Improvement in Mechanical Properties of Highly Anisotropic Silicon Nitride Ceramics. (3) 495
Improved Oxidation Resistance of Silicon Nitride by Aluminum Implantation: I, Kinetics and Oxide Characteristics. (1) 154
Improved Oxidation Resistance of Silicon Nitride by Aluminum Implantation: II, Analysis and Optimization. (1) 161
Indentation Crack Length Anisotropy in Silicon Nitride with Aligned Reinforcing Grains. (3) 663
Influence of Yttria–Alumina Content on Sintering Behavior and Microstructure of Silicon Nitride Ceramics. (8) 2094
Joining Si_3N_4-Based Ceramics with Oxidation-Formed Surface Layers. (12) 2925
Layered Silicon Nitride-Based Composites with Discontinuous Boron Nitride Interlayers. (10) 2503
Powder Processing, Rheology, and Mechanical Properties of Feedstock for Fused Deposition of Si_3N_4 Ceramics. (7) 1663
Reaction-Bonded and Superplastically Sinter-Forged Silicon Nitride–Silicon Carbide Nanocomposites. (7) 1816
Refined Continuum Model on the Behavior of Intergranular Films in Silicon Nitride Ceramics. (11) 2821
Reply to "Comment on 'Morphology of Silicon Nitride Grown from a Liquid Phase'". (3) 677
Rheological Behavior of Slurries and Consolidated Bodies Containing Mixed Silicon Nitride Networks. (8) 1861
Silicon Nitride and Related Materials. (2) 245
Superplastic Behavior of Fine-Grained β-Silicon Nitride Material under Compression. (4) 841
Superplastic Deformation in Silicon Nitride–Silicon Oxynitride *In Situ* Composites. (10) 2529
Systematic Approach for Dispersion of Silicon Nitride Powder in Organic Media: I, Surface Chemistry of the Powder. (4) 691
Systematic Approach for Dispersion of Silicon Nitride Powder in Organic Media: II, Dispersion of the Powder. (4) 697
Tensile Fracture Behavior of Two Types of Silicon Nitride Specimen Geometries Conducted by Ten U.S. Groups. (5) 1186
Texture Development in Silicon Nitride–Silicon Oxynitride *In Situ* Composites via Superplastic Deformation. (12) 3147
Thermal Conductivity of β-Si_3N_4: II, Effect of Lattice Oxygen. (8) 1985
Toughening by Multiple Mechanisms in Ceramic-Matrix Composites with Discontinuous Elongated Reinforcements. (8) 2006

silicon oxycarbide
Comparison of Ion Irradiation Effects in Silicon-Based Preceramic Thin Films. (4) 713

silicon oxynitride
Superplastic Deformation in Silicon Nitride–Silicon Oxynitride *In Situ* Composites. (10) 2529
Texture Development in Silicon Nitride–Silicon Oxynitride *In Situ* Composites via Superplastic Deformation. (12) 3147

silver/silver compounds
Behavior of Silver and Palladium Mixtures during Heating. (11) 2709
Chemical Compatibility between Silver Electrodes and Low-Firing Binary-Oxide Compounds: Conceptual Study. (11) 2721
Evaporation of Silver during Cofiring with Barium Titanate. (7) 1693
Wettability of Silica Substrates by Silver–Copper Based Brazing Alloys *in Vacuo*. (12) 2913

simulation
Atomistic Simulation of the Surface Energy of Spinel $MgAl_2O_4$. (8) 2082
Finite-Element Analysis of Ceramic Multilayer Capacitors: Modeling and Electrical Impedance Spectroscopy for a Nondestructive Failure Test. (5) 1153
Molecular Dynamics Simulations of Calcium Aluminosilicate Intergranular Films on (0001) Al_2O_3 Facets. (9) 2273

single crystals
Thermal Conductivity of Yttria–Zirconia Single Crystals, Determined with Spatially Resolved Infrared Thermography. (8) 1993

sinter/sintering
Al_2O_3/TiC Based Metal Cutting Tools by Microwave Sintering Followed by Hot Isostatic Pressing. (6) 1530
Alumina–Aluminide Alloys (3A) Technology: I, Model Development. (7) 1599
Alumina–Aluminide Alloys (3A) Technology: II, Modeling of Ti_xAl_y–Al_2O_3 Composites Formation. (7) 1606
Alumina Sol-Assisted Sintering of SiC–Al_2O_3 Composites. (4) 958
B_6O–c-BN Composites Prepared by High-Pressure Sintering. (3) 501
Constrained Film Sintering of Nanocrystalline TiO_2. (8) 1889
Conventional and Microwave-Induced Sintering Mechanisms for Reaction-Bonded Aluminum Oxide with Zirconium Oxide Additions. (1) 65
Conversion from β-Ce_2O_3·11Al_2O_3 to α-Al_2O_3 in Tetragonal ZrO_2 Matrix. (12) 3219
Densification Behaviors of Fine-Alumina and Coarse-Alumina Compacts during Liquid-Phase Sintering with the Addition of Talc. (12) 3128
Deterioration in the Final-Stage Sintering of Magnesium Aluminate Spinel. (7) 1592
Effect of Hot-Pressing Temperature on Densification and Mechanical Properties of Titanium Diboride with Silicon Nitride as a Sintering Aid. (6) 1542
Effect of Nickel Oxide/Yttria-Stabilized Zirconia Anode Precursor Sintering Temperature on the Properties of Solid Oxide Fuel Cells. (3) 489
Effects of Heating Rate on the Sintering Behavior and the Dielectric Properties of $Ba_{0.7}Sr_{0.3}TiO_3$ Ceramics Prepared by Boron-Containing Liquid-Phase Sintering. (12) 3009
Energy Conversion during Microwave Sintering of a Multiphase Ceramic Surrounded by a Susceptor. (6) 1465
Field-Assisted Sintering of Nanocrystalline Titanium Nitride. (5) 1281
Influence of Processing Parameters on the Sintering and Electrical Properties of $Pb(Zn_{1/3}Nb_{2/3})O_3$-Based Ceramics. (1) 141
Influence of Silica and Aluminum Contents on Sintering of and Grain Growth in 6H-SiC Powders. (1) 226
Influence of Yttria–Alumina Content on Sintering Behavior and Microstructure of Silicon Nitride Ceramics. (8) 2094
Ion-Exchange Loading of Yttrium Acetate as a Sintering Aid on Aluminum Nitride Powder via Aqueous Processing. (11) 2793
Low-Fire Processing of ZrO_2–SnO_2–TiO_2 Ceramics. (6) 1417
Low-Temperature Fabrication of Transparent Yttrium Aluminum Garnet (YAG) Ceramics without Additives. (4) 961
Microstructural Characterization of Reactively Sintered Mullites. (2) 369
Microstructural Characterization of Sintered $MoSi_2$/SiC_p Composites. (4) 992
Microstructure and Bending Strength of 3Y-TZP/12Ce-TZP Ceramics Fabricated by Liquid-Phase Sintering at Low Temperature. (11) 2881
Preparing Low-Loss Low-Temperature Cofired Ceramic Material without Glass Addition. (11) 2855
Reactive Sintering and Retrograde Densification of Bulk Bismuth-Based Superconductors. (10) 2365
Role of Carbon in the Sintering of Boron-Doped Silicon Carbide. (5) 1039
Sintering and Phase Transformation in B_2O_3/P_2O_5-Doped Li_2O·Al_2O_3·4SiO_2 Glass-Ceramics. (3) 635
Sintering Behavior, Microstructure, and Phase Composition of $Sr(Fe,Co)O_{3-\delta}$ Ceramics. (12) 3158
Sintering Behavior of Nanocrystalline Zirconia Doped with Alumina Prepared by Chemical Vapor Synthesis. (8) 1853
Sintering Behavior of Nanocrystalline Zirconia Prepared by Chemical Vapor Synthesis. (4) 729
Sintering Characteristics in the $BaTiO_3$–Nb_2O_5–Co_3O_4 Ternary System: II, Stability of So-called "Core–Shell" Structure. (1) 101
Sintering of Industrial Mullites in the Presence of Magnesia as a Sintering Aid. (1) 189
Sintering of $LaFeO_3$ Ceramics. (9) 2318
Sintering of Mixtures of Seeded Boehmite and Ultrafine α-Alumina. (1) 82
Sintering of Partially Stabilized Zirconia by Microwave Heating Using ZnO–MnO_2–Al_2O_3 Plates in a Domestic Microwave Oven. (8) 2085
Sintering of Translucent Alumina in a Nitrogen–Hydrogen Gas Atmosphere. (7) 1641
Superplasticity of Liquid-Phase-Sintered β-SiC with Al_2O_3–Y_2O_3–AlN Additions in an N_2 Atmosphere. (10) 2497
Very Rapid Densification of Nanometer Silicon Carbide Powder by Pulse Electric Current Sintering. (3) 654

size
Effect of Agglomerate Size Distribution on Loose Packing Fraction. (9) 2183

slags
Influence of the Characteristics of Spinels on the Slag Resistance of Al_2O_3–MgO and Al_2O_3–Spinel Castables. (9) 2333

slurries
Rheological Behavior of Slurries and Consolidated Bodies Containing Mixed Silicon Nitride Networks. (8) 1861
Slurry Chemistry Control to Produce Easily Redispersible Ceramic Powder Compacts. (10) 2401

soda-lime
Subcritical Crack Growth in Soda–Lime Glass under Mixed-Mode Loading. (8) 2109

sodium/sodium compounds
Electrochemical Determination of the Gibbs Energy of Formation of $Na_2Fe_2O_4$ and $Na_3Fe_5O_9$ Employing Na-β-Al_2O_3 Solid Electrolyte. (1) 175

sol-gel
Calcium- and Lanthanum-Modified Lead Titanate (PCLT) Ceramic and PCLT/Vinylidene Fluoride-Trifluoroethylene 0-3 Nanocomposites. (9) 2227
Chemical Interactions Promoting the ZrO_2 Tetragonal Stabilization in ZrO_2–SiO_2 Binary Oxides. (6) 1506
Effects of Individual Layer Thickness on the Structure and Electrical Properties of Sol–Gel-Derived $Ba_{0.8}Sr_{0.2}TiO_3$ Thin Films. (10) 2616
Fabrication and Ultraviolet Absorption of Sol–Gel-Derived Germanium Oxide Glass Thin Films. (6) 1356
Influence of Reaction Parameters on the Microstructure of the Germanium Disulfide Gel. (7) 1790
Micropatterning on Methylsilsesquioxane–Phenylsilsesquioxane Thick Films by the Sol–Gel Method. (12) 3211
New Sol–Gel Route for the Preparation of Pure α-Alumina at 950°C. (9) 2324
Processing and Sol Chemistry of a Triol-Based Sol–Gel Route for Preparing Lead Zirconate Titanate Thin Films. (8) 1914
Single-Step Dip Coating of Crack-Free $BaTiO_3$ Films >1 μm Thick: Effect of Poly(vinylpyrrolidone) on Critical Thickness. (5) 1056
Sol–Gel Preparation of Lead Zirconate Titanate Powders and Ceramics: Effect of Alkoxide Stabilizers and Lead Precursors. (6) 1379
Sol–Gel-Prepared Pure and Lithium-Doped Hexacelsian Polymorphs: An Infrared, Raman, and Thermal Expansion Study of the β-Phase Stabilization by Frozen Short-Range Disorder. (12) 2974
Sol–Gel Route to Porous Lanthanum Cobaltite ($LaCoO_3$) Thin Films. (11) 2852
Sol–Gel Synthesis and Characterization of Ag and Au Nanoparticles in SiO_2, TiO_2, and ZrO_2 Thin Films. (10) 2385
Synthesis of Silicon Carbide through the Sol–Gel Process from Rayon Fibers. (4) 952
Y_2O_2S:Eu Red Phosphor Powders Coated with Silica. (8) 1928
Zirconium Oxide Structure Prepared by the Sol–Gel Route: I, The Role of the Alcoholic Solvent. (2) 377

solid freeform fabrication
Solid Freeform Fabrication of Aqueous Alumina–Poly(vinyl alcohol) Gelcasting Suspensions. (10) 2409

solid oxide fuel cell
A New Vapor Deposition Method to Form Composite Anodes for Solid Oxide Fuel Cells. (7) 1626
Effect of Nickel Oxide/Yttria-Stabilized Zirconia Anode Precursor Sintering Temperature on the Properties of Solid Oxide Fuel Cells. (3) 489
Improvement of Mechanical and Electrical Properties of Scandia-Doped Zirconia Ceramics by Post-Sintering with Hot Isostatic Pressing. (10) 2619
Preparation of Yttria-Stabilized Zirconia Thin Films on Strontium-Doped $LaMnO_3$ Cathode Substrates via Electrophoretic Deposition for Solid Oxide Fuel Cells. (8) 1921
Strength and Toughness of Tape-Cast Yttria-Stabilized Zirconia. (8) 2029

solvent/solutions
Effects of Solvent Mixtures on Dispersion of Lanthanum-Modified Lead Zirconate Titanate Tape Casting Slurries. (7) 1681
Room-Temperature Solubility Behavior of Barium Titanate in Aqueous Media. (4) 860

spalling
Influence of Air Compressibility on the Permeability Evaluation of Refractory Castables. (6) 1536

spin coating
Properties of Boron Nitride (B_xN_y) Films Produced by the Spin-Coating Process of Polyborazine. (11) 2681

spinels
Atomistic Simulation of the Surface Energy of Spinel $MgAl_2O_4$. (8) 2082
Behavior of $MgFe_2O_4$ Films on MgO in an Electric Field. (7) 1768
Deformation Mechanism of Fine-Grained Magnesium Aluminate Spinel Prepared Using an Alkoxide Precursor. (3) 645
Deterioration in the Final-Stage Sintering of Magnesium Aluminate Spinel. (7) 1592
Fabrication of Translucent Magnesium Aluminum Spinel Ceramics. (11) 2866
Influence of the Characteristics of Spinels on the Slag Resistance of Al_2O_3–MgO and Al_2O_3–Spinel Castables. (9) 2333
Low-Temperature Chemical Synthesis of Nanocrystalline $MgAl_2O_4$ Spinel Powder. (7) 1822
Precipitation of Magnesium Aluminum Spinel from Alumina-Matrix Solid Solution: I, Fundamental Concept and Precipitation Behavior. (4) 933

Preparation of $ZnGa_2O_4$ Spinel Fine Particles by the Hydrothermal Method. (4) 977
Synthesis and Characterization of $MgAl_2O_4$ Spinel Precursor from a Heterogeneous Alkoxide Solution Containing Fine MgO Powder. (1) 235
Thermal Expansion Characteristics of Alumina–Magnesia and Alumina–Spinel Castables in the Temperature Range 800°–1650°C. (11) 2872
Thermomechanical Behavior of High-Alumina Refractory Castables with Synthetic Spinel Additions. (10) 2481

spray pyrolysis
Effects of Pores on Mechanical Properties of Plasma-Sprayed Ceramic Coatings. (3) 578

stability
Enhanced Phase Stability for Tetragonal Zirconia in Precipitation Synthesis. (12) 3225

strain
Tensile Transformation-Mismatch Plasticity of Bismuth Sesquioxide. (10) 2521

strength
Comment on "Relationship between the Estimated Weibull Modulus and the Coefficient of Variation of the Measured Strength for Ceramics". (4) 1013
Controlling and Testing the Fracture Strength of Silicon on the Mesoscale. (6) 1476
Determination of the *In Situ* Fiber Strength in Ceramic-Matrix Composites from Crack-Resistance Evaluation Using Single-Edge Notched-Beam Tests. (11) 2762
Differences in Tensile and Bending Strength for Knoop-Cracked Lead Zirconate Titanate Specimens. (3) 669
Elastic Modulus by Resonance of Rectangular Prisms: Corrections for Edge Treatments. (2) 317
Flexural Fracture Strength, Fracture Locations, and Monte Carlo Predictions for a Silicon Nitride by Ten U.S. Laboratories. (5) 1177
Hydrothermal Corrosion and Strength Degradation of Aluminum Nitride Ceramics. (12) 3216
Hydrothermal Solidification of Kaolinite–Quartz–Lime Mixtures. (7) 1739
Improvement of Mechanical and Electrical Properties of Scandia-Doped Zirconia Ceramics by Post-Sintering with Hot Isostatic Pressing. (10) 2619
Model for Cyclic Fatigue of Quasi-Plastic Ceramics in Contact with Spheres. (9) 2255
Performance of Four Ceramic-Matrix Composite Divergent Flap Inserts Following Ground Testing on an F110 Turbofan Engine. (7) 1727
Rate of Strength Decrease of Fiber-Reinforced Ceramic-Matrix Composites during Fatigue. (6) 1469
Reply to "Comment on 'Relationship between the Estimated Weibull Modulus and the Coefficient of Variation of the Measured Strength for Ceramics'". (4) 1015
Strength and Toughness of Tape-Cast Yttria-Stabilized Zirconia. (8) 2029
Strength Degradation of Nonrandom Porous Ceramic Structures under Uniaxial Compressive Loading. (11) 2730
Strengthening and Prevention of Oxidation of Aluminum Nitride by Formation of a Silica Layer on the Surface. (2) 306
Tensile Fracture Behavior and Strength of Surface-Modified SiTiCO Fiber SiC-Matrix Minicomposites Fabricated by the PIP Process. (2) 433
Toughening and Strengthening of NiAl with Al_2O_3 by the Addition of ZrO_2(3Y). (5) 1311

stress
Determination of the *In Situ* Fiber Strength in Ceramic-Matrix Composites from Crack-Resistance Evaluation Using Single-Edge Notched-Beam Tests. (11) 2762
Effect of Fiber Bridging Stress on the Fracture Resistance of Silicon-Carbide-Fiber/Zircon Composites. (5) 1207
Evaluation of Damage Evolution in Ceramic-Matrix Composites Using Thermoelastic Stress Analysis. (2) 337
Influence of Stress and Chemical Homogeneity on Dielectric Properties of $BaTi_{0.9}Zr_{0.1}O_3$. (10) 2610
Intermediate-Temperature Stress Rupture of a Woven Hi-Nicalon, BN-Interphase, SiC-Matrix Composite in Air. (6) 1441
Piezospectroscopic Study of Residual Stresses in Al_2O_3–ZrO_2 Directionally Solidified Eutectics. (11) 2745
Stress Development Due to Capillary Condensation in Powder Compacts: A Two-Dimensional Model Study. (6) 1333
Tensile Transformation-Mismatch Plasticity of Bismuth Sesquioxide. (10) 2521

strontium
Fine Strontium Ferrite Powders from an Ethanol-Based Microemulsion. (5) 1049
Mechanical Properties of Strontium-Doped Lanthanum Manganite. (1) 47

strontium barium niobate
Crystallization and Dielectric Properties of SrO–BaO–Nb_2O_5–SiO_2 Tungsten-Bronze Glass-Ceramics. (12) 3135
Fabrication and Electrical Properties of Textured $Sr_{0.53}Ba_{0.47}Nb_2O_6$ Ceramics by Templated Grain Growth. (9) 2203

strontium titanate
Current–Voltage Characteristics of Σ1 Boundaries with and without Cobalt Ions in Niobium-Doped $SrTiO_3$ Bicrystals. (6) 1527
Effect of Dislocations on Grain Growth in Strontium Titanate. (11) 2828
Electrical Characterization of $Sr_{0.97}Ti_{1-x}Fe_xO_{3-\delta}$ by Complex Impedance Spectroscopy: I. Materials with Low Iron Contents. (11) 2715
Equilibrium Point Defect and Electronic Carrier Distributions near Interfaces in Acceptor-Doped Strontium Titanate. (5) 1129
Resistance Degradation of Iron-Doped Strontium Titanate Investigated by Spatially Resolved Conductivity Measurements. (8) 1969

structure
Ab Initio Calculations of the Atomic and Electronic Structure of β-Silicon Nitride. (10) 2449
Effect of Density Gradients on Dimensional Tolerance During Binder Removal. (10) 2536
Effects of Dry Grinding on the Structural Changes of Kaolinite Powders. (7) 1649
Metastability of the Fluorite, Pyrochlore, and Perovskite Structures in the PbO–ZrO_2–TiO_2 System. (4) 873
Microstructural Characterization of Sintered $MoSi_2$/SiC_p Composites. (4) 992
Ordered Structure and Dielectric Properties of Lanthanum-Substituted $Ba(Mg_{1/3}Ta_{2/3})O_3$. (8) 2074
Oxide Superconductors. (1) 5
Oxygen Position, Octahedral Distortion, and Bond-Valence Parameter from Bond Lengths in $Ti_{1-x}Sn_xO_2$ ($0 \le x \le 1$). (12) 3205
Structural Characterization of Aluminum Phosphate Binder. (7) 1834
Structure Formation in the Combustion Synthesis of Al_2O_3–TiC Composites. (3) 507
Structure of Liquid $Al_6Si_2O_{13}$ (3:2 Mullite). (11) 2777
Superstructure in a Triclinic Phase of Tricalcium Silicate. (5) 1253

substitution
Co^{2+}-Substitution Effect in Ce-TZP/La M-type Hexaferrite Composites. (2) 281
Effects of Barium Substitution on Perovskite Formation, Dielectric Properties, and Diffuseness Characteristics of Lead Zinc Niobate Ceramics. (7) 1720
Microwave Dielectric Properties and Far-Infrared Reflectivity Characteristics of the $CaTiO_3$–$Li_{(1/2)-3x}Sm_{(1/2)+x}TiO_3$ Ceramics. (9) 2327

substrates
Interactions between Ruthenia-Based Resistors and Cordierite–Glass Substrates in Low-Temperature Co-fired Ceramics. (12) 2945
Micropatterning on Methylsilsesquioxane–Phenylsilsesquioxane Thick Films by the Sol–Gel Method. (12) 3211

superconductors
Characteristic Spherulitic Microstructure in Partial-Melt-Processed $YBa_2Cu_3O_x$/HfO_2. (5) 1266
Influence of Ca_2PbO_4 on Phase Formation and Electrical Properties of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$/Ag Superconducting Composites. (7) 1675
Influence of Undercooling and $Nd_4Ba_2Cu_2O_{10}$ Content on the Growth Rate of Large-Grain Bulk Nd-Ba-Cu-O Superconductor. (10) 2622
Oxide Superconductors. (1) 5
Reactive Sintering and Retrograde Densification of Bulk Bismuth-Based Superconductors. (10) 2365
Thermodynamic Optimization of the Silver–Bismuth–Strontium–Calcium–Copper–Oxygen (Ag-Bi-Sr-Ca-Cu-O) System. (4) 911

surface
Experimental Method for Determining Surface Energy Anisotropy and Its Application to Magnesia. (5) 1226
High-Voltage Screening of Unidirectionally Surface-Ground Titania Ceramics. (6) 1413
Nucleation Barrier for Volume-Conserving Shape Changes of Faceted Crystals. (1) 214
Polishing Behavior and Surface Quality of Alumina and Alumina/Silicon Carbide Nanocomposites. (5) 1219
Preparation Method of Submicrometer-Sized α-Alumina by Surface Modification of γ-Alumina with Alumina Sol. (4) 750
Surface Relief Induced by Martensitic Transformation in Phosphorus-Bearing Dicalcium Silicate. (8) 2097
Three-Dimensional Analysis of Decorated Ceramic Fracture Surfaces by Automatic Stereophotogrammetry. (1) 223

surface area
Effect of Sodium on Crystallite Size and Surface Area of Zirconia Powders at Elevated Temperatures. (8) 2055

suspensions
Coagulation Method of Aqueous Concentrated Alumina Suspensions by Thermal Decomposition of Hydroxyaluminum Diacetate. (11) 2661
Compaction and Sintering Behavior of Bimodal Alumina Powder Suspensions by Pressure Filtration. (4) 737
Curing of Highly Loaded Ceramic Suspensions in Acrylates. (10) 2375
Determination of the Degree of Mixing in Multicomponent Ceramic Powder Compacts by Micro-Raman Spectroscopy. (8) 1953
Effect of Surface-Active Substances on the Rheological Properties of Silicon Carbide Suspensions in Paraffin. (2) 273
Effects of Ammonium Chloride on the Rheological Properties and Sedimentation Behavior of Aqueous Silica Suspensions. (2) 266
High-Temperature Flow Behavior of Ceramic Suspensions. (9) 2189
Mullite Suspensions for Reticulate Ceramic Preparation. (12) 2993
Preparation and Characterization of Barium Titanate Suspensions for Stereolithography. (7) 1804
Rapid Electroacoustic Method for Monitoring Dispersion: Zeta Potential Titration of Alumina with Ammonium Poly(methacrylate). (10) 2360
Weakly Flocculated Aqueous Alumina Suspensions Prepared by the Addition of Mg(II) Ions. (3) 666

synthesis
Effect of Sodium on Crystallite Size and Surface Area of Zirconia Powders at Elevated Temperatures. (8) 2055
Fabrication of Translucent Magnesium Aluminum Spinel Ceramics. (11) 2866
Ferromagnetism and Magnetoresistance in $La_{0.67}Sr_{0.33}Fe_{0.07}Mn_{0.93}O_3$. (4) 980
Formation Mechanism and Synthesis of Apatite-Type Structure $Ba_{2+x}La_{8-x}(SiO_4)_6O_{2-\delta}$. (11) 2884
Inclusions of Nanometer-Sized Al_2O_3 Particles in a Crystalline $(Sc,Lu)_2(WO_4)_3$ Matrix. (2) 427
Low-Temperature Chemical Synthesis of Nanocrystalline $MgAl_2O_4$ Spinel Powder. (7) 1822
Low-Temperature Synthesis of Bismuth Titanate Niobate ($Bi_7Ti_4NbO_{21}$) Nanoparticles from a Metal-organic Polymeric Precursor. (5) 1029
Low-Temperature Synthesis of Lead Tantalate Pyrochlore Solid Solutions $Pb_{1.5+x}(Ta_{2-y}Pb_y)O_{7-\delta}$ ($0.0 < x < 0.5$; $0.0 < y < 0.6$). (2) 418
Low-Temperature Synthesis of Nanocrystalline Titanium Nitride via a Benzene–Thermal Route. (2) 430
Mechanical Activation-Assisted Synthesis of $Pb(Fe_{2/3}W_{1/3})O_3$. (7) 1575
Mechanochemical Synthesis of $0.9[0.6Pb(Zn_{1/3}Nb_{2/3})O_3$-$0.4Pb(Mg_{1/3}Nb_{2/3})O_3]$-$0.1PbTiO_3$. (1) 53
Mechanochemical Synthesis of Lanthanum Aluminate by Grinding Lanthanum Oxide with Transition Alumina. (2) 439
Microstructural Characterization of ZrO_2 Particles Prepared by Reaction of Gaseous $ZrCl_4$ with Fe_2O_3. (4) 755
Morphology and Stacking Faults of β-Silicon Carbide Whisker Synthesized by Carbothermal Reduction. (10) 2584
Phase Diagram of the System KF–AlF_3. (12) 3196
Reactive Synthesis and Phase Stability Investigations in the Aluminum Nitride–Silicon Carbide System. (5) 1103
Self-Catalyzed Synthesis of Organo-Silica Nanoparticles. (12) 3214
Simple Synthesis of Submicrometer Lead Titanate Powder by Precipitation of TiO_2 Precursor on PbO Particulates. (4) 971
Sintering Behavior of Nanocrystalline Zirconia Prepared by Chemical Vapor Synthesis. (4) 729
Solvothermal Synthesis and Characterization of Barium Titanate Powders. (10) 2637
Sol–Gel Synthesis and Characterization of Ag and Au Nanoparticles in SiO_2, TiO_2, and ZrO_2 Thin Films. (10) 2385
Synthesis and Characterization of $MgAl_2O_4$ Spinel Precursor from a Heterogeneous Alkoxide Solution Containing Fine MgO Powder. (1) 235
Synthesis and Characterization of Nanocrystalline Lanthanide Oxysulfide via a $Ln(OH)_3$ Gel Solvothermal Route. (10) 2628
Synthesis and Structural Characterization of Trimetallic Perovskite-Type Rare-Earth Orthoferrites, $La_xSm_{1-x}FeO_3$. (5) 1087
Synthesis Mechanism of an Iron–Chromium Ceramic Pigment. (1) 29
Synthesis of Aluminum Nitride–Silicon Carbide Solid Solutions by Combustion Nitridation. (5) 1108
Synthesis of Hexacelsian Barium Aluminosilicate by a Solid-State Process. (12) 2907
Synthesis of Nanosized Aluminum Nitride Powders by Pulsed Laser Ablation. (10) 2631
Synthesis of Phase-Pure $Pb(Zn_xMg_{1-x})_{1/3}Nb_{2/3}O_3$ up to $x = 0.7$ from a Single Mixture via a Soft-Mechanochemical Route. (12) 3208
Synthesis of Silicon Carbide through the Sol–Gel Process from Rayon Fibers. (4) 952
Synthesis of Titanate Derivatives Using Ion-Exchange Reaction. (5) 1098
Synthesis of Yttrium Aluminum Garnet from a Mixed-Metal Citrate Precursor. (5) 1276

tantalum/tantalum compounds
Colloid Emulsion of Nanosized Strontium Bismuth Tantalate Powder. (5) 1320

tape casting
Fabrication and Crack Deflection in Ceramic Laminates with Porous Interlayers. (10) 2369

Fabrication and Properties of Tape-Cast Laminated and Functionally Gradient Alumina–Titanium Carbide Materials. (12) 2999

tellurite
Kinetics of Enthalpy Relaxation at the Glass Transition in Ternary Tellurite Glasses. (5) 1192

temperature
Scanning Electron-Beam Dielectric Microscopy for the Investigation of the Temperature Coefficient Distribution of Dielectric Ceramics. (5) 1299

tensile
Tensile Fracture Behavior of Two Types of Silicon Nitride Specimen Geometries Conducted by Ten U.S. Groups. (5) 1186

testing
Testing Method for the Johnson–Mehl–Avrami Equation in Kinetic Analysis of Crystallization Processes. (8) 2103

tetragonal polycrystals
Conversion from β-Ce_2O_3·11Al_2O_3 to α-Al_2O_3 in Tetragonal ZrO_2 Matrix. (12) 3219

texture
Comparison of Texture Analysis Techniques for Highly Oriented α-Al_2O_3. (8) 2049

thermal conductivity
Synthesis of Cerium(IV) Oxide Ultrafine Particles by Solid-State Reactions. (4) 964
Thermal Conductivity of Yttria–Zirconia Single Crystals, Determined with Spatially Resolved Infrared Thermography. (8) 1993
Thermal Conductivity of β-Si_3N_4: II, Effect of Lattice Oxygen. (8) 1985

thermal expansion
Thermal Expansion Characteristics of Alumina–Magnesia and Alumina–Spinel Castables in the Temperature Range 800°–1650°C. (11) 2872
Thermal Expansion Kinetics: Method to Measure Permeability of Cementitious Materials: I, Theory. (11) 2753

thermal properties
Infrared Spectroscopic Method for Determination of Thermal Properties of Fluorophosphate Glasses. (5) 1305
Piezospectroscopic Analysis of Interface Debonding in Thermal Barrier Coatings. (5) 1165
Thermal Conductance of Delamination Cracks in a Fiber-Reinforced Ceramic Composite. (3) 553
Thermal Stability of Low-Oxygen Silicon Carbide Fiber (Hi-Nicalon) Subjected to Selected Oxidation Treatment. (6) 1450
Thermochemical Reactions and Equilibria between Fluoromicas and Silicate Matrices: A Petromimetic Perspective on Structural Ceramic Composites. (9) 2287
Zirconates as New Materials for Thermal Barrier Coatings. (8) 2023

thermal treatment
Formation of Novel ZSM-5/Porous Mullite Composite from Sintered Kaolin Honeycomb by Hydrothermal Reaction. (5) 1093
Hydrothermal Solidification of Kaolinite–Quartz–Lime Mixtures. (7) 1739
Low-Temperature Synthesis of Nanocrystalline Titanium Nitride via a Benzene–Thermal Route. (2) 430
Preparation of Stabilized Nanosized Tin Oxide Particles by Hydrothermal Treatment. (12) 2983

thermodynamics
Experimental Investigation and Thermodynamic Calculation of the Titanium–Silicon–Carbon System. (1) 197
Refinement of the Thermodynamic Properties of Ruthenium Dioxide and Osmium Dioxide. (7) 1745
Thermodynamic Assessment of the Lithium-Borate System. (12) 3082
Thermodynamic Optimization of the Silver–Bismuth–Strontium–Calcium–Copper–Oxygen (Ag-Bi-Sr-Ca-Cu-O) System. (4) 911
Thermodynamic Solubility Constant of $Ca(OH)_2$ in Simulated Radioactive Sulfate Liquid Waste. (4) 882

thermogravimetry
Determination of the Oxygen Deficiency in Vacuum-Hot-Pressed Ferroelectric Ceramics Using a Thermogravimetric Technique. (2) 451

thick films
Behavior of Silver and Palladium Mixtures during Heating. (11) 2709
Effect of Glass Composition on the Electrical Properties of Thick-Film Resistors. (10) 2441
Electrophoretic Deposition and Characterization of Micrometer-Scale $BaTiO_3$ Based X7R Dielectric Thick Films. (10) 2417
Lead Zirconate Titanate Particle Dispersion in Thick-Film Ink Formulations. (6) 1407
Micropatterning on Methylsilsesquioxane–Phenylsilsesquioxane Thick Films by the Sol–Gel Method. (12) 3211

thin films
Comparison of Ion Irradiation Effects in Silicon-Based Preceramic Thin Films. (4) 713
Effect of Precursor Pyrolysis on the Dielectric Properties of Hydrothermally Derived Barium Titanate Thin Films. (2) 442
Effects of Individual Layer Thickness on the Structure and Electrical Properties of Sol–Gel-Derived $Ba_{0.8}Sr_{0.2}TiO_3$ Thin Films. (10) 2616
Electronic Structure and Bonding of β-SiAlON. (4) 780
Fabrication and Ultraviolet Absorption of Sol–Gel-Derived Germanium Oxide Glass Thin Films. (6) 1356
Mimicking Nanometer Atomic Processes on a Micrometer Scale via Electrophoretic Deposition. (6) 1399
Reactions in Vapor-Phase Electrolytic Deposition for Preparing Yttria-Stabilized Zirconia Thin Films. (1) 77
Recrystallization of Oxygen Ion Implanted $Ba_{0.7}Sr_{0.3}TiO_3$ Thin Films. (2) 436
Ruddlesden–Popper Planar Faults and Nanotwins in Heteroepitaxial Nonstoichiometric Barium Titanate Thin Films. (12) 3185
Sol–Gel Route to Porous Lanthanum Cobaltite ($LaCoO_3$) Thin Films. (11) 2852

tin/tin compounds
Homogeneous Precipitation of Hydrous Tin Oxide Powders at Room Temperature Using Enzymatically Induced Gluconic Acid as a Precipitant. (4) 986
Microscopic Study of SnO_2 Crystals in the Gold Decoration Layer of Bone China. (5) 1308
Oxygen Position, Octahedral Distortion, and Bond-Valence Parameter from Bond Lengths in $Ti_{1-x}Sn_xO_2$ ($0 \le x \le 1$). (12) 3205
Preparation of Stabilized Nanosized Tin Oxide Particles by Hydrothermal Treatment. (12) 2983

titanates
Direct-Current Field Dependence of Dielectric Properties in Alumina-Doped Barium Strontium Titanate. (7) 1713
Effects of Alkaline-Earth-Metal Addition on the Sinterability and Microwave Characteristics of $(Zr,Sn)TiO_4$ Dielectrics. (4) 1010
Effects of B_2O_3 Addition on the Dielectric and Ferroelectric Properties of $Ba_{0.7}Sr_{0.3}TiO_3$ Ceramics. (5) 1145
Effects of Individual Layer Thickness on the Structure and Electrical Properties of Sol–Gel-Derived $Ba_{0.8}Sr_{0.2}TiO_3$ Thin Films. (10) 2616
Microwave Dielectric Properties and Far-Infrared Reflectivity Characteristics of the $CaTiO_3$–$Li_{1/2(1-3x)}Sm_{(1/2)+x}TiO_3$ Ceramics. (9) 2327
Preparation of $Ba_{6-3x}Nd_{8+2x}Ti_{18}O_{54}$ via Ethylenediaminetetraacetic Acid Precursor. (11) 2893
Synthesis of Titanate Derivatives Using Ion-Exchange Reaction. (5) 1098

titanium
Development of Titanium Coatings on Particulate Diamond. (8) 2106
Experimental Investigation and Thermodynamic Calculation of the Titanium–Silicon–Carbon System. (1) 197
Synthesis and Characterization of Ti_3AlC_2. (4) 825

titanium boride
Formation of Nanometric TiB_2 from TiO_2. (5) 1290

titanium carbide
Al_2O_3/TiC Based Metal Cutting Tools by Microwave Sintering Followed by Hot Isostatic Pressing. (6) 1530

titanium carbonitride
Formation of Core/Rim Structures in Ti(C,N)-WC-Ni Cermets via a Dissolution and Precipitation Process. (6) 1489

titanium diboride
Effect of Hot-Pressing Temperature on Densification and Mechanical Properties of Titanium Diboride with Silicon Nitride as a Sintering Aid. (6) 1542

titanium nitride
Field-Assisted Sintering of Nanocrystalline Titanium Nitride. (5) 1281
Low-Temperature Synthesis of Nanocrystalline Titanium Nitride via a Benzene–Thermal Route. (2) 430

titanium oxide
Constrained Film Sintering of Nanocrystalline TiO_2. (8) 1889
Deposition of Nano-Size Titania–Silica Particles in a Hot-Wall CVD Process. (4) 709
Fabrication of Free-Standing Titania-Based Gas Sensors by the Oxidation of Metallic Titanium Foils. (4) 1007
Formation of Nanometric TiB_2 from TiO_2. (5) 1290
High-Voltage Screening of Unidirectionally Surface-Ground Titania Ceramics. (6) 1413
Hydrothermal Synthesis of Nanosized Titania Powders: Influence of Peptization and Peptizing Agents on the Crystalline Phases and Phase Transitions. (6) 1361
Microwave Dielectric Loss of Titanium Oxide. (1) 95
Oxygen Position, Octahedral Distortion, and Bond-Valence Parameter from Bond Lengths in $Ti_{1-x}Sn_xO_2$ ($0 \le x \le 1$). (12) 3205
Porous Titania Ceramic Prepared by Mimicking Silicified Wood. (6) 1521
Refinement of Nanoscale Grain Structure in Bulk Titania via a Transformation-Assisted Consolidation (TAC) Method. (9) 2163

titanium silicide
Effect of Milling Media on the Reaction Kinetics of the Mechanochemical Synthesis of Pentatitanium Trisilicide. (11) 2887

toughness
Alumina Agglomerate Effects on Toughness-Curve Behavior of Alumina–Mullite Composites. (12) 3089
Fractal Analysis of Toughening Behavior in $3BaO·5SiO_2$ Glass-Ceramics. (3) 545
Microstructure Control of *In-Situ*-Toughened α-SiAlON Ceramics. (7) 1819
Toughening by Multiple Mechanisms in Ceramic-Matrix Composites with Discontinuous Elongated Reinforcements. (8) 2006
Toughening of an Alumina–Mullite Composite by Unbroken Bridging Elements. (4) 833

transducers
Fabrication of Piezoelectric Ceramic/Polymer Composite Transducers Using Fused Deposition of Ceramics. (1) 124

transformation toughening
Transformation Toughening in Zirconia-Containing Ceramics. (3) 461

transition metals
Facile Synthesis of Aluminum-Containing Mixed-Metal Oxides Using Doped Carboxylate Alumoxane Nanoparticles. (7) 1777

transitions
Kinetics and Microstructural Evolution of Heterogeneous Transformation of θ-Alumina to α-Alumina. (2) 362

tungsten/tungsten compounds
Oxidation of Ti(C,N)-Based Ceramics Exposed at 1373 K in Air. (3) 672

twinning
Growth of $BaTiO_3$ Seed Grains by the Twin-Plane Reentrant Edge Mechanism. (2) 385
Necessary Conditions for the Formation of {111} Twins in Barium Titanate. (11) 2858

vanadium/vanadium compounds
Characterization of Fine-Grained Bismuth Vanadate Ceramics Obtained Using Nanosized Powders. (5) 1122
Preliminary Observations on Phase Relations in the "V_2O_5–FeO" and V_2O_5–TiO_2 Systems from 1400°C to 1600°C in Reducing Atmospheres. (6) 1485

varistors
Differences in Wetting Characteristics of Bi_2O_3 Polymorphs in ZnO Varistor Materials. (9) 2311
Microstructure and Current–Voltage Characteristics of Multicomponent Vanadium-Doped Zinc Oxide Varistors. (10) 2455

viscosity
Cardanol: A New Dispersant for Alumina in Toluene. (6) 1533
Compaction and Sintering Behavior of Bimodal Alumina Powder Suspensions by Pressure Filtration. (4) 737
Grain-Boundary Viscosity of BaO-Doped SiC. (3) 563
High-Temperature Flow Behavior of Ceramic Suspensions. (9) 2189

voltage
Current–Voltage Characteristics of Σ1 Boundaries with and without Cobalt Ions in Niobium-Doped $SrTiO_3$ Bicrystals. (6) 1527

waste disposal
Crystallization of (Na_2O–MgO)–CaO–Al_2O_3–SiO_2 Glassy Systems Formulated from Waste Products. (10) 2515
Effect of Simulated Radioactive Liquid Waste on the Microstructure of Cementitious Materials: Portlandite Orientation and Saturation Factors in the Pore Solution. (11) 2803
Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes. (12) 3153

wear
Effect of Interfacial Layers on Wear Behavior of a Dental Glass-Ceramic. (7) 1831
Influence of Apparent Pressure on Wear Behavior of Self-Mated Alumina. (5) 1302
Microstructure and Abrasive Wear of Binderless Carbides. (10) 2491

Weibull statistics
Comment on "Relationship between the Estimated Weibull Modulus and the Coefficient of Variation of the Measured Strength for Ceramics". (4) 1013
Reply to "Comment on 'Relationship between the Estimated Weibull Modulus and the Coefficient of Variation of the Measured Strength for Ceramics'". (4) 1015

whiskers
Aluminum Nitride Whisker Formation during Combustion Synthesis. (5) 1117
Complex Impedance Analysis on the Orientation Effect of Whiskers in Oriented Silicon Carbide Whisker/Silicon Nitride Composites. (11) 2689
In situ Growth of SiC Whisker in Pyrolyzed Monolithic Mixture of AHPCS and SiC. (12) 2961
Morphology and Stacking Faults of β-Silicon Carbide Whisker Synthesized by Carbothermal Reduction. (10) 2584
Mullite Whiskers Grown from Erbia-Doped Aluminum Hydroxide–Silica Gel. (1) 60
Mullitization from a Multicomponent Oxide System in the Temperature Range 1200°–1500°C. (5) 1237
Synthesis of Silicon Carbide through the Sol–Gel Process from Rayon Fibers. (4) 952

whitewares
Effects of Glass Frit Oxides on Crystallization and Zircon Pigment Dissolution in Whiteware Coatings. (9) 2170
X-ray computed tomography
X-ray Computed Tomography and Mercury Porosimetry for Evaluation of Density Evolution and Porosity Distribution. (3) 518
X-ray methods
Analysis of X-ray Powder Diffraction Data Using the Maximum Likelihood Estimation Method. (8) 2062
Crystallization in $70Ga_2S_3{:}30La_2S_3$ (mol%) Glasses as a Function of Oxide/Hydroxide Concentration. (3) 617
Density Gradients and Sintered Dimensional Tolerance in Compacts Formed from Spray-Dried Alumina. (6) 1393
Effect of Density Gradients on Dimensional Tolerance During Binder Removal. (10) 2536
In Situ Formation of Hexaferrite Magnets within a 3Y-TZP Matrix: La_2O_3–ZnO–Fe_2O_3 and BaO–Fe_2O_3 Systems. (6) 1346
Quantitative Phase-Composition Analysis of Liquid-Phase-Sintered Silicon Carbide Using the Rietveld Method. (9) 2282
Structural Study of PbO–B_2O_3 Glasses by X-ray Diffraction and ^{11}B MAS NMR Techniques. (10) 2543
Structure of Liquid $Al_6Si_2O_{13}$ (3:2 Mullite). (11) 2777
X-ray Studies of Ferroelectric Cathodes. (5) 1317
Young's modulus
Elastic Constants of Erbia Single Crystals. (9) 2246
Instrumented Micro-indentation of Zirconia Ceramics. (8) 1977
yttria
Comment on "Influence of Yttrium Doping on Grain Misorientation in Aluminum Oxide". (5) 1323
Ionic Mobilities and Association Energies from an Analysis of Electrical Impedance of ZrO_2–Y_2O_3 Alloys. (7) 1703
Reply to "Comment on 'Influence of Yttrium Doping on Grain Misorientation in Aluminum Oxide'". (5) 1324
yttrium
Ion-Exchange Loading of Yttrium Acetate as a Sintering Aid on Aluminum Nitride Powder via Aqueous Processing. (11) 2793
yttrium aluminum garnet
Effect of Moisture on the High-Temperature Stability of Unidirectionally Solidified Al_2O_3/YAG Eutectic Composites. (12) 3077
Low-Temperature Fabrication of Transparent Yttrium Aluminum Garnet (YAG) Ceramics without Additives. (4) 961
Processing, Microstructure, and Strength of Alumina–YAG Eutectic Polycrystals. (8) 2088
Synthesis of Yttrium Aluminum Garnet from a Mixed-Metal Citrate Precursor. (5) 1276
zeolites
Formation of Novel ZSM-5/Porous Mullite Composite from Sintered Kaolin Honeycomb by Hydrothermal Reaction. (5) 1093
zeta potential
Rapid Electroacoustic Method for Monitoring Dispersion: Zeta Potential Titration of Alumina with Ammonium Poly(methacrylate). (10) 2360
zinc
Preparation of $ZnGa_2O_4$ Spinel Fine Particles by the Hydrothermal Method. (4) 977
zinc oxide
Differences in Wetting Characteristics of Bi_2O_3 Polymorphs in ZnO Varistor Materials. (9) 2311
Measurement of Densification of Zinc Oxide Compacts Using an Optical, Noncontact, Noninvasive Extensometer. (4) 974
Microstructural Development in SnO_2-Doped ZnO–Bi_2O_3 Ceramics. (12) 3172
Microstructure and Current–Voltage Characteristics of Multicomponent Vanadium-Doped Zinc Oxide Varistors. (10) 2455
zircon
Effects of Glass Frit Oxides on Crystallization and Zircon Pigment Dissolution in Whiteware Coatings. (9) 2170
Effects of Selected Processing Variables on Color Formation in Praseodymium-Doped Zircon Pigments. (9) 2177
Environmental Scanning Electron Microscopy (ESEM) Investigation of the Reaction Mechanism in Praseodymium-Doped Zircon. (6) 1518
Functionally Graded Zircon–Molybdenum Materials without Residual Stresses. (2) 454
zirconate
Electrical Conductivity of the High-Temperature Proton Conductor $BaZr_{0.9}Y_{0.1}O_{2.95}$. (4) 768
Zirconates as New Materials for Thermal Barrier Coatings. (8) 2023
zirconia
ac Impedance Study of Zirconia Doped with Yttria and Calcia. (3) 648
Chemical Interactions Promoting the ZrO_2 Tetragonal Stabilization in ZrO_2–SiO_2 Binary Oxides. (6) 1506
Comparison of *R*-Curves from Single-Edge V-Notched-Beam (SEVNB) and Surface-Crack-in-Flexure (SCF) Fracture-Toughness Test Methods on Multilayered Alumina–Zirconia Composites. (2) 445
Conversion from β-$Ce_2O_3{\cdot}11Al_2O_3$ to α-Al_2O_3 in Tetragonal ZrO_2 Matrix. (12) 3219
Effect of Sodium on Crystallite Size and Surface Area of Zirconia Powders at Elevated Temperatures. (8) 2055
Effect of the Interparticle Pair Potential on the Rheological Behavior of Zirconia Powders: I, Electrostatic Double Layer Approach. (3) 513
Enhanced Phase Stability for Tetragonal Zirconia in Precipitation Synthesis. (12) 3225
Formation Mechanism of Hydrous-Zirconia Particles Produced by Hydrolysis of $ZrOCl_2$ Solutions: II. (6) 1386
Instrumented Micro-indentation of Zirconia Ceramics. (8) 1977
Ionic Mobilities and Association Energies from an Analysis of Electrical Impedance of ZrO_2–Y_2O_3 Alloys. (7) 1703
Microstructural Characterization of C_{60}-Doped Zirconia. (9) 2315
Microstructural Characterization of ZrO_2 Particles Prepared by Reaction of Gaseous $ZrCl_4$ with Fe_2O_3. (4) 755
Phase Analysis and Thermal Stability of Hot Isostatically Pressed Zirconia–Hydroxyapatite Composites. (11) 2798
Phase Evolution in Silicon Carbide–Whisker-Reinforced Mullite/Zirconia Composite during Long-Term Oxidation at 1000° to 1350°C. (7) 1797
Piezospectroscopic Study of Residual Stresses in Al_2O_3–ZrO_2 Directionally Solidified Eutectics. (11) 2745
R-Curve Behavior and Crack-Closure Stresses in Barium Titanate and (Mg,Y)-PSZ Ceramics. (2) 353
Scratch Damage in Zirconia Ceramics. (6) 1428
Sintering Behavior of Nanocrystalline Zirconia Doped with Alumina Prepared by Chemical Vapor Synthesis. (8) 1853
Stabilization of Tetragonal ZrO_2 in ZrO_2–SiO_2 Binary Oxides. (3) 628
Transformation Toughening in Zirconia-Containing Ceramics. (3) 461
Zirconia-Based Metastable Solid Solutions through Self-Propagating High-Temperature Synthesis: Synthesis, Characterization, and Mechanistic Investigations. (8) 1935
ZrO_2 Nanopowders Prepared by Low-Temperature Vapor-Phase Hydrolysis. (5) 1077
zirconia: partially stabilized
Microstructure and Mechanical Properties of Fine-Grained Magnesia-Partially-Stabilized Zirconia Containing Titanium Carbide Particles. (7) 1813
R-Curve Behavior and Crack-Closure Stresses in Barium Titanate and (Mg,Y)-PSZ Ceramics. (2) 353
Sintering of Partially Stabilized Zirconia by Microwave Heating Using ZnO–MnO_2–Al_2O_3 Plates in a Domestic Microwave Oven. (8) 2085
zirconia: tetragonal polycrystals
Microstructure and Bending Strength of 3Y-TZP/12Ce-TZP Ceramics Fabricated by Liquid-Phase Sintering at Low Temperature. (11) 2881
zirconia: yttria stabilized
Effect of Slurry Rheological Properties on the Coating of Ceramic Honeycombs with Yttria-Stabilized-Zirconia Washcoats. (5) 1033
Evaluation of the Cyclic Fatigue Life of 3-mol%-Yttria-Stabilized Zirconia Bioceramic Using Biaxial Flexion. (2) 321
Fracture Resistance and Stable Crack-Growth Behavior of 8-mol%-Yttria-Stabilized Zirconia. (5) 1199
High-Temperature Tensile Deformation of Glass-Doped 3Y-TZP. (12) 3095
Imaging Secondary-Ion Mass Spectroscopy Observation of the Scavenging of Siliceous Film from 8-mol%-Yttria-Stabilized Zirconia by the Addition of Alumina. (5) 1273
Nonisothermal Synthesis of Yttria-Stabilized Zirconia Nanopowder through Oxalate Processing: I, Characteristics of Y-Zr Oxalate Synthesis and Its Decomposition. (9) 2196
Phase Stability of Yttria-Stabilized Zirconia with Dissolved Cerium and Neptunium Oxides Under Oxidizing and Reducing Atmospheres. (2) 391
Phase Transformation in EB-PVD Yttria Partially Stabilized Zirconia Thermal Barrier Coatings during Annealing. (4) 904
Preparation of Yttria-Stabilized Zirconia Thin Films on Strontium-Doped $LaMnO_3$ Cathode Substrates via Electrophoretic Deposition for Solid Oxide Fuel Cells. (8) 1921
Reactions in Vapor-Phase Electrolytic Deposition for Preparing Yttria-Stabilized Zirconia Thin Films. (1) 77
Strength and Toughness of Tape-Cast Yttria-Stabilized Zirconia. (8) 2029
Thermal Conductivity of Yttria–Zirconia Single Crystals, Determined with Spatially Resolved Infrared Thermography. (8) 1993
zirconia: yttria-stabilized tetragonal polycrystals
In Situ Formation of Hexaferrite Magnets within a 3Y-TZP Matrix: La_2O_3–ZnO–Fe_2O_3 and BaO–Fe_2O_3 Systems. (6) 1346
zirconium/zirconium compounds
Reactive Hot Pressing of ZrB_2–SiC Composites. (9) 2330
Zirconium Oxide Structure Prepared by the Sol–Gel Route: I, The Role of the Alcoholic Solvent. (2) 377